



NEXEN TIRE

2021 PRODUCT SHOWCASE





THE ALL NEW, ALL SEASON
TIRE FOR CUVS & SUVS
ROADIAN GTX

**CROSSOVER TO
A BETTER RIDE**

MEETING THE MARKET

Crossovers and SUVs are more popular than ever, and their segment of the market is only increasing. Drivers count on their versatility and dependability, from cross-country road trips to trips to the store. The Nexen Roadian GTX touring tire meets this need and exceeds expectations. Drivers want a long tread life. They want all-season traction. They want the best mileage and a comfortable ride. On every count, the new Roadian GTX delivers.



NO SACRIFICE ON COMFORT

Drivers value a smooth ride, so computer simulations were used to create optimized block designs and sequences that reduce noise and increase comfort.



**45-DAY
TRIAL
OFFER**



70,000 MILE TREAD WEAR WARRANTY

Drivers place long tread life at the top of their tire wish list. And with the new Roadian GTX, that wish comes true. Its long wear life makes it a great fit for on-the-go drivers who want a tire they can depend on for years to come.



LIGHT SNOW? NO PROBLEM.

The Roadian GTX uses additional sipes, an optimized profile, and new compound technology to ensure upgraded traction in light snow conditions, which makes it a well-rounded all-season option.

35 SIZES AVAILABLE

36 MONTHS ROADSIDE ASSISTANCE

17"-22" RIM SIZE RANGE



ON AND OFF THE TRAIL... WE GOT YOU.

THE ROADIAN MTX FEATURES AN AGGRESSIVE DESIGN THAT IS VERSATILE FOR ON- AND EXTREME OFF-ROAD DRIVING. THE TIRE'S CONSTRUCTION IS DESIGNED TO MAXIMIZE LOAD AND TOWING CAPABILITIES WITHOUT SACRIFICING ANY OF THE RUGGED TRAITS OR ON-HIGHWAY DRIVING COMFORT ONE WOULD EXPECT FROM OUR ROADIAN LINE OF TIRES.

OFF-ROAD. TOWING CAPACITY. DURABILITY.

WE GOT YOU.

ROADIAN MTX

MUD TERRAIN TIRE



3-PLY SIDEWALL PROTECTION ON ALL SIZES FOR INCREASED DURABILITY



DUAL SIDEWALL DESIGN FOR A CUSTOM LOOK
◀ BEAST | MACHINE ▶



F-LOAD RATED FOR HEAVIER LOADS
SUPPORTING 80 PSI IN BOTH LT-METRIC AND FLOTATION APPLICATIONS



45-DAY TRIAL OFFER

35 SIZES AVAILABLE

36 MONTHS ROADSIDE ASSISTANCE

15"-22" RIM SIZE RANGE


**ALL SEASON.
RAIN SLICK ROADS.
STICKY DRY HANDLING.**

WE GOT YOU.


N'FERA AU7
ULTRA HIGH PERFORMANCE ALL SEASON

MASTER THE ELEMENTS

THE N'FERA AU7 IS MANUFACTURED WITH AN ENHANCED TREAD PATTERN SPECIFICALLY DESIGNED TO HEIGHTEN WET BRAKING PERFORMANCE AND HANDLING. THE CONSTRUCTION OF THE TIRE HAS MAXIMUM GRIP FOR MAXIMUM PEACE OF MIND.



OPTIMIZED BLOCK STIFFNESS FOR INCREASED HANDLING



3D KERF SIPES REINFORCE BLOCK STIFFNESS FOR IMPROVED HANDLING



3D NANO GRIP TECHNOLOGY STICKS TO THE ROAD FOR IMPROVED WET BRAKING



45-DAY TRIAL OFFER

45 SIZES AVAILABLE

50k MILEAGE WARRANTY

16"-20" RIM SIZE RANGE



ASSOCIATE DEALER PROGRAM

**NEXEN
NEXT LEVEL
DEALER
PROGRAM**

- Easy to understand
- Fast payouts
- Dealer Dashboards
- Distributor Dashboards
- What if? Calculator
- Annual True-up
- Combine Locations
- And much more!

NEXENACE
ACCELERATED CERTIFICATION & EDUCATION

**EARN POINTS.
ENTER
SWEEPSTAKES.
ORDER
MERCHANDISE.
REQUEST POP
MATERIALS TOO.**

NEXENACE.COM



RESOURCES FOR

OUR DEALERS!



**NEW NEXEN
TIRE APP
AVAILABLE NOW**

**DRIVING SALES
FOR OUR NEXT
LEVEL DEALERS**

**DOWNLOAD THE
APP TODAY!**



**FIND EVERYTHING
YOU NEED**



- Dealer Finder
- Tire Finder
- Tire Lineup
- Brand Guide
- Brand Asset Library
- Dealer Locator
- Dealer Resources
- Decal Requests

NEXENTIREUSA.COM

NFERA SUR4G

EXTREME ULTRA HIGH PERFORMANCE

Built to perform under the most aggressive driving conditions, this extreme UHP tire is at the top of the class in braking and handling performance. Ideal use is for street sport applications.

OE FITMENT
DODGE



SIZES AVAILABLE: 21
SIZE RANGE: 15" - 20"
MILEAGE WARRANTY: N/A
ROAD HAZARD: N/A
ROADSIDE ASSISTANCE: 36 months
UTQG: 100/200 A A
SPEED RATING: W & Y

Page 14

NFERA SU1

ULTRA HIGH PERFORMANCE SUMMER

Perfect fit for sports car applications or for the driver who wants a little more performance out of their standard vehicle. Excels at braking and cornering performance.



SIZES AVAILABLE: 56
SIZE RANGE: 16" - 24"
MILEAGE WARRANTY: 25,000 miles
ROAD HAZARD: First 2/32" or 1 year
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles
UTQG: 300 AA A
SPEED RATING: W & Y

Page 15

NFERA AU7

ULTRA HIGH PERFORMANCE ALL SEASON

Designed for the discretionary driver of sports cars, luxury coupes and performance sedans looking for superior traction in dry and wet conditions.

OE FITMENT
VW



SIZES AVAILABLE: 45
SIZE RANGE: 16" - 20"
UTQG: 500 AA A/560 A A
SPEED RATING: H, W & Y

MILEAGE WARRANTY: 50,000 miles
ROAD HAZARD: First 2/32" or 1 year
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

Page 17

NPriz AH8

GRAND TOURING ALL SEASON

Designed for family sedans that depend on safety year-round. Ride confidently with excellent traction in dry, wet and light snow conditions.

OE FITMENT
VW HYUNDAI KIA RAM



SIZES AVAILABLE: 61
SIZE RANGE: 14" - 19"
UTQG: 440/500/560/600 A A
SPEED RATING: T, H, V & W

MILEAGE WARRANTY: 70,000 miles
ROAD HAZARD: First 2/32" or 1 year
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

Page 19

Aria AH7

PREMIUM STANDARD TOURING ALL SEASON

A long-lasting, premium all-season tire, which offers one of the longest mileage warranties in its class.



SIZES AVAILABLE: 25
SIZE RANGE: 15" - 18"
MILEAGE WARRANTY: 80,000 miles
ROAD HAZARD: First 2/32" or 1 year
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles
UTQG: 760 A A
SPEED RATING: T & H

Page 21

NPriz AH5

STANDARD TOURING ALL SEASON

The perfect tire for entry-level sedans and coupes. This tire offers a great balance of performance, handling, comfort and wear life at a value price.



SIZES AVAILABLE: 45
SIZE RANGE: 14" - 17"
MILEAGE WARRANTY: 50,000 miles
ROAD HAZARD: First 2/32" or 1 year
ROADSIDE ASSISTANCE: 36 months
UTQG: 460 A A
SPEED RATING: S, T, H, & V

Page 22

ROADIAN HP

STREET SPORT TRUCK ALL SEASON

A low-profile truck and SUV tire that delivers sporty performance on any road surface. Perfect for custom wheel packages and modified vehicles.



SIZES AVAILABLE: 22
SIZE RANGE: 17" - 24"
MILEAGE WARRANTY: 40,000 miles
ROAD HAZARD: First 2/32" or 1 year
ROADSIDE ASSISTANCE: 36 months
UTQG: 460 A A
SPEED RATING: H & V

Page 24

ROADIAN GTX

CUV/SUV TOURING

Drivers count on versatility and dependability, from cross-country road trips to trips to the store. The Nexen Roadian GTX touring tire meets this need and exceeds expectations. Drivers want a long tread life. They want all-season traction. They want the best mileage and a comfortable ride. On every count, the new Roadian GTX delivers.

OE FITMENT
HYUNDAI KIA MITSUBISHI MOTORS



SIZES AVAILABLE: 35
SIZE RANGE: 17" - 22"
MILEAGE WARRANTY: 70,000 miles
ROAD HAZARD: First 2/32" or 1 year
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles
UTQG: 600/680 A A
SPEED RATING: H, T, V & W

Page 25

ROADIAN HTX RH5

HIGHWAY TERRAIN

This highway-inspired truck tire offers exceptional wear and load-carrying features. Trusted Original Equipment on the Ram 1500 and 3500.

OE FITMENT
RAM



SIZES AVAILABLE: 48
SIZE RANGE: 15" - 22"
MILEAGE WARRANTY (P): 65,000 miles
MILEAGE WARRANTY (LT): 40,000 miles
ROAD HAZARD: First 2/32" or 1 year
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles
UTQG: 640 A A (P) Metric
SPEED RATING: Q, R, S, T, H & V

Page 27

ROADIAN AT PRO RA8

ALL TERRAIN

An aggressive tread pattern that conquers any terrain thrown its way. Designed to keep gravel out, optimize mud extraction and prevent impact damage. Trusted Original Equipment on the Ram 3500.

OE FITMENT
RAM



SIZES AVAILABLE: 57
SIZE RANGE: 15" - 22"
MILEAGE WARRANTY (P): 50,000 miles
MILEAGE WARRANTY (LT): 40,000 miles
ROAD HAZARD: First 2/32" or 1 year
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles
UTQG: 560 A B (P) Metric
SPEED RATING: R, S, T & H

Page 29

ROADIAN MTX

MUD TERRAIN

The Roadian MTX features an aggressive design that is extremely versatile for on- and off-road driving. Each tire boasts a dual sidewall design that allows you to customize the look of the tire on your vehicle. The Roadian MTX also features a standard 3-ply design and F-Load weight rating that makes it extremely capable for heavy hauling. With such rugged traits, you wouldn't expect the Roadian MTX to be as quiet as it is on the highway, but thanks to its patented tread block design, the road noise has been minimized.



SIZES AVAILABLE: 35
SIZE RANGE: 15" - 22"
MILEAGE WARRANTY: N/A
ROAD HAZARD: N/A
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles
SPEED RATING: Q

Page 31

ROADIAN CT8 HL

COMMERCIAL VAN/LT

A tire constructed to deliver heavy-duty performance for commercial vehicles. Replacement sizes for all Euro and U.S. commercial vans. Trusted Original Equipment on the Ram ProMaster.

OE FITMENT
RAM



SIZES AVAILABLE: 15
SIZE RANGE: 15" - 18"
MILEAGE WARRANTY: N/A
ROAD HAZARD: N/A
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles
SPEED RATING: R, S & T

Page 34

A TIRE FOR EVERY ROAD.

2021 NEXEN TIRE PRODUCT SHOWCASE

HIGH PERFORMANCE

N'FERA SUR4G	14
N'FERA SU1	15
N'FERA AU7	17

PASSENGER

N'PRIZ AH8	19
ARIA AH7	21
N'PRIZ AH5	22
SB-802	23

CUV/SUV/LIGHT TRUCK

ROADIAN HP	24
ROADIAN GTX.....	25
ROADIAN HTX RH5	27
ROADIAN AT PRO RA8	29
ROADIAN MTX	31
ROADIAN MT	33
ROADIAN CT8 HL	34
ROADIAN CT8	35

WINTER

WINGUARD SPORT 2	36
WINGUARD ICE PLUS	38
WINGUARD ICE SUV	39
WINGUARD WINSPIKE WH62	41
WINGUARD WINSPIKE WS62	43
WINGUARD WINSPIKE	44
EUROWIN	45

OEM

ORIGINAL EQUIPMENT 2021	46
-------------------------------	----

WARRANTY

NEXEN TOTAL COVERAGE WARRANTY	49
-------------------------------------	----

MINIMUM ADVERTISED PRICING POLICY	52
---	----

CALENDAR	54
----------------	----

N FERA AU7

... CONTINUED FROM PREVIOUS PAGE

PATTERN CODE: AU7

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	OE
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.		
15230		235/45R18	XL	98	W	4	50	1,653	-	8.0	7.5-9.0	9.3	26.3	9.0	500	AA	A	Black	
15114		235/50R18		97	W	4	51	1,609	-	7.5	6.5-8.5	9.6	27.3	9.0	500	AA	A	Black	
14411		245/40R18	XL	97	W	4	50	1,609	-	8.5	8.0-9.5	9.8	25.7	9.0	500	AA	A	Black	
14410		245/45R18	XL	100	W	4	50	1,764	-	8.0	7.5-9.0	9.6	26.7	9.0	500	AA	A	Black	
15628		245/50R18		100	W	4	51	1,764	-	7.5	7.0-8.5	10.0	27.7	9.0	500	AA	A	Black	
15232		255/35R18	XL	94	W	4	50	1,477	-	9.0	8.5-10.0	10.2	25.0	9.0	500	AA	A	Black	
14421		255/40R18		95	Y	4	51	1,521	-	9.0	8.5-10.0	10.2	26.0	9.0	500	AA	A	Black	
14414		255/45R18		99	W	4	51	1,709	-	8.5	8.0-9.5	10.0	27.0	9.0	500	AA	A	Black	
15636		275/35R18		95	Y	4	51	1,521	-	9.5	9.0-11.0	10.9	25.6	9.0	500	AA	A	Black	
14418		225/45R19	XL	96	W	4	50	1,565	-	7.5	7.0-8.5	8.9	27.0	9.0	500	AA	A	Black	
15234		235/40R19	XL	96	W	4	50	1,565	-	8.5	8.0-9.5	9.5	26.4	9.0	500	AA	A	Black	
15629		235/45R19		95	W	4	51	1,521	-	8.0	7.5-9.0	9.3	27.4	9.0	500	AA	A	Black	
14420		245/40R19	XL	98	Y	4	50	1,653	-	8.5	8.0-9.5	9.8	26.7	9.0	500	AA	A	Black	
14415		245/45R19	XL	102	W	4	50	1,874	-	8.0	7.5-9.0	9.6	27.7	9.0	500	AA	A	Black	
15630		255/35R19	XL	96	Y	4	50	1,565	-	9.0	8.5-10.0	10.2	26.0	9.0	500	AA	A	Black	
14423		255/40R19	XL	100	Y	4	50	1,764	-	9.0	8.5-10.0	10.2	27.0	9.0	500	AA	A	Black	
15233		255/45R19		100	W	4	51	1,764	-	8.5	8.0-9.5	10.0	28.1	9.0	500	AA	A	Black	
15631		275/35R19		96	Y	4	51	1,565	-	9.5	9.0-11.0	10.9	26.6	9.0	500	AA	A	Black	
15633		275/40R19		101	Y	4	51	1,819	-	9.5	9.0-11.0	10.9	27.7	9.0	500	AA	A	Black	
15637		225/35R20	XL	90	W	4	50	1,323	-	8.0	7.5-9.0	9.1	26.2	9.0	500	AA	A	Black	
15638		245/35R20	XL	95	Y	4	50	1,521	-	8.5	8.0-9.5	9.8	26.8	9.0	500	AA	A	Black	
15624		245/40R20	XL	99	Y	4	50	1,709	-	8.5	8.0-9.5	9.8	27.7	9.0	500	AA	A	Black	
14413		245/45R20	XL	103	W	4	50	1,929	-	8.0	7.5-9.0	9.6	28.7	9.0	500	AA	A	Black	
15634		255/35R20	XL	97	Y	4	50	1,609	-	9.0	8.5-10.0	10.2	27.0	9.0	500	AA	A	Black	
15635		275/35R20	XL	102	Y	4	50	1,874	-	9.5	9.0-11.0	10.9	27.6	9.0	500	AA	A	Black	

Technical data can be changed without further notice. For more detailed OE application information, please refer to "Original Equipment 2021" page.



N'Priz AH8
GRAND TOURING ALL SEASON

The N'Priz AH8 is designed for family sedans that require all-year traction in dry, wet and light snow conditions. Performance in light snow conditions is superior to its predecessor, the CP672.

TOTAL COVERAGE WARRANTY
NEXEN TIRE

TREAD WEAR WARRANTY
70,000 MILES

ROAD HAZARD WARRANTY
FIRST 2/32" OR 1 YEAR

ROADSIDE ASSISTANCE
36 MONTHS

FREE TRIAL
45 DAYS OR 500 MILES

PATTERN CODE: AH8

OE FITMENT ON



Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	OE
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.		
14699		185/65R14		86	H	4	44	1,168	-	5.5	5.0-6.5	7.4	23.5	9.0	600	A	A	Black	
17612	P	185/60R15		84	H	4	44	1,102	-	5.5	5.0-6.5	7.4	23.7	9.0	440	A	A	Black	
15120		195/60R15		88	H	4	44	1,235	-	6.0	5.5-7.0	7.9	24.2	9.0	600	A	A	Black	
14979		185/65R15		88	H	4	44	1,235	-	5.5	5.0-6.5	7.4	24.4	9.0	500	A	A	Black	
15711		195/65R15		91	H	4	44	1,356	-	6.0	5.5-7.0	7.9	25.0	9.0	600	A	A	Black	
14386		195/65R15		91	T	4	44	1,356	-	6.0	5.5-7.0	7.9	25.0	9.0	500	A	A	Black	HYUNDAI
13466		195/65R15		91	T	4	44	1,356	-	6.0	5.5-7.0	7.9	25.0	9.0	500	A	A	Black	KIA
15117		205/65R15		94	H	4	44	1,477	-	6.0	5.5-7.5	8.2	25.5	9.0	600	A	A	Black	
15521		185/55R16		83	H	4	51	1,074	-	6.0	5.0-6.5	7.6	24.0	9.0	600	A	A	Black	
16407		185/60R16		86	H	4	51	1,168	-	5.5	5.0-6.5	7.4	24.7	9.0	600	A	A	Black	
15517		195/50R16		84	V	4	51	1,102	-	6.0	5.5-7.0	7.9	23.7	9.0	600	A	A	Black	
15523		195/55R16		87	V	4	51	1,201	-	6.0	5.5-7.0	7.9	24.4	9.0	600	A	A	Black	
15518		205/50R16		87	V	4	51	1,201	-	6.5	5.5-7.5	8.4	24.1	9.0	600	A	A	Black	
14194		205/55R16		91	H	4	44	1,356	-	6.5	5.5-7.5	8.4	24.9	10.0	560	A	A	Black	HYUNDAI
15710		205/55R16		91	V	4	44	1,356	-	6.5	5.5-7.5	8.4	24.9	10.0	600	A	A	Black	
15605		205/60R16		92	H	4	44	1,389	-	6.0	5.5-7.5	8.2	25.7	9.0	500	A	A	Black	HYUNDAI, KIA
13904		205/65R16		95	H	4	44	1,521	-	6.0	5.5-7.5	8.2	26.5	10.0	440	A	A	Black	KIA
15677	P	205/70R16		96	H	4	44	1,565	-	6.0	5.0-7.0	8.2	27.3	9.0	600	A	A	Black	
14369		215/55R16	XL	97	H	4	50	1,609	-	7.0	6.0-7.5	8.9	25.3	10.0	440	A	A	Black	RAM
14691		215/60R16		95	V	4	44	1,521	-	6.5	6.0-7.5	8.7	26.1	9.0	600	A	A	Black	

CONTINUED ON NEXT PAGE ...

PERFORMANCE RATINGS

BRAKING
9

COMFORT
9

FUEL EFFICIENCY
8

HANDLING
9

WEAR LIFE
9



ROADIAN HP

STREET SPORT TRUCK ALL SEASON

The Roadian HP includes a V-shaped directional pattern design, which provides high-performance grip on any road surface. This tire also features a five random pitch variation design that reduces pattern noise, wide and deep directional grooves to provide excellent drainage and braking performance, while the large shoulder blocks maximize cornering grip.

**TOTAL
COVERAGE
WARRANTY**
NEXEN TIRE



**TREAD WEAR
WARRANTY**
40,000 MILES



**ROAD HAZARD
WARRANTY**
FIRST 2/32"
OR 1 YEAR



**ROADSIDE
ASSISTANCE**
36 MONTHS

PATTERN CODE: RO HP

Product Code	P/LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.	
11006		255/60R17		106	V	4	44	2,094	-	7.5	7.0-9.0	10.2	29.1	11.0	460	A	A	Black
15451		265/60R17		108	V	4	44	2,205	-	8.0	7.5-9.5	10.7	29.5	11.0	460	A	A	Black
15453		275/60R17		110	V	4	44	2,337	-	8.0	7.5-9.5	11.0	30.0	11.0	460	A	A	Black
15608		265/60R18		110	H	4	44	2,337	-	8.0	7.5-9.5	10.7	30.5	11.0	460	A	A	Black
15455		285/60R18		116	V	4	44	2,756	-	8.5	8.0-10.0	11.5	31.5	11.0	460	A	A	Black
15467		255/50R20	XL	109	V	4	50	2,271	-	8.0	7.0-9.0	10.4	30.1	11.0	460	A	A	Black
15469		265/50R20	XL	111	V	4	50	2,403	-	8.5	7.5-9.5	10.9	30.5	11.0	460	A	A	Black
15470		275/40R20	XL	106	V	4	50	2,094	-	9.5	9.0-11.0	10.9	28.7	11.0	460	A	A	Black
15454		275/45R20	XL	110	V	4	50	2,337	-	9.0	8.5-10.5	10.7	29.8	11.0	460	A	A	Black
15471		275/55R20	XL	117	V	4	50	2,833	-	8.5	7.5-9.5	11.2	31.9	11.0	460	A	A	Black
15473		285/50R20	XL	116	V	4	50	2,756	-	9.0	8.0-10.0	11.7	31.3	11.0	460	A	A	Black
15463		295/40R20		106	V	4	44	2,094	-	10.5	10.0-11.5	11.9	29.3	11.0	460	A	A	Black
15459		295/45R20	XL	114	V	4	50	2,601	-	10.0	9.5-11.0	11.7	30.5	11.0	460	A	A	Black
15464		255/30R22	XL	95	V	4	50	1,521	-	9.0	8.5-9.5	10.2	28.1	11.0	460	A	A	Black
15456		265/35R22	XL	102	V	4	50	1,874	-	9.5	9.0-10.5	10.7	29.3	11.0	460	A	A	Black
15472		285/35R22	XL	106	V	4	50	2,094	-	10.0	9.5-11.0	11.4	29.9	11.0	460	A	A	Black
15466		285/45R22	XL	114	V	4	50	2,601	-	9.5	9.0-10.5	11.2	32.1	11.0	460	A	A	Black
15457		295/30R22	XL	103	V	4	50	1,929	-	10.5	10.0-11.0	11.9	29.0	11.0	460	A	A	Black
15460		305/40R22	XL	114	V	4	50	2,601	-	11.0	10.0-12.0	12.3	31.6	11.0	460	A	A	Black
15452		305/45R22	XL	118	V	4	50	2,910	-	10.0	9.5-11.5	11.9	32.8	11.0	460	A	A	Black
15474		295/35R24	XL	110	V	4	50	2,337	-	10.5	10.0-11.5	11.9	32.1	11.0	460	A	A	Black
15354		305/35R24	XL	112	V	4	50	2,469	-	11.0	10.0-12.0	12.3	32.4	11.0	460	A	A	Black

Technical data can be changed without further notice.

PERFORMANCE RATINGS

BRAKING
8

COMFORT
7

FUEL EFFICIENCY
8

HANDLING
9

WEAR LIFE
8



ROADIAN GTX

CUV/SUV TOURING

The Roadian GTX delivers on every count. Crossovers and SUVs are more popular than ever, and their segment of the market is only increasing. Drivers count on their versatility and dependability, from cross-country road trips to trips to the store. They need a tire with a long tread life, all-season traction, the best mileage and a comfortable ride. The Nexen Roadian GTX touring tire meets these needs and exceeds expectations.

**TOTAL
COVERAGE
WARRANTY**
NEXEN TIRE



**TREAD WEAR
WARRANTY**
70,000 MILES



**ROAD HAZARD
WARRANTY**
FIRST 2/32"
OR 1 YEAR



**ROADSIDE
ASSISTANCE**
36 MONTHS



FREE TRIAL
45 DAYS OR
500 MILES

PATTERN CODE: GTX

OE FITMENT ON

Product Code	P/LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	OE
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.		
17051		225/60R17		99	H	4	51	1,709	-	6.5	6.0-8.0	9.0	27.6	9.5	680	A	A	Black	
17060		225/65R17		102	V	4	51	1,874	-	6.5	6.0-8.0	9.0	28.5	9.5	680	A	A	Black	
17054		235/60R17		102	H	4	51	1,874	-	7.0	6.5-8.5	9.4	28.1	9.5	680	A	A	Black	
16581		235/65R17		104	H	4	51	1,984	7.0	6.5-8.5	9.4	29.1	9.5	600	A	A	Black	Hyundai, Kia	
17136		235/65R17		104	H	4	51	1,984	7.0	6.5-8.5	9.4	29.1	9.5	600	A	A	Black	Kia	
17061		245/65R17		107	V	4	51	2,149	-	7.0	7.0-8.5	9.8	29.5	9.5	680	A	A	Black	
17052		225/60R18	XL	104	H	4	50	1,984	-	6.5	6.0-8.0	9.0	28.6	9.5	680	A	A	Black	
17045		235/55R18	XL	104	V	4	50	1,984	-	7.5	6.5-8.5	9.6	28.1	9.5	680	A	A	Black	
17142		235/60R18		103	H	4	51	1,929	7.0	6.5-8.5	9.4	29.1	9.5	600	A	A	Black		
17571		235/65R18		106	H	4	51	2,094	-	7.0	6.5-8.5	9.4	30.0	9.5	600	A	A	Black	
17055		245/60R18		105	H	4	51	2,039	-	7.0	7.0-8.5	9.8	29.6	9.5	680	A	A	Black	
17048		255/55R18	XL	109	V	4	50	2,271	-	8.0	7.0-9.0	10.4	29.0	9.5	680	A	A	Black	
17056		255/60R18		108	H	4	51	2,205	-	7.5	7.0-9.0	10.2	30.0	9.5	680	A	A	Black	
17062		255/65R18		111	T	4	51	2,403	-	7.5	7.0-9.0	10.2	31.1	9.5	680	A	A	Black	
17057		265/60R18		110	H	4	51	2,337	-	8.0	7.5-9.5	10.7	30.5	9.5	680	A	A	Black	

CONTINUED ON NEXT PAGE ...

PERFORMANCE RATINGS

BRAKING
8

COMFORT
10

FUEL EFFICIENCY
9

HANDLING
10

WEAR LIFE
10

SNOW TRACTION
6

ROADIAN GTX

... CONTINUED FROM PREVIOUS PAGE

PATTERN CODE: GTX

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	OE
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.		
17043		225/55R19	XL	103	V	4	50	1,929	-	7.0	6.0-8.0	9.2	28.8	9.5	680	A	A	Black	
17033		235/45R19		95	H	4	51	1,521	-	8.0	7.5-9.0	9.3	27.4	9.5	680	A	A	Black	
17037		235/50R19		99	H	4	51	1,709	-	7.5	6.5-8.5	9.6	28.3	9.5	680	A	A	Black	
16583		235/55R19		101	H	4	51	1,819	-	7.5	6.5-8.5	9.6	29.2	9.5	600	A	A	Black	
17047		245/55R19		103	V	4	51	1,929	-	7.5	7.0-8.5	10.0	29.6	9.5	680	A	A	Black	
17407		255/50R19	XL	107	H	4	50	2,149	-	8.0	7.0-9.0	10.4	29.1	9.5	680	A	A	Black	
17414		255/55R19	XL	111	V	4	50	2,403	-	8.0	7.0-9.0	10.4	30.0	9.5	680	A	A	Black	
17566		255/60R19		109	H	4	51	2,271	-	7.5	7.0-9.0	10.2	31.1	9.5	680	A	A	Black	
17413		275/55R19		111	V	4	51	2,403	-	8.5	7.5-9.5	11.2	30.9	9.5	680	A	A	Black	
17046		235/55R20		102	V	4	51	1,874	-	7.5	6.5-8.5	9.6	30.2	9.5	680	A	A	Black	
17038		245/50R20		102	V	4	51	1,874	-	7.5	7.0-8.5	10.0	29.7	9.5	680	A	A	Black	
16640	P	255/45R20		101	W	4	51	1,819	-	8.5	8.0-9.5	10.0	29.1	9.5	600	A	A	Black	Mitsubishi
17039		255/50R20	XL	109	V	4	50	2,271	-	8.0	7.0-9.0	10.4	30.1	9.5	680	A	A	Black	
17049		255/55R20		107	H	4	51	2,149	-	8.0	7.0-9.0	10.4	31.0	9.5	680	A	A	Black	
17410		265/45R20	XL	108	H	4	50	2,205	-	9.0	8.5-10.0	10.5	29.4	9.5	680	A	A	Black	
17040		265/50R20	XL	111	V	4	50	2,403	-	8.5	7.5-9.5	10.9	30.5	9.5	680	A	A	Black	
17406		275/40R20	XL	106	W	4	50	2,094	-	9.5	9.0-11.0	10.9	28.7	9.5	680	A	A	Black	
17408		275/45R20	XL	110	V	4	50	2,337	-	9.0	8.5-10.5	10.7	29.8	9.5	680	A	A	Black	
17409		275/55R20		113	H	4	51	2,535	-	8.5	7.5-9.5	11.2	31.9	9.5	680	A	A	Black	
17412		285/45R22	XL	114	H	4	50	2,601	-	9.5	9.0-10.5	11.2	32.1	9.5	680	A	A	Black	

Technical data can be changed without further notice. For more detail OE application information, please refer to "Original Equipment 2021" page.



ROADIAN HTX RH5

HIGHWAY TERRAIN

The Roadian HTX RH5 contains a four-channel groove design in forward direction to enhance drainage and hydroplaning performance on wet roads. The three- and four-division tread design improves grip while enhancing wear performance. The reinforced shoulder block design results in improved cornering and handling, while a center rib block design optimizes grip and steering performance.

TOTAL COVERAGE WARRANTY
NEXEN TIRE



TREAD WEAR WARRANTY
65,000 MILES (P)
40,000 MILES (LT)



ROAD HAZARD WARRANTY
FIRST 2/32" OR 1 YEAR



ROADSIDE ASSISTANCE
36 MONTHS



FREE TRIAL
45 DAYS OR 500 MILES

PATTERN CODE: RH5 (P) METRIC

OE FITMENT ON

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	OE
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.		
13137		225/70R15		100	S	4	51	1,764	-	6.5	6.0-7.5	9.0	27.4	12.0	640	A	A	White	
13138		235/70R15		103	S	4	51	1,929	-	7.0	6.0-8.0	9.4	28.0	12.0	640	A	A	White	
13128		235/75R15	XL	109	S	4	50	2,271	-	6.5	6.0-8.0	9.3	28.9	12.0	640	A	A	White	
13132		265/70R15		112	S	4	51	2,469	-	8.0	7.0-9.0	10.7	29.6	12.0	640	A	A	White	
12692		225/70R16		103	T	4	51	1,929	-	6.5	6.0-7.5	9.0	28.4	12.0	640	A	A	White	
13133		225/75R16	XL	108	S	4	50	2,205	-	6.0	6.0-7.5	8.8	29.3	12.0	640	A	A	White	
11725		235/70R16		106	T	4	51	2,094	-	7.0	6.0-8.0	9.4	29.0	12.0	640	A	A	White	
12694		235/75R16		108	T	4	51	2,205	-	6.5	6.0-8.0	9.3	29.8	12.0	640	A	A	White	
14397		245/70R16	RF	111	T	4	50	2,403	-	7.0	6.5-8.0	9.8	29.5	12.0	640	A	A	White	
13130		245/75R16		111	S	4	51	2,403	-	7.0	6.5-8.0	9.8	30.5	12.0	640	A	A	White	
12695		255/65R16		109	H	4	51	2,271	-	7.5	7.0-9.0	10.2	29.1	12.0	640	A	A	White	
11714		255/70R16		111	S	4	51	2,403	-	7.5	6.5-8.5	10.2	30.1	12.0	640	A	A	White	
11716		265/70R16		112	S	4	51	2,469	-	8.0	7.0-9.0	10.7	30.6	12.0	640	A	A	White	
13127		265/75R16		116	T	4	51	2,756	-	7.5	7.0-9.0	10.5	31.7	12.0	640	A	A	White	
13970		275/70R16		114	S	4	51	2,601	-	8.0	7.0-9.0	11.0	31.2	12.0	640	A	A	Black	

CONTINUED ON NEXT PAGE ...

PERFORMANCE RATINGS

BRAKING
8

COMFORT
9

FUEL EFFICIENCY
8

HANDLING
8

WEAR LIFE
9



ROADIAN MTX

... CONTINUED FROM PREVIOUS PAGE

PATTERN CODE: RO MTX

Product Code	P/LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	F.E.T.
								S	D	Meas.	App.				Tread-wear	Trac.	Temp.		
15867	LT	33X12.50R15		108	Q	6	35	2,205	-	10.0	8.5-11.0	12.5	32.8	21.0	-	-	-	Black	
15871	LT	35X12.50R15		113	Q	6	35	2,535	-	10.0	8.5-11.0	12.5	34.8	21.0	-	-	-	Black	
16261	LT	33X12.50R17		121	Q	12	80	3,195	-	10.0	8.5-11.0	12.5	32.8	21.0	-	-	-	Black	
16262	LT	35X12.50R17		121	Q	12	80	3,195	-	10.0	8.5-11.0	12.5	34.8	21.0	-	-	-	Black	
16348	LT	37X12.50R17		121	Q	12	80	3,195	-	10.0	8.5-11.0	12.5	36.8	21.0	-	-	-	Black	
16263	LT	33X12.50R18		122	Q	12	80	3,305	-	10.0	8.5-11.0	12.5	32.8	21.0	-	-	-	Black	
16264	LT	35X12.50R18		128	Q	12	80	3,970	-	10.0	8.5-11.0	12.5	34.8	21.0	-	-	-	Black	4.44
16265	LT	33X12.50R20		119	Q	12	80	3,000	-	10.0	8.5-11.0	12.5	32.8	21.0	-	-	-	Black	
16266	LT	35X12.50R20		125	Q	12	80	3,640	-	10.0	8.5-11.0	12.5	34.8	21.0	-	-	-	Black	1.32
16267	LT	37X12.50R20		128	Q	12	80	3,970	-	10.0	8.5-11.0	12.5	36.8	21.0	-	-	-	Black	4.44
16401	LT	37X13.50R20		128	Q	12	80	3,970	-	11.0	8.5-11.0	13.6	36.8	21.0	-	-	-	Black	4.44
16270	LT	37X13.50R22		128	Q	12	80	3,970	-	11.0	8.5-11.0	13.6	36.8	21.0	-	-	-	Black	4.44
16269	LT	35X12.50R22		121	Q	12	80	3,195	-	10.0	8.5-11.0	12.5	34.8	21.0	-	-	-	Black	
16268	LT	33X12.50R22		114	Q	12	80	2,600	-	10.0	8.5-11.0	12.5	32.8	19.0	-	-	-	Black	

Technical data can be changed without further notice.

DUAL SIDEWALLS

Every Roadian MTX comes with two sidewall designs, so you choose how to mount it.



ROADIAN MT

MUD TERRAIN

The Roadian MT incorporates a zig-zag shoulder block design to provide outstanding traction for off-road and wet conditions, and a deep-groove design, which offers enhanced traction in deep mud and gravel. The shoulder-protector design maximizes load and durability, while optimized wide grooves provide excellent water drainage and anti-hydroplaning performance.

**TOTAL
COVERAGE
WARRANTY**
NEXEN TIRE

**TREAD WEAR
WARRANTY**
N/A

**ROAD HAZARD
WARRANTY**
N/A

**ROADSIDE
ASSISTANCE**
36 MONTHS

PATTERN CODE: RO MT

Product Code	P/LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall
								S	D	Meas.	App.				Tread-wear	Trac.	Temp.	
10667	LT	235/75R15		104/101	Q	6	50	1,985	1,820	6.5	6.0-7.0	9.3	28.9	17.0	-	-	-	White
10658	LT	235/85R16		120/116	Q	10	80	3,042	2,778	6.5	6.0-7.5	9.3	31.7	17.0	-	-	-	White
10674		31X10.50R15		109	Q	6	50	2,270	-	8.5	7.0-9.0	10.6	30.5	18.0	-	-	-	White

Technical data can be changed without further notice.

PERFORMANCE RATINGS

BRAKING
8

COMFORT
6

FUEL EFFICIENCY
6

OFF ROAD
10

WEAR LIFE
6





ROADIAN CT8 HL

COMMERCIAL VAN/LT

The Roadian CT8 HL delivers heavy-duty performance for commercial vehicles, and it is the original equipment tire of Ram ProMaster.

**TOTAL
COVERAGE
WARRANTY**
NEXEN TIRE



TREAD WEAR
WARRANTY
N/A



ROAD HAZARD
WARRANTY
N/A



ROADSIDE
ASSISTANCE
36 MONTHS



FREE TRIAL
45 DAYS OR
500 MILES

PATTERN CODE: CT8HL

OE FITMENT ON



Product Code	P/LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	F.E.T.	OE
								S	D	Meas.	App.				Tread-wear	Trac.	Temp.			
15237	LT	185/60R15C		94/92	T	6	54	1,477	1,389	5.5	5.5-6.0	7.4	23.7	13.0	-	-	-	Black		
15419	LT	195/75R16C		107/105	R	8	69	2,149	2,039	5.5	5.0-6.0	7.7	27.5	13.0	-	-	-	Black		
15386	LT	225/75R16C		121/120	R	10	83	3,195	3,085	6.0	6.0-7.0	8.8	29.3	15.0	-	-	-	Black		RAM
15241	LT	235/65R16C		121/119	R	10	83	3,197	2,998	7.0	6.5-7.5	9.4	28.0	13.0	-	-	-	Black		
15409	LT	215/85R16		115/112	R	10	80	2,680	2,470	6.0	5.5-7.0	8.5	30.4	15.0	-	-	-	Black		
13427	LT	225/75R16		115/112	R	10	80	2,680	2,470	6.0	6.0-7.0	8.8	29.3	15.0	-	-	-	Black		RAM
15410	LT	235/85R16		120/116	R	10	80	3,042	2,778	6.5	6.0-7.5	9.3	31.7	15.0	-	-	-	Black		
15411	LT	245/75R16		120/116	S	10	80	3,042	2,778	7.0	6.5-7.5	9.8	30.5	15.0	-	-	-	Black		
15412	LT	265/75R16		123/120	R	10	80	3,415	3,085	7.5	7.0-8.0	10.5	31.7	15.0	-	-	-	Black		
15413	LT	235/80R17		120/117	R	10	80	3,085	2,835	6.5	6.0-7.5	9.3	31.8	15.0	-	-	-	Black		
15414	LT	245/70R17		119/116	R	10	80	3,000	2,755	7.0	6.5-8.0	9.8	30.6	15.0	-	-	-	Black		
15415	LT	245/75R17		121/118	S	10	80	3,195	2,910	7.0	6.5-7.5	9.8	31.5	15.0	-	-	-	Black		
15416	LT	265/70R17		121/118	R	10	80	3,195	2,910	8.0	7.0-8.5	10.7	31.7	15.0	-	-	-	Black		
15417	LT	275/65R18		123/120	S	10	80	3,415	3,085	8.0	7.5-9.0	11.0	32.1	15.0	-	-	-	Black		
15418	LT	275/70R18		125/122	R	10	80	3,640	3,305	8.0	7.0-8.5	11.0	33.2	15.0	-	-	-	Black	1.32	

Technical data can be changed without further notice. For more detailed OE application information, please refer to "Original Equipment 2021" page.

PERFORMANCE RATINGS

BRAKING
7

COMFORT
7

FUEL EFFICIENCY
6

OFF ROAD
7

WEAR LIFE
8



ROADIAN CT8

COMMERCIAL VAN/LT

The Roadian CT8 maintains optimal rigidity balance by including a half-depth transverse groove in the center block. Also, square-shaped dimples in the tread prevent stress, resulting in improved durability and tread life.

**TOTAL
COVERAGE
WARRANTY**
NEXEN TIRE



TREAD WEAR
WARRANTY
N/A



ROAD HAZARD
WARRANTY
N/A



ROADSIDE
ASSISTANCE
36 MONTHS

PATTERN CODE: CT8

Product Code	P/LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall
								S	D	Meas.	App.				Tread-wear	Trac.	Temp.	
14502		185R14C		102/100	T	8	65	1,874	1,764	5.0	5.0-6.0	7.4	25.6	10.5	-	-	-	Black

Technical data can be changed without further notice.

PERFORMANCE RATINGS

BRAKING
7

COMFORT
7

FUEL EFFICIENCY
6

OFF ROAD
7

WEAR LIFE
8



WINGUARD ice Plus

STUDLESS NORDIC WINTER

The Winguard Ice Plus has a dual V-shape that enhances grip and braking. There are four grooves and two small semi grooves that drain snow, slush and water. The Winguard Ice Plus' shoulder stiffness enhances durability and its 3D block prevents abnormal wear.



PATTERN CODE: WG ICE PLUS

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.	
16149		175/70R13		82	T	4	51	1,047	-	5.0	4.5-6.0	7.0	22.7	11.0	-	-	-	Black
16145		175/65R14	XL	86	T	4	50	1,168	-	5.0	5.0-6.0	7.0	23.0	11.0	-	-	-	Black
16150		175/70R14	XL	88	T	4	50	1,235	-	5.0	4.5-6.0	7.0	23.7	11.0	-	-	-	Black
16138		185/60R14	XL	86	T	4	50	1,168	-	5.5	5.0-6.5	7.4	22.8	11.0	-	-	-	Black
16146		185/65R14	XL	90	T	4	50	1,323	-	5.5	5.0-6.5	7.4	23.5	11.0	-	-	-	Black
16151		185/70R14	XL	92	T	4	50	1,389	-	5.5	4.5-6.0	7.4	24.3	11.0	-	-	-	Black
16152		195/70R14		91	T	4	51	1,356	-	6.0	5.0-6.5	7.9	24.8	11.0	-	-	-	Black
16130		185/55R15	XL	86	T	4	50	1,168	-	6.0	5.0-6.5	7.6	23.0	11.0	-	-	-	Black
16139		185/60R15	XL	88	T	4	50	1,235	-	5.5	5.0-6.5	7.4	23.7	11.0	-	-	-	Black
16147		185/65R15	XL	92	T	4	50	1,389	-	5.5	5.0-6.5	7.4	24.4	11.0	-	-	-	Black
16126		195/50R15		82	T	4	51	1,047	-	6.0	5.5-7.0	7.9	22.7	11.0	-	-	-	Black
16131		195/55R15	XL	89	T	4	50	1,279	-	6.0	5.5-7.0	7.9	23.4	11.0	-	-	-	Black
16140		195/60R15	XL	92	T	4	50	1,389	-	6.0	5.5-7.0	7.9	24.2	11.0	-	-	-	Black
16027		195/65R15	XL	95	T	4	50	1,521	-	6.0	5.5-7.0	7.9	25.0	11.0	-	-	-	Black
16148		205/65R15	XL	99	T	4	50	1,709	-	6.0	5.5-7.5	8.2	25.5	11.0	-	-	-	Black
16153		205/70R15	XL	100	T	4	50	1,764	-	6.0	5.5-7.0	8.2	26.3	11.0	-	-	-	Black
16132		195/55R16	XL	91	T	4	50	1,356	-	6.0	5.5-7.0	7.9	24.4	11.0	-	-	-	Black
16028		205/55R16		91	T	4	51	1,356	-	6.5	5.5-7.5	8.4	24.9	11.0	-	-	-	Black
16141		205/60R16	XL	96	T	4	50	1,565	-	6.0	5.5-7.5	8.2	25.7	11.0	-	-	-	Black
16133		215/55R16	XL	97	T	4	50	1,609	-	7.0	6.0-7.5	8.9	25.3	11.0	-	-	-	Black
16142		215/60R16	XL	99	T	4	50	1,709	-	6.5	6.0-7.5	8.7	26.1	11.0	-	-	-	Black
16135		225/55R16	XL	99	T	4	50	1,709	-	7.0	6.0-8.0	9.2	25.7	11.0	-	-	-	Black
16144		235/60R16	XL	104	T	4	50	1,984	-	7.0	6.5-8.5	9.4	27.1	11.0	-	-	-	Black

CONTINUED ON NEXT PAGE ...

PERFORMANCE RATINGS

SNOW TRACTION 8	ICE TRACTION 8	DRY HANDLING 6	WET HANDLING 6	ROLLING RESISTANCE 6	COMFORT 8
-----------------	----------------	----------------	----------------	----------------------	-----------

WINGUARD ice Plus

... CONTINUED FROM PREVIOUS PAGE

PATTERN CODE: WG ICE PLUS

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.	
16127		205/50R17	XL	93	T	4	50	1,433	-	6.5	5.5-7.5	8.4	25.1	11.0	-	-	-	Black
16119		215/45R17	XL	91	T	4	50	1,356	-	7.0	7.0-8.0	8.4	24.6	11.0	-	-	-	Black
16128		215/50R17	XL	95	T	4	50	1,521	-	7.0	6.0-7.5	8.9	25.5	11.0	-	-	-	Black
16134		215/55R17	XL	98	T	4	50	1,653	-	7.0	6.0-7.5	8.9	26.3	11.0	-	-	-	Black
16143		215/60R17		96	T	4	51	1,565	-	6.5	6.0-7.5	8.7	27.2	11.0	-	-	-	Black
16120		225/45R17	XL	94	T	4	50	1,477	-	7.5	7.0-8.5	8.9	25.0	11.0	-	-	-	Black
16129		225/50R17	XL	98	T	4	50	1,653	-	7.0	6.0-8.0	9.2	25.9	11.0	-	-	-	Black
16136		225/55R17	XL	101	T	4	50	1,819	-	7.0	6.0-8.0	9.2	26.8	11.0	-	-	-	Black
16122		235/45R17	XL	97	T	4	50	1,609	-	8.0	7.5-9.0	9.3	25.4	11.0	-	-	-	Black
16137		235/55R17		99	T	4	51	1,709	-	7.5	6.5-8.5	9.6	27.2	11.0	-	-	-	Black
16123		245/45R17	XL	99	T	4	50	1,709	-	8.0	7.5-9.0	9.6	25.7	11.0	-	-	-	Black
16116		225/40R18	XL	92	T	4	50	1,389	-	8.0	7.5-9.0	9.1	25.1	11.0	-	-	-	Black
16121		225/45R18	XL	95	T	4	50	1,521	-	7.5	7.0-8.5	8.9	25.9	11.0	-	-	-	Black
16117		235/40R18	XL	95	T	4	50	1,521	-	8.5	8.0-9.5	9.5	25.4	11.0	-	-	-	Black
16118		245/40R18	XL	97	T	4	50	1,609	-	8.5	8.0-9.5	9.8	25.7	11.0	-	-	-	Black
16124		245/45R18	XL	100	T	4	50	1,764	-	8.0	7.5-9.0	9.6	26.7	11.0	-	-	-	Black
16125		245/45R19	XL	102	T	4	50	1,874	-	8.0	7.5-9.0	9.6	27.7	11.0	-	-	-	Black

Technical data can be changed without further notice.



WINGUARD ice SUV

STUDLESS NORDIC WINTER

The Winguard Ice SUV has a dual V-shape that enhances grip and braking. There are four grooves and two small semi-grooves that drain snow, slush and water. The Winguard Ice SUV's shoulder stiffness enhances durability and its 3D block prevents abnormal wear.

**TOTAL
COVERAGE
WARRANTY**
NEXEN TIRE

**TREAD WEAR
WARRANTY**
N/A

**ROAD HAZARD
WARRANTY**
N/A

**ROADSIDE
ASSISTANCE**
36 MONTHS

PATTERN CODE: WG ICE SUV

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.	
13303		215/65R16		98	Q	4	51	1,653	-	6.5	6.0-7.5	8.7	27.0	11.5	-	-	-	Black
13304		215/70R16		100	Q	4	51	1,764	-	6.5	5.5-7.0	8.7	27.9	11.5	-	-	-	Black
13929		225/70R16		103	Q	4	51	1,929	-	6.5	6.0-7.5	9.0	28.4	11.5	-	-	-	Black
13944		245/70R16		107	Q	4	51	2,149	-	7.0	6.5-8.0	9.8	29.5	11.5	-	-	-	Black
13302		265/70R16		112	Q	4	51	2,469	-	8.0	7.0-9.0	10.7	30.6	11.5	-	-	-	Black
13936		225/60R17	XL	103	Q	4	50	1,929	-	6.5	6.0-8.0	9.0	27.6	11.5	-	-	-	Black
13301		225/65R17		102	Q	4	51	1,874	-	6.5	6.0-8.0	9.0	28.5	11.5	-	-	-	Black
13305		235/65R17	XL	108	Q	4	50	2,205	-	7.0	6.5-8.5	9.4	29.1	11.5	-	-	-	Black
13946		265/65R17		112	Q	4	51	2,469	-	8.0	7.5-9.5	10.7	30.6	11.5	-	-	-	Black
13930		235/55R18		100	Q	4	51	1,764	-	7.5	6.5-8.5	9.6	28.1	11.5	-	-	-	Black
13931		235/60R18		103	Q	4	51	1,929	-	7.0	6.5-8.5	9.4	29.1	11.5	-	-	-	Black
13945		265/60R18		110	Q	4	51	2,337	-	8.0	7.5-9.5	10.7	30.5	11.5	-	-	-	Black
13947		285/60R18		116	Q	4	51	2,756	-	8.5	8.0-10.0	11.5	31.5	11.5	-	-	-	Black
16345		255/50R19	XL	107	T	4	50	2,149	-	8.0	7.0-9.0	10.4	29.1	11.5	-	-	-	Black
16346		265/50R20	XL	111	T	4	50	2,403	-	8.5	7.5-9.5	10.9	30.5	11.5	-	-	-	Black
16347		285/50R20	XL	116	T	4	50	2,756	-	9.0	8.0-10.0	11.7	31.3	11.5	-	-	-	Black

Technical data can be changed without further notice.

PERFORMANCE RATINGS

SNOW TRACTION
8

ICE TRACTION
8

DRY HANDLING
6

WET HANDLING
6

ROLLING RESISTANCE
6

COMFORT
8



WINGUARD winSPIKE WH62

STUDDABLE WINTER

Winguard Winspike WH62 tires are molded to allow for stud installation that provides better traction on ice and snow. Sipe and block rigidity maximize handling in combination with the V-shaped tread pattern. The Winspike WH62 provides increased ice and snow traction and a more comfortable ride over the standard Winguard Winspike pattern.

**TOTAL
COVERAGE
WARRANTY**
NEXEN TIRE

**TREAD WEAR
WARRANTY**
N/A

**ROAD HAZARD
WARRANTY**
N/A

**ROADSIDE
ASSISTANCE**
36 MONTHS

PATTERN CODE: WH62

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.	
14229		175/70R13		82	T	4	51	1,047	-	5.0	4.5-6.0	7.0	22.7	12.0	-	-	-	Black
14147		175/65R14	XL	86	T	4	50	1,168	-	5.0	5.0-6.0	7.0	23.0	12.0	-	-	-	Black
14230		175/70R14		84	T	4	51	1,102	-	5.0	4.5-6.0	7.0	23.7	12.0	-	-	-	Black
14220		185/60R14		82	T	4	51	1,047	-	5.5	5.0-6.5	7.4	22.8	12.0	-	-	-	Black
14148		185/65R14	XL	90	T	4	50	1,323	-	5.5	5.0-6.5	7.4	23.5	12.0	-	-	-	Black
14231		185/70R14	XL	92	T	4	50	1,389	-	5.5	4.5-6.0	7.4	24.3	12.0	-	-	-	Black
14232		195/70R14		91	T	4	51	1,356	-	6.0	5.0-6.5	7.9	24.8	12.0	-	-	-	Black
14213		185/55R15	XL	86	T	4	50	1,168	-	6.0	5.0-6.5	7.6	23.0	12.0	-	-	-	Black
14221		185/60R15	XL	88	T	4	50	1,235	-	5.5	5.0-6.5	7.4	23.7	12.0	-	-	-	Black
14150		185/65R15	XL	92	T	4	50	1,389	-	5.5	5.0-6.5	7.4	24.4	12.0	-	-	-	Black
14214		195/55R15	XL	89	T	4	50	1,279	-	6.0	5.5-7.0	7.9	23.4	12.0	-	-	-	Black
14222		195/60R15	XL	92	T	4	50	1,389	-	6.0	5.5-7.0	7.9	24.2	12.0	-	-	-	Black
14151		195/65R15	XL	95	T	4	50	1,521	-	6.0	5.5-7.0	7.9	25.0	12.0	-	-	-	Black
14227		205/65R15	XL	99	T	4	50	1,709	-	6.0	5.5-7.5	8.2	25.5	12.0	-	-	-	Black
14233		205/70R15		96	T	4	51	1,565	-	6.0	5.0-7.0	8.2	26.3	12.0	-	-	-	Black
14234		215/70R15		98	T	4	51	1,653	-	6.5	5.5-7.0	8.7	26.9	12.0	-	-	-	Black
15049		195/55R16		87	T	4	51	1,201	-	6.0	5.5-7.0	7.9	24.4	12.0	-	-	-	Black
14223		195/60R16		89	T	4	51	1,279	-	6.0	5.5-7.0	7.9	25.2	12.0	-	-	-	Black
14215		205/55R16	XL	94	T	4	50	1,477	-	6.5	5.5-7.5	8.4	24.9	12.0	-	-	-	Black
14149		205/60R16		92	T	4	51	1,389	-	6.0	5.5-7.5	8.2	25.7	12.0	-	-	-	Black
14216		215/55R16	XL	97	T	4	50	1,609	-	7.0	6.0-7.5	8.9	25.3	12.0	-	-	-	Black

CONTINUED ON NEXT PAGE ...

PERFORMANCE RATINGS

SNOW TRACTION
9

ICE TRACTION
9

DRY HANDLING
7

WET HANDLING
7

ROLLING RESISTANCE
6

COMFORT
7

WINGUARD winSPIKE WH62

... CONTINUED FROM PREVIOUS PAGE

PATTERN CODE: WH62

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.	
14224		215/60R16	XL	99	T	4	50	1,709	-	6.5	6.0-7.5	8.7	26.1	12.0	-	-	-	Black
14228		215/65R16	XL	102	T	4	50	1,874	-	6.5	6.0-7.5	8.7	27.0	12.0	-	-	-	Black
16259		225/55R16	XL	99	T	4	50	1,709	-	7.0	6.0-8.0	9.2	25.7	12.0	-	-	-	Black
14226		225/60R16	XL	102	T	4	50	1,874	-	6.5	6.0-8.0	9.0	26.6	12.0	-	-	-	Black
15048		205/50R17	XL	93	T	4	50	1,433	-	6.5	5.5-7.5	8.4	25.1	12.0	-	-	-	Black
16671		215/50R17	XL	95	T	4	50	1,521	-	7.0	6.0-7.5	8.9	25.5	12.0	-	-	-	Black
14217		215/55R17	XL	98	T	4	50	1,653	-	7.0	6.0-7.5	8.9	26.3	12.0	-	-	-	Black
14225		215/60R17	XL	100	T	4	50	1,764	-	6.5	6.0-7.5	8.7	27.2	12.0	-	-	-	Black
14210		225/45R17		91	T	4	51	1,356	-	7.5	7.0-8.5	8.9	25.0	12.0	-	-	-	Black
14212		225/50R17	XL	98	T	4	50	1,653	-	7.0	6.0-8.0	9.2	25.9	12.0	-	-	-	Black
14218		225/55R17	XL	101	T	4	50	1,819	-	7.0	6.0-8.0	9.2	26.8	12.0	-	-	-	Black
16253		235/45R17	XL	97	T	4	50	1,609	-	8.0	7.5-9.0	9.3	25.4	12.0	-	-	-	Black
14219		235/55R17	XL	103	T	4	50	1,929	-	7.5	6.5-8.5	9.6	27.2	12.0	-	-	-	Black
16254		245/45R17	XL	99	T	4	50	1,709	-	8.0	7.5-9.0	9.6	25.7	12.0	-	-	-	Black
16249		225/40R18	XL	92	T	4	50	1,389	-	8.0	7.5-9.0	9.1	25.1	12.0	-	-	-	Black
16252		225/45R18	XL	95	T	4	50	1,521	-	7.5	7.0-8.5	8.9	25.9	12.0	-	-	-	Black
16250		235/40R18	XL	95	T	4	50	1,521	-	8.5	8.0-9.5	9.5	25.4	12.0	-	-	-	Black
16257		235/50R18	XL	101	T	4	50	1,819	-	7.5	6.5-8.5	9.6	27.3	12.0	-	-	-	Black
16251		245/40R18	XL	97	T	4	50	1,609	-	8.5	8.0-9.5	9.8	25.7	12.0	-	-	-	Black
16255		245/45R18	XL	100	T	4	50	1,764	-	8.0	7.5-9.0	9.6	26.7	12.0	-	-	-	Black
16258		245/50R18	XL	104	T	4	50	1,984	-	7.5	7.0-8.5	10.0	27.7	12.0	-	-	-	Black
16256		255/45R18	XL	103	T	4	50	1,929	-	8.5	8.0-9.5	10.0	27.0	12.0	-	-	-	Black

Technical data can be changed without further notice. T.S.M.I. #12



WINGUARD winSPIKE WS62

CUV/SUV STUDDABLE WINTER

Winguard Winspike WS62 tires are molded to allow for stud installation that provides better traction on ice and snow. Sipe and block rigidity maximize handling in combination with the V-shaped tread pattern. The Winspike WS62 provides increased ice and snow traction and a more comfortable ride over the standard Winguard Winspike pattern.

TOTAL COVERAGE WARRANTY
NEXEN TIRE

TREAD WEAR WARRANTY
N/A

ROAD HAZARD WARRANTY
N/A

ROADSIDE ASSISTANCE
36 MONTHS

PATTERN CODE: WS62

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.	
16647		235/75R15	XL	109	T	4	50	2,271	-	6.5	6.0-8.0	9.3	28.9	12.5	-	-	-	Black
14245		215/70R16		100	T	4	51	1,764	-	6.5	5.5-7.0	8.7	27.9	12.5	-	-	-	Black
14254		225/70R16	XL	107	T	4	50	2,149	-	6.5	6.0-7.5	9.0	28.4	12.5	-	-	-	Black
14237		235/60R16		100	T	4	51	1,764	-	7.0	6.5-8.5	9.4	27.1	12.5	-	-	-	Black
16645		235/70R16		106	T	4	51	2,094	-	7.0	6.0-8.0	9.4	29.0	12.5	-	-	-	Black
14246		245/70R16		107	T	4	51	2,149	-	7.0	6.5-8.0	9.8	29.5	12.5	-	-	-	Black
16646		265/70R16		112	T	4	51	2,469	-	8.0	7.0-9.0	10.7	30.6	12.5	-	-	-	Black
17438		215/65R17	XL	103	T	4	50	1,929	-	6.5	6.0-7.5	8.7	28.0	12.5	-	-	-	Black
15047		225/60R17	XL	103	T	4	50	1,929	-	6.5	6.0-8.0	9.0	27.6	12.5	-	-	-	Black
14241		225/65R17	XL	106	T	4	50	2,094	-	6.5	6.0-8.0	9.0	28.5	12.5	-	-	-	Black
16276		235/60R17		102	T	4	51	1,874	-	7.0	6.5-8.5	9.4	28.1	12.5	-	-	-	Black
14242		235/65R17	XL	108	T	4	50	2,205	-	7.0	6.5-8.5	9.4	29.1	12.5	-	-	-	Black
14243		245/65R17		107	T	4	51	2,149	-	7.0	7.0-8.5	9.8	29.5	12.5	-	-	-	Black
14244		265/65R17	XL	116	T	4	50	2,756	-	8.0	7.5-9.5	10.7	30.6	12.5	-	-	-	Black
14247		265/70R17		115	T	4	51	2,679	-	8.0	7.0-9.0	10.7	31.7	12.5	-	-	-	Black
15046		225/55R18		98	T	4	51	1,653	-	7.0	6.0-8.0	9.2	27.8	12.5	-	-	-	Black
14236		225/60R18		100	T	4	51	1,764	-	6.5	6.0-8.0	9.0	28.6	12.5	-	-	-	Black
14235		235/55R18		100	T	4	51	1,764	-	7.5	6.5-8.5	9.6	28.1	12.5	-	-	-	Black
14238		235/60R18	XL	107	T	4	50	2,149	-	7.0	6.5-8.5	9.4	29.1	12.5	-	-	-	Black
16644		245/60R18		105	T	4	51	2,039	-	7.0	7.0-8.5	9.8	29.6	12.5	-	-	-	Black
16274		235/55R19	XL	105	T	4	50	2,039	-	7.5	6.5-8.5	9.6	29.2	12.5	-	-	-	Black
16272		255/50R19	XL	107	T	4	50	2,149	-	8.0	7.0-9.0	10.4	29.1	12.5	-	-	-	Black
16275		255/55R19	XL	111	T	4	50	2,403	-	8.0	7.0-9.0	10.4	30.0	12.5	-	-	-	Black
16273		265/50R20	XL	111	T	4	50	2,403	-	8.5	7.5-9.5	10.9	30.5	12.5	-	-	-	Black

Technical data can be changed without further notice. | T.S.M.I. #12

PERFORMANCE RATINGS

SNOW TRACTION 9	ICE TRACTION 9	DRY HANDLING 7	WET HANDLING 7	ROLLING RESISTANCE 6	COMFORT 7
--------------------	-------------------	-------------------	-------------------	-------------------------	--------------



WINGUARD winSPIKE

STUDDABLE WINTER

Winguard Winspike tires are molded for installing studs that dig into snow or ice for better traction. The optimized arrangement of sipes and block rigidity maximizes handling and traction on ice in combination with the V-shaped tread pattern. Noise is addressed by the calculated placement of 12 multi-random stud lines.

**TOTAL
COVERAGE
WARRANTY**
NEXEN TIRE



TREAD WEAR
WARRANTY
N/A



ROAD HAZARD
WARRANTY
N/A



ROADSIDE
ASSISTANCE
36 MONTHS

PATTERN CODE: WG WINSPIKE

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.	
12805	LT	235/75R15		110/107	Q	8	65	2,335	2,150	6.5	6.0-7.0	9.3	28.9	16.0	-	-	-	Black
12804	LT	225/75R16		115/112	Q	10	80	2,680	2,470	6.0	6.0-7.0	8.8	29.3	16.0	-	-	-	Black
12808	LT	235/85R16		120/116	Q	10	80	3,042	2,778	6.5	6.0-7.5	9.3	31.7	16.0	-	-	-	Black
12806	LT	245/75R16		120/116	Q	10	80	3,042	2,778	7.0	6.5-7.5	9.8	30.5	16.0	-	-	-	Black
12807	LT	265/75R16		123/120	Q	10	80	3,415	3,085	7.5	7.0-8.0	10.5	31.7	16.0	-	-	-	Black
12802	LT	245/70R17		119/116	Q	10	80	3,000	2,755	7.0	6.5-8.0	9.8	30.6	16.0	-	-	-	Black
14045	LT	245/75R17		121/118	Q	10	80	3,195	2,910	7.0	6.5-7.5	9.8	31.5	16.0	-	-	-	Black
14039	LT	265/65R17		120/117	Q	10	80	3,085	2,835	8.0	7.5-9.5	10.7	30.6	16.0	-	-	-	Black
12803	LT	265/70R17		121/118	Q	10	80	3,195	2,910	8.0	7.0-8.5	10.7	31.7	16.0	-	-	-	Black
14048	LT	31X10.50R15		109	Q	6	50	2,270	-	8.5	7.0-9.0	10.6	30.5	16.0	-	-	-	Black
14040	LT	195/70R15C		104/102	R	8	65	1,984	1,874	6.0	5.0-6.0	7.9	25.8	12.5	-	-	-	Black
14041	LT	225/70R15C		112/110	R	8	65	2,469	2,337	6.5	6.0-7.0	9.0	27.4	12.5	-	-	-	Black
14043	LT	195/75R16C		107/105	R	8	69	2,149	2,039	5.5	5.0-6.0	7.7	27.5	12.5	-	-	-	Black
16386	LT	235/65R16C		121/119	R	10	83	3,197	2,998	7.0	6.5-7.5	9.4	28.0	12.5	-	-	-	Black

Technical data can be changed without further notice.
T.S.M.I. #15



EURO WIN

STUDLESS WINTER

The EuroWin is Nexen's Light Truck/SUV Studless Ice & Snow tire developed for the Nissan NV200 and Chevy City Express to transport heavy loads.

**TOTAL
COVERAGE
WARRANTY**
NEXEN TIRE



TREAD WEAR
WARRANTY
N/A



ROAD HAZARD
WARRANTY
N/A



ROADSIDE
ASSISTANCE
36 MONTHS

PATTERN CODE: EUROWIN

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.	
10873		185/60R15C		94/92	T	6	54	1,477	1,389	5.5	5.5-6.0	7.4	23.7	10.5	-	-	-	Black

Technical data can be changed without further notice.

PERFORMANCE RATINGS

SNOW TRACTION
8

ICE TRACTION
8

DRY HANDLING
7

WET HANDLING
7

ROLLING RESISTANCE
6

COMFORT
6

Original Equipment 2021

Brand	Model	Model Year	Product	Product Code	Size	LI/SS	UTQG Wear	F.E.T.
	All New 200	2015-2017	CP671	12909	215/55R17	94 H	400 A A	
				12910	235/45R18	94 H	400 A A	
				16312	235/40R19	96 H	400 A A	
	Pacifica	2017-2021	N'PRIZ RH7@	14376	235/60R18	103 H	680 A A	
	Challenger RT Scat Pack 1320	2020-2021	N'FERA SUR4G	17387	275/40R20	102 Y	100 AA A	
	Journey	2019-2020	N'PRIZ RH7	16489	225/65R17	102 H	540 A A	
				16490	225/55R19	99 H	440 A A	
	Durango	2019-2021	N'PRIZ RH7@	*16469	P 245/65R18	110 H	500 A A	
	500L	2014-2020	CP671	12525	205/55R16	91 H	400 A A	
				12526	225/45R17	91 V	400 A A	
	500X	2014-2019	CP671	13536	215/55R17	94 V	400 A A	
				13535	215/60R17	96 T	400 A A	
	Elantra	2013-2016	CP671 H	12540	P 205/55R16	89 H	400 A A	
		2017-2020	N'PRIZ AH8	14386	195/65R15	91 T	500 A A	
				14194	205/55R16	91 H	560 A A	
		2012-2017	CP671 H	12842	P 215/45R17	87 H	400 A A	
	2017-2021	N'PRIZ AH8	14198	225/45R17	91 W	500 A A		
	Kona	2018-2021	N'PRIZ AH8	15605	205/60R16	92 H	500 A A	
				15606	215/55R17	94 V	500 A A	
	Kona EV	2019-2021	N'PRIZ AH8	16383	215/55R17	94 V	500 A A	
	Tucson	2021	Roadian GTX	16581	235/65R17	104 H	600 A A	
	Veloster	2012-2017	CP671 H	12842	P 215/45R17	87 H	400 A A	
2018-2021		N'PRIZ AH8	14749	215/45R17	87 H	500 A A		
	14708		225/40R18	88 W	500 A A			
Venue	2020-2021	N'PRIZ AH8	16094	205/55R17	91 H	500 A A		
	Grand Cherokee	2019-2021	N'PRIZ RH7@	16469	P 245/65R18	110 H	500 A A	
	Forte	2014-2016	CP671	*12841	P 195/65R15	89 T	440 A A	
		2017-2019	N'PRIZ AH8	13466	195/65R15	91 T	500 A A	
		2017-2020	N'PRIZ AH8	14194	205/55R16	91 H	560 A A	
				2014-2018	CP671 H	12842	P 215/45R17	87 H
	2014-2018	CP671	16960	P 225/40R18	88 V	400 A A		
			2011-2014	CP671	11449	P 205/65R16	94 H	400 A A
	Optima	2016-2020	N'PRIZ AH8	13904	205/65R16	95 H	440 A A	
		2011-2015	CP671	12259	P 215/55R17	93 V	400 A A	
		2013-2015	CP662	12261	225/45R18	95 V	440 A A	

Technical data can be changed without further notice.
* Spare Tire

CONTINUED ON NEXT PAGE ...

... CONTINUED FROM PREVIOUS PAGE

Brand	Model	Model Year	Product	Product Code	Size	LI/SS	UTQG Wear	F.E.T.
NEW	Sedona	2021	Roadian GTX	17136	235/65R17	104 H	600 A A	
	Sorento	2015-2020	N'PRIZ RH7	13423	235/60R18	103 H	440 A A	
NEW	Sorento HEV	2021	Roadian GTX	16581	235/65R17	104 H	600 A A	
		Soul	2010-2013	CP662	11073	P 195/65R15	89 S	440 A A
2011-2013			CP662	11074	P 205/55R16	89 H	440 A A	
2014-2018		CP671	13333	205/60R16	92 H	400 A A		
		CP671 H	13320	215/55R17	94 V	400 A A		
2019-2021		N'PRIZ AH8	15605	205/60R16	92 H	500 A A		
			15606	215/55R17	94 V	500 A A		
Soul EV	2014-2018	CP671 H	13321	235/45R18	94 V	400 A A		
	2015-2020	N'BLUE EV	15705	205/60R16	92 H	400 A A		
Sportage	2019-2021	N'PRIZ AH8	15606	215/55R17	94 V	500 A A		
	2011-2013	CP671	11462	215/70R16	100 H	460 A A		
NEW		Outlander Sport	2014-2021	N'PRIZ RH7	12817	P 225/55R18	97 H	440 A A
		Outlander	2021	Roadian GTX	16640	P 255/45R20	101 W	600 A A
	GLE/GLS/GLC	2019-2021	402	*16014	T 155/80R19	114 M	-	
	1500	2018-2021	ROADIAN HTX RH5	15278	275/55R20	113 T	640 A A	
		2014-2021	ROADIAN HTX RH5	13353	LT 235/80R17	120/117 R		
	3500	2014-2021	ROADIAN AT PRO RA8	13354	LT 235/80R17	120/117 R		
		2017-2021		14760	LT 275/70R18	125/122 R	1.32	
	ProMaster	2015-2021	ROADIAN CT8 HL	13427	LT 225/75R16	115/112 R		
		2017-2021	ROADIAN CT8 HL	15386	225/75R16C	121/120 R		
ProMaster City	2017-2021	N'PRIZ AH8	14369	215/55R16	97 H	440 A A		
	Jetta	2018-2021	N'PRIZ AH8	15530	205/55R17	91 H	500 A A	
	Passat	2020-2021	N'FERA AU7	16313	215/55R17	94 H	560 A A	
	Macan	2017-2018	N'FERA RU1	14969	235/55R19	101 Y	320 AA A	NO
		2019-2021		15697	235/55R19	101 Y	320 AA A	N1
		2017-2018		14942	255/50R19	103 Y	320 AA A	NO
		2019-2021		15698	255/50R19	103 Y	320 AA A	N1

Technical data can be changed without further notice.
* Spare Tire

Original Equipment 2021 Patterns



N FERA SUR4g



N FERA AU7



N FERA RUI



N Priz AH8



N Priz RH7



LT275/70R18



LT235/80R17

ROADIAN AT PRO RAB



275/55R20

ROADIAN HTX RH5



LT235/80R17



ROADIAN CT8 HL



CP662



CP671



N blue EV

NEXEN TOTAL COVERAGE WARRANTY

1. ABOUT NEXEN TOTAL COVERAGE WARRANTY

This limited warranty only applies to the original purchaser of new replacement tires sold by NEXEN TIRE USA (as below NEXEN TIRE), and tires must have been used on the same vehicle that they were originally installed on.

This warranty applies to tires purchased after January 1, 2021. Tires purchased before January 1, 2021, are subject to the previous published warranty.

The Nexen Total Coverage Warranty offers the consumer the following benefits:

- Coverage for Defects in Workmanship and Materials
- Mileage Tread Wear Limited Warranty*
- Road Hazard Replacement Program*
- Roadside Assistance - Flat Tire Change or Tow Service
- 45-day Satisfaction Guarantee Trial Warranty

*Most, but not all, NEXEN TIRE patterns come with a Mileage Tread Wear Warranty and/or Road Hazard Replacement. Check each pattern for coverage.

For purposes of this warranty, the term "usable tread life" will be determined as having at least 2/32" (1.6mm) of tread remaining evenly across the tire. If less than 2/32" (1.6mm) of tread remains at any point on the face of the tire, the tire will be considered past its usable tread life and subject to any and all conditions stated below.

2. WORKMANSHIP AND MATERIALS

All NEXEN tires are warranted against defects in workmanship and material and will be replaced 100% free of charge for the initial warranty period, which is the first 2/32" (1.6mm) of original usable tread life, or within 12 months from the period of purchase, whichever comes first.

After the 100% replacement term expires and the tire is still within 72 months from date of manufacture, the amount of credit will be determined by the percentage of original tread depth remaining on the tire. Under all circumstances, the cost of mounting, balancing and any other service charges, including applicable taxes, are required to be paid by the consumer.

3. MILEAGE TREAD WEAR LIMITED WARRANTY

Designated patterns manufactured by NEXEN TIRE are assigned a mileage warranty that protects the consumer against premature tread wear. If a tire reaches the end of its "usable tread life" before the stated mileage warranty, the consumer will be issued a replacement NEXEN tire on a pro-rated basis, which means the consumer will be responsible for a percentage of the replacement cost. In order to maintain the tread wear warranty, all tires must be rotated at least every 5,000 - 6,000 miles (8,000 - 10,000 km). Under all circumstances, the cost of mounting, balancing and any other service charges, including applicable taxes, are required to be paid by the consumer.

4. WHAT IS NOT COVERED UNDER THIS LIMITED WARRANTY

This warranty does not cover tires damaged due to misuse, abuse or accident such as:

- Ride complaints after the first 2/32" of tread wear or

replacement of three (3) or more tires from the same vehicle will not be accepted.

- Road hazard damage such as cuts, snags, punctures or tire repair, bruises, impact breaks, etc. (Check Road Hazard Replacement Program for patterns that are covered against this type of damage.)
- Premature or irregular wear (a measured tread difference of 2/32" (1.6mm) or more across the tread on the same tire) due to vehicle mechanical deficiencies or failure to rotate the tires at recommended intervals.
- Tires on any vehicle registered and normally operated outside the United States.
- Damage from incorrect mounting or dismounting of the tire, incorrect application, water or other material trapped inside the tire during mounting or failure to balance the tires.
- Damage from over/under inflation, overload or defective vehicle mechanical conditions.
- Tires with a lower load index and/or speed rating than that of the OE tire.
- Racing, off-road use and misapplication of tire to vehicle.
- Ozone or weather cracking on tires after 48 months from the date of manufacture.
- Minor cosmetic ozone or weather cracking.
- Any tires worn beyond the wear indicators. (Less than 2/32" remaining tread depth.)
- Flat spotting caused by improper storage or brake lock.
- Accident, fire, chemical corrosion, tire alteration, willful abuse or vandalism.
- Tires in which D.O.T. identification number and/or barcode on bead and/or brand name removed intentionally.
- Loss of time or use, inconvenience or any incidental or consequential damage.
- Original equipment tires on new vehicle. (See separate warranty, if applicable, in your vehicle's glove box.)
- Tires purchased as used.
- Tires that have been recapped, retreaded or regrooved.
- Use of tire chains.
- Tires used on recreational vehicles (for camping and motor homes, etc.) or in commercial service (i.e., tires used for taxi service, delivery, ride-sharing vehicles, etc.).
- Tires stored improperly.

5. OTHER LIMITATIONS INCLUDE, BUT ARE NOT LIMITED, TO THE FOLLOWING:

- Failure to rotate tires as recommended voids the tread wear warranty.
- If tires are different sizes on front and rear of vehicle and therefore can't be rotated, the mileage warranty for the rear tires will be half of the stated mileage warranty.
- Winter tires must be used only in winter months, which are determined to be September 1st through April 30th of the following year. Documentation is required showing date of installation and removal to maintain tread wear warranty.

6. ROAD HAZARD REPLACEMENT PROGRAM

Most patterns sold by NEXEN TIRE are covered by a road hazard warranty that protects the consumer against non-repairable damage caused by puncture, snag, cut, bruise or impact break. Typical road hazards are nails, glass, potholes and other debris. Covered tires will be eligible for a free replacement for the first

NEXEN TOTAL COVERAGE WARRANTY

2/32" of original tread depth, or for a period of one year from the date of purchase, whichever comes first. If the DOT # on the tire is greater than one year from the adjustment date, an invoice showing date of purchase is necessary. The cost of mounting, balancing and any other service charges, including applicable taxes, are required to be paid by the consumer.

7. WHAT IS NOT COVERED UNDER ROAD HAZARD REPLACEMENT PROGRAM

- A tire that is damaged due to vandalism.
- A tire that is damaged due to an accident.
- A tire that is repairable under U.S. Tire Manufacturers Association (USTMA) standards.
- A tire that has failed due to commercial use.
- A tire that is damaged or failed due to racing or off-road use.
- A tire that is damaged due to use of snow chains or studs.
- A tire that is damaged or failed due to irregular wear caused by mechanical issues.
- Original equipment tires on new vehicle.
- Tires transferred from the vehicle that they were originally installed on.

8. 45-DAY SATISFACTION GUARANTEE TRIAL WARRANTY

NEXEN TIRE's 45-day Satisfaction Guarantee Trial Warranty covers a complete set of four (4) N'FERA SU1, N'FERA AU7, N5000 Platinum, N5000 PLUS, N'PRIZ AH8, Aria AH7, Roadian GTX, Roadian HTX RH5, Roadian AT Pro RA8, Roadian MTX and Roadian CT8 HL tires. If you're not completely satisfied for any reason, other than the conditions that are listed in the "WHAT IS NOT COVERED" section with your eligible tires, simply return them with the proof of purchase to the dealer where they were purchased within 45 days or 500 miles, whichever comes first, for a new set of Nexen brand replacement only.

Limitations and Requirements

- This trial warranty only applies to the original purchaser and is non-transferable.
- Any return of less than a full set of tires will not be accepted.
- Proof of purchase must be provided for both the original set and replacement set.
- Tires must be returned undamaged. Tires exhibiting misuse, road hazard, mounting damage, vehicle mechanical-related problems, repairs, improper inflation, vandalism, run flat and/or any racing activity wear are excluded from this trial warranty.
- Original purchaser pays the amount due on a new replacement tire, less the amount of credit, including applicable taxes, mounting and balancing charges and/or the cost of other services ordered.
- Replacement tire must be installed on original purchase vehicle.
- Replacement must be done at original place of purchase.
- Only original purchase is covered by 45-day Satisfaction Guarantee Trial Warranty.
- Replacement set is not covered by 45-day Satisfaction Guarantee Trial Warranty.
- Tires measuring more than 1/32" of tread wear from original tread depth are excluded from trial warranty.

9. CONSUMER'S OBLIGATION WHEN FILING CLAIM

To maintain Mileage Tread Wear Warranty and Road Hazard Replacement Program, the consumer is responsible for the following:

- Any claims must be presented to a participating authorized NEXEN TIRE dealer.
- Submit or present a copy of the original purchase receipt with documented automobile mileage at time of tire installation and of tire dismounting.
- Submit a tire rotation record showing that all tires have been rotated at least every 5,000 – 6,000 miles (8,000 – 10,000 km). Tire rotation record is not necessary for Road Hazard claims when tire is within 2/32" difference of remaining tread depth as measured from shoulder to shoulder on the claim tire and compared to the remaining tread depth of the opposite front/rear or left/right tire.
- NEXEN TIRE Claim Adjustment forms are provided by the dealer. Keep a copy for your records and leave the tire with the dealer for warranty processing.

Warranty Information by Pattern (for Replacement Tires Only)

Tire Pattern	Tread Wear Mileage Warranty	Road Hazard Replacement Warranty (First 2/32" or 1 Year)	45-day Trial	36-Month Roadside Assistance Program
N'FERA SUR4G	N/A	N/A	N/A	YES
N'FERA SU1	25,000	YES	YES	YES
N'FERA AU7	50,000	YES	YES	YES
N5000 Platinum	55,000 (W)	YES	YES	YES
	70,000 (H,V)			
N5000 PLUS	65,000	YES	YES	YES
N'PRIZ AH8	70,000	YES	YES	YES
Aria AH7	80,000	YES	YES	YES
N'PRIZ AH5	50,000	YES	N/A	YES
SB-802	N/A	N/A	N/A	YES
Roadian HP	40,000	YES	N/A	YES
Roadian GTX	70,000	YES	YES	YES
Roadian HTX RH5	65,000 (P)	YES	YES	YES
	40,000 (LT)			
Roadian AT Pro RA8	50,000 (P)	YES	YES	YES
	40,000 (LT)			
Roadian MTX	N/A	N/A	YES	YES
Roadian MT	N/A	N/A	N/A	YES
Roadian CT8 HL	N/A	N/A	YES	YES
Roadian CT8	N/A	N/A	N/A	YES
Winguard Sport 2	N/A	N/A	N/A	YES
Winguard Ice Plus	N/A	N/A	N/A	YES
Winguard Ice SUV	N/A	N/A	N/A	YES
Winguard Winspike WH62	N/A	N/A	N/A	YES
Winguard Winspike WS62	N/A	N/A	N/A	YES
Winguard Winspike	N/A	N/A	N/A	YES
Eurowin	N/A	N/A	N/A	YES

NEXEN TOTAL COVERAGE WARRANTY

10. TIRES PURCHASED FROM UNAUTHORIZED DEALERS

IT IS IMPORTANT TO PURCHASE OUR TIRES FROM AUTHORIZED DEALERS ONLY.

Tires imported by NEXEN TIRE AMERICA INC. are suitable for the U.S. conditions whereas tires not imported by NEXEN TIRE AMERICA INC. may meet an alternative specification that is less suitable for the U.S. conditions. In addition, unauthorized importers or dealers may provide tires that are several months or years older by the time they arrived in the U.S. or they may have been stored in improper or unfavorable conditions. Taking them into consideration, in order to provide the best quality of our tires and services, we need to ensure that tires are purchased from an authorized dealer and imported by NEXEN TIRE AMERICA INC. Tires purchased from an unauthorized dealer or not imported by NEXEN TIRE AMERICA INC. ARE NOT COVERED by this warranty. If a tire purchased from an unauthorized dealer or not imported by NEXEN TIRE AMERICA INC. fails or is defective, all claims relating to that tire should be directed to the dealer or importer and not to NEXEN TIRE AMERICA INC.

Please note that sellers on Amazon.com, eBay.com, Craigslist or similar online markets are not authorized dealers of NEXEN branded tires. When purchasing on these online markets, it is fully your responsibility as a customer to ensure that sellers are authorized by NEXEN TIRE AMERICA INC. The following businesses have been identified as unauthorized by NEXEN TIRE AMERICA INC. to sell NEXEN branded tires in the U.S. The list is subject to change/update.

- TGI (TIRE GROUP INTERNATIONAL)
- TIREMAX INTERNATIONAL
- PARTSMAX

If you are concerned about whether sellers are authorized by us, please contact us at 1-800-57-NEXEN(63936) and we can verify whether the seller is authorized or tires are imported by NEXEN TIRE AMERICA INC.

11. ROADSIDE ASSISTANCE

All patterns sold after January 1, 2021, by NEXEN TIRE in the United States and Canada are eligible for free 24/7/365 Roadside Assistance for a period of 36 months from the purchase date. Upon purchasing NEXEN tires, the consumer will have access to a toll-free phone number to call in case of a flat tire. A qualified professional will change your flat tire with your spare tire free of charge. If a working spare is not available, towing will be provided free of charge to the nearest NEXEN TIRE dealer or safe and secure location. Activation is required before Roadside Assistance service can be utilized.

*NEXEN TIRE reserves the right to change the terms and conditions of all warranties at any time.

12. TIRE CARE AND MAINTENANCE GUIDE

Tire failure can result in serious damage and/or personal injury. To reduce the risk of tire failure, we recommend the following.

- Maintain proper inflation pressure and do not use at under-inflation or over-inflation. Pressure should be set at the level recommended by vehicle manufacturer.

- Wheel alignment and balancing should be checked at regular intervals.
- Do not overload. The maximum load carrying capacity is molded on the sidewall of the tire.
- Do not spin your tires excessively and avoid driving over curbs, potholes, obstacles and edges of pavement.
- Never drive on smooth (bald) tires. By law, tires must be replaced when 2/32" of tread depth remains, as indicated by tread wear indicator molded in the tread grooves.
- Check your tires frequently for any scrapes, cuts, foreign objects, separations or bulges. If damage is found, do not attempt to dismount the tire yourself. Change damaged tire with the spare and contact your local authorized NEXEN TIRE dealer immediately.
- Do not drive in excess of speed limits allowed by law or the maximum speed justified by driving conditions.
- To achieve proper even wear and gain maximum tread life, tire rotation at regular intervals is required.

Please be advised that the extreme ultra high performance tire, N'Fera SUR4G, although approved for street use, is targeted for track and competition driving.

- Driving on wet roads, heavy rain, or standing water with competition-oriented tires may cause hydroplaning and loss of control. Use extreme caution and drive slowly on wet roads.
- Competition-oriented tires should not be driven on snow or ice-covered roads. At temperatures below 40°F, tires may experience reduced traction. It is recommended that suitable all season or winter tires be installed at temperatures below 40°F.
- When exposed to temperatures below 14°F, tires may exhibit surface cracking. Never use tires that have cracked. Surface cracking due to cold temperatures is not a warrantable condition.
- Always store competition-oriented tires indoors at temperatures above 14°F. If tires have been subjected to temperatures below 14°F, they must be warmed to at least 50°F for 24 hours before using or installing. If using unheated storage, tires should be removed from the vehicle and deflated to half the normal air pressure. Before use, tires must be inspected for signs of cracking and returned to normal air pressure.

For more information or service regarding NEXEN TIRE, please contact your nearest authorized NEXEN TIRE dealer.

For more information, please call the toll-free technical support number: 1-800-57-NEXEN (63936) / 1-866-70-NEXEN (63936)

NEXEN warranty portal warranty assistance link: service.nexentireonline.com (Please use this link for any customer warranty assistance needed)

MINIMUM ADVERTISED PRICING POLICY [MAP]

Nexen Tire America, Inc. Minimum Advertised Pricing Policy [MAP] [Effective January 1, 2020]

- I. Nexen Tire America brand (“Nexen”) is synonymous with high-quality products and superior customer service and support. We are committed to maintain and protect our brand. These policies have been established to improve and protect the reputation of the Nexen brand, its resale network, and customer relationships, and give all resellers an equal ability to sell and promote the product. Nexen gives its direct dealers and associated dealers (collectively called “authorized resellers”) and third-party resellers the ability to sell and promote Nexen branded products in ordinary channels of trade, but Nexen requires that all U.S. resellers of Nexen products, whether they be direct dealers, associated dealers or third-party resellers adhere to this Minimum Advertised Pricing (MAP) policy. This policy is being implemented unilaterally by Nexen, and Nexen will not invite or accept any input into its terms, how it will be administered, or how it will be maintained. Further, this is not an agreement between Nexen and any other party, and Nexen will not ask for or accept any agreement from another party.
- II. This MAP policy applies to only those Nexen branded products sold by Nexen listed in the Appendix to this MAP Policy (the “Products”), and only to the “advertising” practices of the resellers.
- III. Any reseller of Nexen products may not advertise any price below that of the officially published MAP for that particular product. Further detail on prohibited advertising is set forth in Section VI below.
- IV. The Company shall not mandate the actual selling price of any Product by a reseller, and shall not issue any directive or limitation regarding maximum advertised prices. Each reseller remains free to set, independently, the actual resale price and no employee or agent of Nexen shall be authorized to require anything to the contrary.
- V. This MAP policy applies to all advertisements of Nexen products in any and all media, whether in print, online, or in an email. Without limiting the generality of the foregoing, the MAP policy includes:
 - a. flyers, posters, coupons, mailers, inserts, newspapers, publications, magazines, circulars, catalogs, mail order catalogs, public signage, and other print media, including advertisements and marketing by affiliates;
 - b. broadcasts on networks, television, and radio, including advertisements and marketing by affiliates;
 - c. Online and any other electronic or social media marketing, including websites that can be accessed directly through any hypertext link or by any other method which uses the hypertext transfer protocol (http); search engine advertising, broadcast e-mail newsletters, e-mail solicitations, automated response pricing e-mails, SMS or other phone/electronic text messages, search engine optimization, banners, pop-ups or pop-up under ads, price comparison sites, auction functions or websites, shopping websites, shopping feed and portal sites, online display advertising, or similar electronic media, including advertisements and marketing by affiliates.
 - d. Email and customer service interactions in response to a customer inquiry are not considered advertising.
 - e. This MAP policy does not apply to in-store shelf talkers and point of purchase displays such as signage, price tags or prices written in a sample book, as long as such displays are not distributed or displayed to any customers in any digital media cross-promotions (e.g. Facebook, Instagram, or Pinterest).
- VI. If the advertising method provides for or suggests a price below the minimum advertised price, such advertising violates this MAP policy. Examples of advertising methods that violate this MAP policy include, but are not limited to, the following:
 - a. The use of a rebate, coupon, promotion, giveaway, or incentive that reduces the advertised price below the minimum advertised price.
 - b. The inclusion in advertising of fee or discounted products with a Product covered by this MAP policy if it has the effect of discounting the advertised price of the covered Product below the minimum advertised price.
 - c. Offering free shipping and handling of Nexen branded products violates this MAP policy if the monetary value for such offer results in the display of the price for such Product below the established minimum advertised price for such Product.
 - d. If pricing is displayed, any strike-through or other alteration of the established minimum advertised price is prohibited.
 - e. The use of “click on” or “click through” button on a website, or any similar buttons or automated price quotation transmission features, to provide automatic price quotations at or below the established minimum advertised price.

MINIMUM ADVERTISED PRICING POLICY [MAP]

- f. Language such as “Click ‘Buy for Price’” or “Click ‘Add to Cart’ for Price” or “Click for Quote” if used on the same website page on which Nexen branded products are being advertised for sale.
 - g. Statements such as “Click here for Lower Price,” “Add to Cart for Lower Price,” or “Check Cart for Lower Price.”
- VII. This MAP policy does not:
- a. Prohibit responses to specific requests for price quotes by an individual customer as long as such responses are not automatic and are given in an individualized personal communication to the requesting customer.
 - b. Apply to the price at which goods are actually sold. Nexen resellers are free to sell the Nexen products at any price.
- VIII. Intentional or repeated failures to comply with this MAP policy for Nexen products can result in sanctions being unilaterally imposed in Nexen’s sole discretion, which may include one or more of the following actions: (1) suspension and/or loss of any future product purchase discounts, rewards earned or to be earned, loyalty bonuses earned or to be earned, brand support bonuses earned or to be earned, and sales incentives; (2) suspension of shipments of products; (3) termination of the reseller’s business relationship with Nexen. Nexen will act in its own unilateral discretion should it observe a failure to comply with this MAP policy. As a standard practice Nexen usually will give – but is not obligated to give - a notice to any reseller violating the policy.
- IX. Nexen reserves the right to modify or suspend this MAP policy or adjust the MAP for any product at any time. Such changes will apply equally to all resellers.
- X. Nexen resellers shall provide a copy of this MAP to all of their third-party resellers, as this MAP applies to such third-party resellers as well.
- XI. All questions regarding this Policy can be directed to the Nexen Tire America Compliance Team at map@nexentireusa.com.


NOTES: _____

28	1	2	3	4	5	6
21	22	23	24	25	26	27
14	15	16	17	18	19	20
7	8	9	10	11	12	13
31	1	2	3	4	5	6

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
31	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
	PRESIDENT'S DAY					
21	22	23	24	25	26	27
28	1	2	3	4	5	6

FEBRUARY 2021


NEXEN NEXEN TIRE



NEXEN NEXEN TIRE

JANUARY 2021

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
					1	2
3	4	5	6	7	8	9
					NEW YEAR'S DAY	
10	11	12	13	14	15	16
17	18	19	20	21	22	23
	MARTIN LUTHER KING JR. DAY					
24	25	26	27	28	29	30
31						



APRIL 2021
NEXEN

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
25	26	27	28			1
18	19	20	21	22	23	24
11	12	13	14	15	16	17
4	5	6	7	8	9	10
28	29	30	31	1	2	3

MARCH 2021
NEXEN

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
28	29	30	31	1	2	3
21	22	23	24	25	26	27
14	15	16	17	18	19	20
7	8	9	10	11	12	13
28	1	2	3	4	5	6

SATURDAY	FRIDAY	THURSDAY	WEDNESDAY	TUESDAY	MONDAY	SUNDAY
5	4	3	2	1	29	28
12	11	10	9	8	7	6
19	18	17	16	15	14	13
26	25	24	23	22	21	20
3	2	1	30	29	28	27
					FATHER'S DAY	

JUNE 2021

ERITL NEXEN 



MAY 2021

NEXEN NEXEN TIRE



SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
25	26	27	28	29	30	1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
MOTHER'S DAY						
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	MEMORIAL DAY	31				

	4	3	2	1		31	30	29
	28	27	26	25	24	23	22	22
	21	20	19	18	17	16	15	15
14	13	12	11	11	10	9	8	8
7	6	5	4	4	3	2	2	1
SATURDAY	FRIDAY	THURSDAY	WEDNESDAY	TUESDAY	MONDAY	SUNDAY		



2021 AUGUST
ERIT NEXEN

2021 JULY
NEXEN TIRE



11	12	13	14	15	16	17	17	17
4	5	6	7	8	9	10	10	10
27	28	29	30	1	2	3	3	3
SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY		

INDEPENDENCE DAY

NEXEN

NEXEN TIRE

OCTOBER 2021

ROADIAN AT PRO RA8 **ROADIAN CT8 HL**

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
26	27	28	29	30	1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31						

COLUMBUS DAY
US INDIGENOUS
PEOPLE'S DAY

NEXEN **NEXEN TIRE**

SEPTEMBER 2021

ROADIAN AT PRO RA8 **ROADIAN CT8 HL**

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
29	30	31	1	2	3	4
5	6	7	8	9	10	11
12	LABOR DAY	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	1	2

NEXEN NEXEN TIRE

DECEMBER

WINGUARD *Sport 2*
WINGUARD *ice SUV*
WINGUARD *ice Plus*

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
28	29	30	1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	1
					CHRISTMAS EVE	CHRISTMAS DAY
						NEW YEAR'S EVE

NEXEN NEXEN TIRE

NOVEMBER 2021

ROADIAN CT8 HL

ROADIAN AT PRO R48

ROADIAN MTX

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
31	1	2	3	4	5	6
7	8	9	10	11	12	13
				VETERANS DAY		
14	15	16	17	18	19	20
21	22	23	24	25	26	27
				THANKSGIVING DAY		
28	29	30	1	2	3	4



WE GOT YOU

NEXEN NEXEN TIRE

NEXEN Tire USA Corporate Headquarters

21073 Pathfinder Rd., Suite 100

Diamond Bar, CA 91765

T (800) 57-NEXEN (63936)

F (909) 923-3991

NexenTireUSA.com

