NEXEN TIRE

we got you

PRODUCT SHOWCASE

2023 | SEMA VERSION

NEXEN

"As a company that has the ability to impress customers with the best quality, we will become something that you can have utmost pride in. We will emerge as the NEXEN TIRE that makes you elated with new products and breakthroughs in technology development. We will move forward to becoming a global leader, looking ahead to the next century. And beyond history, and beyond passion, in the name of trust, we will stand by you as you advance into the future."

Travis Kang – CEO, Nexen Tire

NO USA RECALLS EVER.

BEST QUALITY ASSURANCE IN THE BUSINESS.

Since 2000, Nexen Tire has produced over

550,000,000

(over 1/2 billion) tires with absolutely ZERO recalls in the USA.

STEADY DRIVING PERFORMANCE IN VARIOUS CONDITIONS

IMPROVED BRAKING ON ANY TYPE OF ROAD CONDITION

Optimized compound hardness and grip resin technology improves braking performance by increasing road contact area.

ENHANCED GRIP & SLIP-RESISTANT ON WET AND SNOWY ROADS

Angled wave shape and micro-thin kerfs deliver outstanding wet and snow performances.

REINFORCED SNOW TRACTION

Jagged patterns on both shoulder blocks effectively generate tractive force on snowy road conditions.



3PMSF CERTIFIED

3PMSF Certified is a severe winter certification to withstand heavy snow, ice, and tough terrain.

COVERAGE FOR PEACE OF MIND

The N'Blue 4 Season 2 is backed by one of the most comprehensive warranties in the industry, delivering extended value and peace of mind throughout the life of the tire.

- UP TO **70K MILE** TREAD WARRANTY*
- **ROAD HAZARD** PROTECTION* FIRST 3/32" OR 2 YEARS
- **36 MONTHS** ROADSIDE ASSISTANCE
- **FREE TRIAL** 45 DAYS OR 500 MILES*

N'BLUE 4Season2

ALL WEATHER TOURING

EXCEPTIONAL ALL-WEATHER PERFORMANCE

ALL PERFORMANCE IN ALL WEATHER

ROADIAN HTX2

HIGHWAY TERRAIN

LONG MILEAGE PERFORMANCE DESIGNED INTO EVERY FEATURE.

3PMSF Certified

3PMSF Certified is a severe winter certification to withstand heavy snow, ice, and tough terrain.

(except OE tires)



HIGH-SPEED CONTROL

Cooling pins applied to shoulder of the tire to efficiently dissipate heat for increased durability under high speeds.



New Roadian HTX2



Conventional

INCREDIBLE DURABILITY

Nexen's proven bead design and construction consists of an optimized profile bead filler and stiffer rim flange for increased overall rigidity and tire durability.

REINFORCED SNOW TRACTION

Emerging 3D sipes improve traction in snowy conditions. Changing sipe technology as tire wears provides increased tread contact and overall handling characteristics.

THEY LOOK AS GOOD AS THEY PERFORM.

The Roadian HTX2 is available in two sidewall design options to complement your vehicle and white lettering in limited sizes.

PUSHING ALL-TERRAIN PERFORMANCE TO A NEW LEVEL

ROADIAN ATX

ALL TERRAIN

REINFORCED 3-PLY CONSTRUCTION

Nexen's 3-ply sidewall produces an industry-best AT tire with longer life and increased durability that performs under heavier loads and higher pressures. The increased sidewall rigidity enhances stability while cornering under loads and heavy towing.

ENHANCED DURABILITY AND PERFORMANCE

The sidewall design increases puncture resistance both on road and off. Durability is also improved thanks to an aggressive angled pattern.

3PMSF Certified

as a severe winter, certification to withstand heavy snow, ice, and tough terrain.

(Except OE & flotation sizes)

REINFORCED SNOW TRACTION

Emerging 3D sipes improve traction in snow, mud, and wet conditions. Nexen's changing sipe technology increases tread-to-road contact and overall handling characteristics as the tire wears.

PICK THE SIDEWALL THAT FITS YOU BEST.

The Roadian ATX is available in two dynamic sidewall design options to complement your vehicle and attitude. The dual sidewall design is more aggressive than the AT Pro predecessor without sacrificing a quiet ride.

MORE DEALER RESOURCES

NEXT LEVEL
ASSOCIATE DEALER PROGRAM

NEXEN NEXT LEVEL DEALER PROGRAM

Easy to understand | Fast payouts
Dealer Dashboards | Distributor Dashboards
What if? Calculator | Annual True-up
Combine Locations | And much more!

NEXEN NETWORK

CUSTOMIZED IN-STORE TV ENTERTAINMENT

Showcase store promotions, Nexen products, and engaging viral content. Plus live TV and sports!

OFF-ROAD GARAGE
NEXEN TIRE
we got you

FINALLY A PROGRAM FOR SPECIALTY SHOPS AND DEALERS!

Tire Payouts
Premium Wearables
And More!

NEXENACE
ACCELERATED CERTIFICATION & EDUCATION

EARN POINTS.
ENTER SWEEPSTAKES.
ORDER MERCHANDISE.
REQUEST POP MATERIALS, TOO.

NEXENACE.COM

NEXENTIREGARAGE.COM

NEXEN TIRE
GARAGE
ALL YOU NEED IN ONE PLACE

Next Level
NexenACE
Nexen Network
Nexen App
Dealer Portal
Tire Finder
Brand Resources

ULTRA HIGH PERFORMANCE

N'FERA Sport R

EXTREME ULTRA HIGH PERFORMANCE

The all new Nexen N'Fera Sport R has that same level of intensity designed deep into its DNA. Grip. Control. Cornering. Speed and feedback... Amazing.

SIZES AVAILABLE: 13
SIZE RANGE: 15" – 19"

MILEAGE WARRANTY: N/A
ROAD HAZARD: N/A
ROADSIDE ASSISTANCE: 36 months

UTQG: 200 A A
SPEED RATING: W

16

N'FERA SU1

ULTRA HIGH PERFORMANCE SUMMER

Perfect fit for sports car applications or for the driver who wants a little more performance out of their standard vehicle. Excels at braking and cornering performance.

SIZES AVAILABLE: 67
SIZE RANGE: 16" – 24"

MILEAGE WARRANTY: 25,000 miles
ROAD HAZARD: First 3/32" or 2 years
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

UTQG: 300 AA A
SPEED RATING: W & Y

17

N'FERA AU7

ULTRA HIGH PERFORMANCE ALL SEASON

Designed for the discretionary driver of sports cars, luxury coupes, and performance sedans looking for superior traction in dry and wet conditions.

OE FITMENT

SIZES AVAILABLE: 49
SIZE RANGE: 16" – 20"

MILEAGE WARRANTY: 50,000 miles
ROAD HAZARD: First 3/32" or 2 years
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

UTQG: 500 AA A / 500 A A / 560 A A
SPEED RATING: H, W, & Y

19

PASSENGER TOURING

N'PRIZ AH8

GRAND TOURING ALL SEASON

OE FITMENT

Designed for family sedans that depend on safety year-round. Ride confidently with excellent traction in dry, wet, and light snow conditions.

SIZES AVAILABLE: 58
SIZE RANGE: 14" – 19"

MILEAGE WARRANTY: 70,000 miles
ROAD HAZARD: First 3/32" or 2 years
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

UTQG: 440/500/560/600 A A
SPEED RATING: T, H, V, & W

28

N5000 Platinum

GRAND TOURING ALL SEASON

Exclusive For

The upgraded Nexen N5000 Platinum combines the look of a performance tire with the comfortable, quiet ride of a passenger tire. Branded with the M+S symbol, this tire provides year-round traction, even in light snow.

SIZES AVAILABLE: 81
SIZE RANGE: 16" – 22"

MILEAGE WARRANTY: 70K(H,V)/55K(W) miles
ROAD HAZARD: First 3/32" or 2 years
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

UTQG: 580 A A (W), 700 A A (H,V)
SPEED RATING: H, V, W, & Y

25

Aria AH7

PREMIUM STANDARD TOURING ALL SEASON

A long-lasting, premium all-season tire that offers one of the longest mileage warranties in its class.

SIZES AVAILABLE: 25
SIZE RANGE: 15" – 18"

MILEAGE WARRANTY: 80,000 miles
ROAD HAZARD: First 3/32" or 2 years
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

UTQG: 760 A A
SPEED RATING: T & H

23

N'PRIZ AH5

STANDARD TOURING ALL SEASON

The perfect tire for entry-level sedans, CUVs, and SUVs. This tire offers a great balance of performance, handling, comfort, and wear life at a value price.

SIZES AVAILABLE: 73
SIZE RANGE: 14" – 20"

MILEAGE WARRANTY: 50,000 miles
ROAD HAZARD: First 3/32" or 2 years
ROADSIDE ASSISTANCE: 36 months

UTQG: 460/500 A A
SPEED RATING: S, T, H, & V

30

PASSENGER TOURING (CONT.)

N'BLUE 4Season2

ALL-WEATHER TOURING

The N'BLUE 4 Season 2 is Nexen Tire's most recent all-weather tire designed for various on-road conditions. It not only improves snow performance, but also adds stability to high-speed driving with an all-weather optimized pattern design. In addition, this tire claims to have a longer treadlife.

SIZES AVAILABLE: 48
SIZE RANGE: 15 " – 20"

UTQG: 600 A A
SPEED RATING: H, V, & W

3 Peak Mountain Snowflake Certified

MILEAGE WARRANTY: 70,000 miles
ROAD HAZARD: First 3/32" or 2 years
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

21

CUV / SUV / LIGHT TRUCK

ROADIAN ATX

ALL TERRAIN

OE FITMENT

Designed for the durability and all-around grip performance at any road condition with heavy-duty construction and materials.

SIZES AVAILABLE: 86
SIZE RANGE: 15 " – 22"

UTQG: 560/600 A B
SPEED RATING: Q, S, T, H, & V

3 Peak Mountain Snowflake Certified

MILEAGE WARRANTY (P): 65,000 miles
MILEAGE WARRANTY (LT): 60,000 miles
ROAD HAZARD: First 3/32" or 2 years
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

38

ROADIAN HTX 2

HIGHWAY TERRAIN

OE FITMENT

Designed for the long-inspired journey to create a high-mileage SUV and Light Truck tire that also delivers outstanding all-weather driving performance.

3 Peak Mountain Snowflake Certified

SIZES AVAILABLE: 54
SIZE RANGE: 16" – 22"

UTQG: 700 A A/B (P) Metric
SPEED RATING: R, S, T, & H

MILEAGE WARRANTY (P): 70,000 miles
MILEAGE WARRANTY (LT): 50,000 miles
ROAD HAZARD: First 3/32" or 2 years
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

36

ROADIAN HP

STREET SPORT TRUCK ALL SEASON

A low-profile truck and SUV tire that delivers sporty performance on any road surface.

SIZES AVAILABLE: 21
SIZE RANGE: 17" – 24"

MILEAGE WARRANTY: 40,000 miles
ROAD HAZARD: First 3/32" or 2 years
ROADSIDE ASSISTANCE: 36 months

UTQG: 460 A A
SPEED RATING: H & V

33

ROADIAN GTX

CUV/SUV TOURING

OE FITMENT

Drivers can count on versatility and dependability of the New Roadian GTX, from cross-country road trips to trips to the store.

SIZES AVAILABLE: 58
SIZE RANGE: 16" – 22"

MILEAGE WARRANTY: 70,000 miles
ROAD HAZARD: First 3/32" or 2 years
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

UTQG: 540/600/680 A A
SPEED RATING: H, V, & W

34

ROADIAN MTX

MUD TERRAIN

The Roadian MTX features an aggressive design that is extremely versatile for on- and off-road driving. Each tire boasts a dual sidewall design that allows you to customize the look of the tire on your vehicle.

SIZES AVAILABLE: 36
SIZE RANGE: 15" – 22"

MILEAGE WARRANTY: N/A
ROAD HAZARD: N/A
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

SPEED RATING: Q

41

ROADIAN CT8 HL

COMMERCIAL VAN/LT

OE FITMENT

A tire constructed to deliver heavy-duty performance for commercial vehicles.

SIZES AVAILABLE: 14
SIZE RANGE: 15" – 18"

MILEAGE WARRANTY: N/A
ROAD HAZARD: N/A
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

SPEED RATING: R, S, & T

44

A TIRE FOR EVERY ADVENTURE



TABLE OF CONTENTS

HIGH PERFORMANCE

N'FERA SPORT R 16
N'FERA SU1 17
N'FERA AU7 19

PASSENGER

N'BLUE 4 SEASON 2 21
ARIA AH7 23
N5000 PLATINUM 25
N'PRIZ AH8 28
N'PRIZ AH5 30
SB-802 32

CUV/SUV/LIGHT TRUCK

ROADIAN HP 33
ROADIAN GTX 34
ROADIAN HTX 2 36
ROADIAN ATX 38
ROADIAN MTX 41
ROADIAN MT 43
ROADIAN CT8 HL 44
ROADIAN CT8 45

WINTER

WINGUARD SPORT 2 46
WINGUARD WINSPIKE 3 49

OEM

ORIGINAL EQUIPMENT 2024 52

WARRANTY

NEXEN TOTAL COVERAGE WARRANTY 55

MINIMUM ADVERTISED PRICING POLICY 59

N'FERA Sport R

TOTAL COVERAGE WARRANTY
NEXEN TIRE

EXTREME ULTRA HIGH PERFORMANCE

The Nexen N'Fera Sport R has that same level of intensity designed deep into its DNA. Grip. Control. Cornering. Speed and feedback... Amazing. The N'Fera Sport R lets you ring out every last cubic inch of your car's capability with the confidence to enter that corner just a little bit later... and exit a lot more happy.

TREAD WEAR WARRANTY **N/A**

ROAD HAZARD WARRANTY **N/A**

ROADSIDE ASSISTANCE **36 MONTHS**

Product	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MAP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
10224NXK		205/50R15	XL	89	W	4	50	1,279	-	6.5	5.5-7.5	8.2	23.1	7.5	200	A	A	Black	TBA
10251NXK		225/45R15		87	W	4	51	1,201	-	7.5	7.0-8.5	8.9	23.0	7.5	200	A	A	Black	TBA
10223NXK		245/40R15		88	W	4	51	1,235	-	8.5	8.0-9.5	9.8	22.7	7.5	200	A	A	Black	TBA
10211NXK		225/45R17	XL	94	W	4	50	1,477	-	7.5	7.0-8.5	8.9	25.0	7.5	200	A	A	Black	TBA
10227NXK		245/40R17	XL	95	W	4	50	1,521	-	8.5	8.0-9.5	9.8	24.7	7.5	200	A	A	Black	TBA
10210NXK		255/40R17	XL	98	W	4	50	1,653	-	9.0	8.5-10.0	10.2	25.0	7.5	200	A	A	Black	TBA
18120NXK		245/40R18		93	W	4	51	1,433	-	8.5	8.0-9.5	9.8	25.7	7.5	200	A	A	Black	TBA
10244NXK		255/35R18	XL	94	W	4	50	1,477	-	9.0	8.5-10.0	10.2	25.0	7.5	200	A	A	Black	TBA
10213NXK		265/35R18	XL	97	W	4	50	1,609	-	9.5	9.0-10.5	10.7	25.3	7.5	200	A	A	Black	TBA
10203NXK		275/35R18		95	W	4	51	1,521	-	9.5	9.0-11.0	10.9	25.6	7.5	200	A	A	Black	TBA
10212NXK		295/40R18		103	W	4	51	1,929	-	10.5	10.0-11.5	11.9	27.3	7.5	200	A	A	Black	TBA
10199NXK		315/30R18		98	W	4	51	1,653	-	11.0	10.5-11.5	12.6	25.5	7.5	200	A	A	Black	TBA
10225NXK		305/30R19	XL	102	W	4	50	1,874	-	11.0	10.5-11.5	12.3	26.3	7.5	200	A	A	Black	TBA

Technical data can be changed without further notice.

PRO CHAMPIONSHIP TIRE SPONSOR OF

FORMULA DRIFT

OFFICIAL SPONSOR SINCE 2016

SCCA Sports Car Club of America

PERFORMANCE RATINGS

BRAKING 10

COMFORT 5

FUEL EFFICIENCY 5

HANDLING 10

WEAR LIFE 4

N'FERA SU1

TOTAL COVERAGE WARRANTY
NEXEN TIRE

ULTRA HIGH PERFORMANCE

The N'Fera SU1 has three main grooves and a semi-groove to maximize wet driving performance and enhance handling. The dry grip technology boosts handling and braking performance, while an optimum surface split siping design improves wet/dry traction performance. An equally balanced design and enhanced block rigidity disperse stress evenly during high-speed cornering, boosting cornering and steering stability.

TREAD WEAR WARRANTY **25,000 MILES**

ROAD HAZARD WARRANTY **FIRST 3/32" OR 2 YEARS**

ROADSIDE ASSISTANCE **36 MONTHS**

FREE TRIAL **45 DAYS OR 500 MILES**

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MAP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
13416NXK		195/45R16	XL	84	W	4	50	1,102	-	6.5	6.0-7.5	7.7	22.9	9.5	300	AA	A	Black	TBA
12729NXK		205/40R16		79	W	4	51	963	-	7.5	7.0-8.0	8.3	22.5	9.5	300	AA	A	Black	TBA
12358NXK		215/55R16	XL	97	W	4	50	1,609	-	7.0	6.0-7.5	8.9	25.3	9.5	300	AA	A	Black	TBA
12346NXK		205/40R17	XL	84	W	4	50	1,102	-	7.5	7.0-8.0	8.3	23.5	9.5	300	AA	A	Black	TBA
12725NXK		205/45R17	XL	88	W	4	50	1,235	-	7.0	6.5-7.5	8.1	24.3	9.5	300	AA	A	Black	TBA
13053NXK		205/50R17	XL	93	W	4	50	1,433	-	6.5	5.5-7.5	8.4	25.1	9.5	300	AA	A	Black	TBA
12349NXK		215/40R17	XL	87	W	4	50	1,201	-	7.5	7.0-8.5	8.6	23.8	9.5	300	AA	A	Black	TBA
12351NXK		215/45R17	XL	91	W	4	50	1,356	-	7.0	7.0-8.0	8.4	24.6	9.5	300	AA	A	Black	TBA
12300NXK		225/45R17	XL	94	Y	4	50	1,477	-	7.5	7.0-8.5	8.9	25.0	9.5	300	AA	A	Black	TBA
12311NXK		235/45R17	XL	97	W	4	50	1,609	-	8.0	7.5-9.0	9.3	25.4	9.5	300	AA	A	Black	TBA
12722NXK		245/40R17	XL	95	W	4	50	1,521	-	8.5	8.0-9.5	9.8	24.7	9.5	300	AA	A	Black	TBA
13418NXK		245/45R17	XL	99	Y	4	50	1,709	-	8.0	7.5-9.0	9.6	25.7	9.5	300	AA	A	Black	TBA
12731NXK		255/40R17		94	W	4	51	1,477	-	9.0	8.5-10.0	10.2	25.0	9.5	300	AA	A	Black	TBA
14112NXK		275/40R17		98	W	4	51	1,653	-	9.5	9.0-11.0	10.9	25.7	9.5	300	AA	A	Black	TBA
12348NXK		215/35R18	XL	84	Y	4	50	1,102	-	7.5	7.0-8.5	8.6	23.9	9.5	300	AA	A	Black	TBA
12350NXK		215/40R18	XL	89	Y	4	50	1,279	-	7.5	7.0-8.5	8.6	24.8	9.5	300	AA	A	Black	TBA
14096NXK		215/45R18	XL	93	W	4	50	1,433	-	7.0	7.0-8.0	8.4	25.6	9.5	300	AA	A	Black	TBA
11782NXK		225/40R18	XL	92	Y	4	50	1,389	-	8.0	7.5-9.0	9.1	25.1	9.5	300	AA	A	Black	TBA

CONTINUED ON NEXT PAGE...

PERFORMANCE RATINGS

BRAKING 10

COMFORT 9

FUEL EFFICIENCY 7

HANDLING 10

WEAR LIFE 7

N'FERA SU1

CONTINUED FROM PREVIOUS PAGE

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MAP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
12332NXK		225/45R18	XL	95	Y	4	50	1,521	-	7.5	7.0-8.5	8.9	25.9	9.5	300	AA	A	Black	TBA
12302NXK		235/40R18	XL	95	Y	4	50	1,521	-	8.5	8.0-9.5	9.5	25.4	9.5	300	AA	A	Black	TBA
14013NXK		235/45R18	XL	98	Y	4	50	1,653	-	8.0	7.5-9.0	9.3	26.3	9.5	300	AA	A	Black	TBA
12345NXK		245/35R18	XL	92	Y	4	50	1,389	-	8.5	8.0-9.5	9.8	24.8	9.5	300	AA	A	Black	TBA
12312NXK		245/40R18	XL	97	Y	4	50	1,609	-	8.5	8.0-9.5	9.8	25.7	9.5	300	AA	A	Black	TBA
12726NXK		245/45R18	XL	100	Y	4	50	1,764	-	8.0	7.5-9.0	9.6	26.7	9.5	300	AA	A	Black	TBA
12347NXK		255/35R18	XL	94	Y	4	50	1,477	-	9.0	8.5-10.0	10.2	25.0	9.5	300	AA	A	Black	TBA
12592NXK		255/40R18	XL	99	Y	4	50	1,709	-	9.0	8.5-10.0	10.2	26.0	9.5	300	AA	A	Black	TBA
12734NXK		255/45R18	XL	103	Y	4	50	1,929	-	8.5	8.0-9.5	10.0	27.0	9.5	300	AA	A	Black	TBA
13516NXK		265/35R18	XL	97	Y	4	50	1,609	-	9.5	9.0-10.5	10.7	25.3	9.5	300	AA	A	Black	TBA
14111NXK		265/40R18	XL	101	Y	4	50	1,819	-	9.5	9.0-10.5	10.4	26.3	9.5	300	AA	A	Black	TBA
13517NXK		275/35R18	XL	99	W	4	50	1,709	-	9.5	9.0-11.0	10.9	25.6	9.5	300	AA	A	Black	TBA
16405NXK		275/40R18	XL	103	Y	4	50	1,929	-	9.5	9.0-11.0	10.9	26.7	9.5	300	AA	A	Black	TBA
16402NXK		285/35R18	XL	101	Y	4	50	1,819	-	10.0	9.5-11.0	11.2	25.9	9.5	300	AA	A	Black	TBA
12331NXK		225/35R19	XL	88	Y	4	50	1,235	-	8.0	7.5-9.0	9.1	25.2	9.5	300	AA	A	Black	TBA
14121NXK		225/40R19	XL	93	Y	4	50	1,433	-	8.0	7.5-9.0	9.1	26.1	9.5	300	AA	A	Black	TBA
14099NXK		225/45R19	XL	96	W	4	50	1,565	-	7.5	7.0-8.5	8.9	27.0	9.5	300	AA	A	Black	TBA
12315NXK		235/35R19	XL	91	Y	4	50	1,356	-	8.5	8.0-9.5	9.5	25.5	9.5	300	AA	A	Black	TBA
15089NXK		235/40R19	XL	96	Y	4	50	1,565	-	8.5	8.0-9.5	9.5	26.4	9.5	300	AA	A	Black	TBA
13514NXK		245/35R19	XL	93	Y	4	50	1,433	-	8.5	8.0-9.5	9.8	25.8	9.5	300	AA	A	Black	TBA
12723NXK		245/40R19	XL	98	Y	4	50	1,653	-	8.5	8.0-9.5	9.8	26.7	9.5	300	AA	A	Black	TBA
14019NXK		245/45R19	XL	102	Y	4	50	1,874	-	8.0	7.5-9.0	9.6	27.7	9.5	300	AA	A	Black	TBA
14108NXK		255/30R19	XL	91	Y	4	50	1,356	-	9.0	8.5-9.5	10.2	25.1	9.5	300	AA	A	Black	TBA
12338NXK		255/35R19	XL	96	W	4	50	1,565	-	9.0	8.5-10.0	10.2	26.0	9.5	300	AA	A	Black	TBA
13519NXK		255/40R19	XL	100	Y	4	50	1,764	-	9.0	8.5-10.0	10.2	27.0	9.5	300	AA	A	Black	TBA
13524NXK		255/45R19	XL	104	Y	4	50	1,984	-	8.5	8.0-9.5	10.0	28.1	9.5	300	AA	A	Black	TBA
13512NXK		265/30R19	XL	93	Y	4	50	1,433	-	9.5	9.0-10.0	10.7	25.3	9.5	300	AA	A	Black	TBA
12717NXK		275/30R19	XL	96	Y	4	50	1,565	-	9.5	9.0-10.0	10.9	25.6	9.5	300	AA	A	Black	TBA
14026NXK		275/35R19	XL	100	Y	4	50	1,764	-	9.5	9.0-11.0	10.9	26.6	9.5	300	AA	A	Black	TBA
13520NXK		275/40R19	XL	105	Y	4	50	2,039	-	9.5	9.0-11.0	10.9	27.7	9.5	300	AA	A	Black	TBA
14639NXK		225/30R20	XL	85	Y	4	50	1,135	-	8.0	8.0	9.1	25.4	9.0	300	AA	A	Black	TBA
14101NXK		225/35R20	XL	90	Y	4	50	1,323	-	8.0	7.5-9.0	9.1	26.2	9.5	300	AA	A	Black	TBA
14758NXK		235/30R20	XL	88	Y	4	50	1,235	-	8.5	8.5	9.5	25.6	10.0	300	AA	A	Black	TBA
13511NXK		245/30R20	XL	90	Y	4	50	1,323	-	8.5	8.0-8.5	9.8	25.8	9.5	300	AA	A	Black	TBA
13515NXK		245/35R20	XL	95	Y	4	50	1,521	-	8.5	8.0-9.5	9.8	26.8	9.5	300	AA	A	Black	TBA
14031NXK		245/40R20	XL	99	Y	4	50	1,709	-	8.5	8.0-9.5	9.8	27.7	9.5	300	AA	A	Black	TBA
15090NXK		245/45R20	XL	103	Y	4	50	1,929	-	8.0	7.5-9.0	9.6	28.7	9.0	300	AA	A	Black	TBA
14110NXK		255/35R20	XL	97	Y	4	50	1,609	-	9.0	8.5-10.0	10.2	27.0	9.5	300	AA	A	Black	TBA
12716NXK		275/30R20	XL	97	Y	4	50	1,609	-	9.5	9.0-10.0	10.9	26.5	9.5	300	AA	A	Black	TBA
14113NXK		275/35R20	XL	102	Y	4	50	1,874	-	9.5	9.0-11.0	10.9	27.6	9.5	300	AA	A	Black	TBA
14114NXK		275/40R20	XL	106	Y	4	50	2,094	-	9.5	9.0-11.0	10.9	28.7	9.5	300	AA	A	Black	TBA
13513NXK		285/30R20	XL	99	Y	4	50	1,709	-	10.0	9.5-10.5	11.4	26.8	9.5	300	AA	A	Black	TBA
14757NXK		235/30R22	XL	90	Y	4	50	1,323	-	8.5	8.5	9.5	27.6	10.0	300	AA	A	Black	TBA
14647NXK		245/30R22	XL	92	Y	4	50	1,389	-	8.5	8.0-8.5	9.8	27.8	9.0	300	AA	A	Black	TBA
14648NXK		265/30R22	XL	97	Y	4	50	1,609	-	9.5	9.0-10.0	10.7	28.3	9.0	300	AA	A	Black	TBA
14646NXK		295/25R22	XL	97	Y	4	50	1,609	-	10.5	10.0-11.0	11.9	27.8	9.0	300	AA	A	Black	TBA
14756NXK		255/30R24	XL	97	Y	4	50	1,609	-	9.0	8.5-9.5	10.2	30.1	10.0	300	AA	A	Black	TBA
14754NXK		275/25R24	XL	96	Y	4	50	1,565	-	10.0	10.0-10.5	11.1	29.4	10.0	300	AA	A	Black	TBA
14755NXK		275/30R24	XL	101	Y	4	50	1,819	-	9.5	9.0-10.0	10.9	30.6	10.0	300	AA	A	Black	TBA

Technical data can be changed without further notice.

N'FERA AU7

TOTAL COVERAGE WARRANTY
NEXEN TIRE

ULTRA HIGH PERFORMANCE ALL SEASON

The N'Fera AU7 is designed for the discretionary driver of sports cars, luxury coupes, and performance sedans looking for superior traction in dry and wet conditions. The N'Fera AU7 stands out against the competition, especially in wet conditions.

TREAD WEAR WARRANTY
50,000 MILES

ROAD HAZARD WARRANTY
FIRST 3/32" OR 2 YEARS

ROADSIDE ASSISTANCE
36 MONTHS

FREE TRIAL
45 DAYS OR 500 MILES

OE FITMENT ON

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MAP	OE
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.			
14208NXK		205/55R16		91	W	4	51	1,356	-	6.5	5.5-7.5	8.4	24.9	9.0	500	AA	A	Black	TBA	
16643NXK		205/60R16		92	H	4	51	1,389	-	6.0	5.5-7.5	8.2	25.7	9.0	500	A	A	Black	TBA	VW
15625NXK		205/45R17		84	W	4	51	1,102	-	7.0	6.5-7.5	8.1	24.3	9.0	500	AA	A	Black	TBA	
14404NXK		205/50R17	XL	93	W	4	50	1,433	-	6.5	5.5-7.5	8.4	25.1	9.0	500	AA	A	Black	TBA	
16694NXK		205/55R17		91	H	4	51	1,356	-	6.5	5.5-7.5	8.7	25.9	9.0	500	A	A	Black	TBA	VW
14403NXK		215/45R17	XL	91	W	4	50	1,356	-	7.0	7.0-8.0	8.4	24.6	9.0	500	AA	A	Black	TBA	
15227NXK		215/50R17	XL	95	W	4	50	1,521	-	7.0	6.0-7.5	8.9	25.5	9.0	500	AA	A	Black	TBA	
14401NXK		215/55R17		94	W	4	51	1,477	-	7.0	6.0-7.5	8.9	26.3	9.0	500	AA	A	Black	TBA	
16313NXK		215/55R17		94	H	4	51	1,477	-	7.0	6.0-7.5	8.9	26.3	9.0	560	A	A	Black	TBA	VW
15113NXK		225/45R17	XL	94	W	4	50	1,477	-	7.5	7.0-8.5	8.9	25.0	9.0	500	AA	A	Black	TBA	
17577NXK		225/45R17		91	H	4	51	1,356	-	7.5	7.0-8.5	8.9	25.0	9.5	500	A	A	Black	TBA	Audi
14400NXK		225/50R17	XL	98	W	4	50	1,653	-	7.0	6.0-8.0	9.2	25.9	9.0	500	AA	A	Black	TBA	
14402NXK		225/55R17		97	W	4	51	1,609	-	7.0	6.0-8.0	9.2	26.8	9.0	500	AA	A	Black	TBA	
15228NXK		235/45R17	XL	97	W	4	50	1,609	-	8.0	7.5-9.0	9.3	25.4	9.0	500	AA	A	Black	TBA	
15626NXK		235/55R17		99	W	4	51	1,709	-	7.5	6.5-8.5	9.6	27.2	9.0	500	AA	A	Black	TBA	
14419NXK		245/40R17		91	W	4	51	1,356	-	8.5	8.0-9.5	9.8	24.7	9.0	500	AA	A	Black	TBA	
15229NXK		245/45R17	XL	99	W	4	50	1,709	-	8.0	7.5-9.0	9.6	25.7	9.0	500	AA	A	Black	TBA	

CONTINUED ON NEXT PAGE...

PERFORMANCE RATINGS

BRAKING 10

COMFORT 9

FUEL EFFICIENCY 8

HANDLING 9

WEAR LIFE 8

N'FERA AU7

CONTINUED FROM PREVIOUS PAGE

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs) S	Max Load (lbs) D	Rim Measuring	Rim Approved	Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG Tread-wear	UTQG Trac.	UTQG Temp.	Sidewall	MAP	OE
15627NXK		215/40R18		85	W	4	51	1,135	-	7.5	7.0-8.5	8.6	24.8	9.0	500	AA	A	Black	TBA	
14416NXK		215/45R18		89	W	4	51	1,279	-	7.0	7.0-8.0	8.4	25.6	9.0	500	AA	A	Black	TBA	
14422NXK		225/40R18	XL	92	W	4	50	1,389	-	8.0	7.5-9.0	9.1	25.1	9.0	500	AA	A	Black	TBA	
14412NXK		225/45R18	XL	95	Y	4	50	1,521	-	7.5	7.0-8.5	8.9	25.9	9.0	500	AA	A	Black	TBA	
14406NXK		225/50R18	XL	99	W	4	50	1,709	-	7.0	6.0-8.0	9.2	26.9	9.0	500	AA	A	Black	TBA	
15231NXK		235/40R18	XL	95	W	4	50	1,521	-	8.5	8.0-9.5	9.5	25.4	9.0	500	AA	A	Black	TBA	
15230NXK		235/45R18	XL	98	W	4	50	1,653	-	8.0	7.5-9.0	9.3	26.3	9.0	500	AA	A	Black	TBA	
15114NXK		235/50R18		97	W	4	51	1,609	-	7.5	6.5-8.5	9.6	27.3	9.0	500	AA	A	Black	TBA	
14411NXK		245/40R18	XL	97	W	4	50	1,609	-	8.5	8.0-9.5	9.8	25.7	9.0	500	AA	A	Black	TBA	
14410NXK		245/45R18	XL	100	W	4	50	1,764	-	8.0	7.5-9.0	9.6	26.7	9.0	500	AA	A	Black	TBA	
15628NXK		245/50R18		100	W	4	51	1,764	-	7.5	7.0-8.5	10.0	27.7	9.0	500	AA	A	Black	TBA	
15232NXK		255/35R18	XL	94	W	4	50	1,477	-	9.0	8.5-10.0	10.2	25.0	9.0	500	AA	A	Black	TBA	
14421NXK		255/40R18		95	Y	4	51	1,521	-	9.0	8.5-10.0	10.2	26.0	9.0	500	AA	A	Black	TBA	
14414NXK		255/45R18		99	W	4	51	1,709	-	8.5	8.0-9.5	10.0	27.0	9.0	500	AA	A	Black	TBA	
15636NXK		275/35R18		95	Y	4	51	1,521	-	9.5	9.0-11.0	10.9	25.6	9.0	500	AA	A	Black	TBA	
17464NXK		225/40R19	XL	93	Y	4	50	1,433	-	8.0	7.5-9.0	9.1	26.1	9.0	500	AA	A	Black	TBA	
14418NXK		225/45R19	XL	96	W	4	50	1,565	-	7.5	7.0-8.5	8.9	27.0	9.0	500	AA	A	Black	TBA	
15234NXK		235/40R19	XL	96	W	4	50	1,565	-	8.5	8.0-9.5	9.5	26.4	9.0	500	AA	A	Black	TBA	
15629NXK		235/45R19		95	W	4	51	1,521	-	8.0	7.5-9.0	9.3	27.4	9.0	500	AA	A	Black	TBA	
14420NXK		245/40R19	XL	98	Y	4	50	1,653	-	8.5	8.0-9.5	9.8	26.7	9.0	500	AA	A	Black	TBA	
14415NXK		245/45R19	XL	102	W	4	50	1,874	-	8.0	7.5-9.0	9.6	27.7	9.0	500	AA	A	Black	TBA	
15630NXK		255/35R19	XL	96	Y	4	50	1,565	-	9.0	8.5-10.0	10.2	26.0	9.0	500	AA	A	Black	TBA	
14423NXK		255/40R19	XL	100	Y	4	50	1,764	-	9.0	8.5-10.0	10.2	27.0	9.0	500	AA	A	Black	TBA	
15233NXK		255/45R19		100	W	4	51	1,764	-	8.5	8.0-9.5	10.0	28.1	9.0	500	AA	A	Black	TBA	
15631NXK		275/35R19		96	Y	4	51	1,565	-	9.5	9.0-11.0	10.9	26.6	9.0	500	AA	A	Black	TBA	
15633NXK		275/40R19		101	Y	4	51	1,819	-	9.5	9.0-11.0	10.9	27.7	9.0	500	AA	A	Black	TBA	
15637NXK		225/35R20	XL	90	W	4	50	1,323	-	8.0	7.5-9.0	9.1	26.2	9.0	500	AA	A	Black	TBA	
15638NXK		245/35R20	XL	95	Y	4	50	1,521	-	8.5	8.0-9.5	9.8	26.8	9.0	500	AA	A	Black	TBA	
15624NXK		245/40R20	XL	99	Y	4	50	1,709	-	8.5	8.0-9.5	9.8	27.7	9.0	500	AA	A	Black	TBA	
14413NXK		245/45R20	XL	103	W	4	50	1,929	-	8.0	7.5-9.0	9.6	28.7	9.0	500	AA	A	Black	TBA	
15634NXK		255/35R20	XL	97	Y	4	50	1,609	-	9.0	8.5-10.0	10.2	27.0	9.0	500	AA	A	Black	TBA	
15635NXK		275/35R20	XL	102	Y	4	50	1,874	-	9.5	9.0-11.0	10.9	27.6	9.0	500	AA	A	Black	TBA	

Technical data can be changed without further notice.
For more detailed OE application information, please refer to "Original Equipment 2024" page.

N'BLUE 4Season2

TOTAL COVERAGE WARRANTY

NEW

ALL-WEATHER TOURING

The N'BLUE 4 Season 2 is Nexen Tire's most recent all-weather tire designed for various on-road conditions. It not only improves snow performance, but also adds stability to high-speed driving with an all-weather optimized pattern design. In addition, this tire claims to have a longer treadlife.

TREAD WEAR WARRANTY
70,000 MILES

ROAD HAZARD WARRANTY
FIRST 3/32" OR 2 YEARS

ROADSIDE ASSISTANCE
36 MONTHS

FREE TRIAL
45 DAYS OR 500 MILES

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs) S	Max Load (lbs) D	Rim Measuring	Rim Approved	Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG Tread-wear	UTQG Trac.	UTQG Temp.	Sidewall	MAP
16096NXK		195/65R15		91	V	4	51	1,356	-	6.0	5.5-7.0	7.9	25.0	10.0	600	A	A	Black	TBA
16099NXK		205/55R16		91	V	4	51	1,356	-	6.5	5.5-7.5	8.4	24.9	10.0	600	A	A	Black	TBA
16090NXK		205/60R16		92	V	4	51	1,389	-	6.0	5.5-7.5	8.2	25.7	10.0	600	A	A	Black	TBA
19174NXK		205/65R16		95	H	4	51	1,521	-	6.0	5.5-7.5	8.2	26.5	10.0	600	A	A	Black	TBA
19175NXK		215/55R16	XL	97	V	4	50	1,609	-	7.0	6.0-7.5	8.9	25.3	10.0	600	A	A	Black	TBA
19162NXK		215/60R16		95	V	4	51	1,521	-	6.5	6.0-7.5	8.7	26.1	10.0	600	A	A	Black	TBA
19179NXK		215/65R16	XL	102	V	4	50	1,874	-	6.5	6.0-7.5	8.7	27.0	10.0	600	A	A	Black	TBA
19160NXK		205/50R17	XL	93	V	4	50	1,433	-	6.5	5.5-7.5	8.4	25.1	10.0	600	A	A	Black	TBA
16095NXK		215/45R17	XL	91	W	4	50	1,356	-	7.0	7.0-8.0	8.4	24.6	10.0	600	A	A	Black	TBA
19165NXK		215/50R17	XL	95	W	4	50	1,521	-	7.0	6.0-7.5	8.9	25.5	10.0	600	A	A	Black	TBA
16191NXK		215/55R17		94	W	4	51	1,477	-	7.0	6.0-7.5	8.9	26.3	10.0	600	A	A	Black	TBA
19184NXK		215/60R17	XL	100	V	4	50	1,764	-	6.5	6.0-7.5	8.7	27.2	10.0	600	A	A	Black	TBA
19185NXK		215/65R17		99	H	4	51	1,709	-	6.5	6.0-7.5	8.7	28.0	10.0	600	A	A	Black	TBA
16105NXK		225/45R17	XL	94	W	4	50	1,477	-	7.5	7.0-8.5	8.9	25.0	10.0	600	A	A	Black	TBA
19166NXK		225/50R17	XL	98	W	4	50	1,653	-	7.0	6.0-8.0	9.2	25.9	10.0	600	A	A	Black	TBA
19181NXK		225/55R17	XL	101	W	4	50	1,819	-	7.0	6.0-8.0	9.2	26.8	10.0	600	A	A	Black	TBA
16100NXK		225/60R17		99	V	4	51	1,709	-	6.5	6.0-8.0	9.0	27.6	10.0	600	A	A	Black	TBA
16093NXK		225/65R17		102	V	4	51	1,874	-	6.5	6.0-8.0	9.0	28.5	10.0	600	A	A	Black	TBA

CONTINUED ON NEXT PAGE...

PERFORMANCE RATINGS

BRAKING **9**

COMFORT **8**

FUEL EFFICIENCY **8**

HANDLING **9**

WEAR LIFE **9**

3 Peak Mountain Snowflake Certified

N'BLUE 4Season2

CONTINUED FROM PREVIOUS PAGE

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs) S	Max Load (lbs) D	Rim Measuring	Rim Approved	Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG Tread-wear	UTQG Trac.	UTQG Temp.	Sidewall	MAP
19177NXK		235/55R17		99	V	4	51	1,709	-	7.5	6.5-8.5	9.6	27.2	10.0	600	A	A	Black	TBA
19169NXK		235/60R17		102	H	4	51	1,874	-	7.0	6.5-8.5	9.4	28.1	10.0	600	A	A	Black	TBA
16197NXK		235/65R17		104	W	4	51	1,984	-	7.0	6.5-8.5	9.4	29.1	10.0	600	A	A	Black	TBA
19167NXK		215/55R18	XL	99	V	4	50	1,709	-	7.0	6.0-7.5	8.9	27.3	10.0	600	A	A	Black	TBA
16092NXK		225/40R18	XL	92	Y	4	50	1,389	-	8.0	7.5-9.0	9.1	25.1	10.0	600	A	A	Black	TBA
16189NXK		225/45R18	XL	95	Y	4	50	1,521	-	7.5	7.0-8.5	8.9	25.9	10.0	600	A	A	Black	TBA
19170NXK		225/50R18	XL	99	W	4	50	1,709	-	7.0	6.0-8.0	9.2	26.9	10.0	600	A	A	Black	TBA
19171NXK		225/55R18		98	V	4	51	1,653	-	7.0	6.0-8.0	9.2	27.8	10.0	600	A	A	Black	TBA
19182NXK		225/60R18	XL	104	V	4	50	1,984	-	6.5	6.0-8.0	9.0	28.6	10.0	600	A	A	Black	TBA
16192NXK		235/40R18	XL	95	Y	4	50	1,521	-	8.5	8.0-9.5	9.5	25.4	10.0	600	A	A	Black	TBA
16193NXK		235/45R18	XL	98	Y	4	50	1,653	-	8.0	7.5-9.0	9.3	26.3	10.0	600	A	A	Black	TBA
19158NXK		235/50R18		97	W	4	51	1,609	-	7.5	6.5-8.5	9.6	27.3	10.0	600	A	A	Black	TBA
19172NXK		235/55R18		100	V	4	51	1,764	-	7.5	6.5-8.5	9.6	28.1	10.0	600	A	A	Black	TBA
16188NXK		235/60R18	XL	107	V	4	50	2,149	-	7.0	6.5-8.5	9.4	29.1	10.0	600	A	A	Black	TBA
19178NXK		235/65R18		106	V	4	51	2,094	-	7.0	6.5-8.5	9.4	30.0	10.0	600	A	A	Black	TBA
19161NXK		245/40R18	XL	97	W	4	50	1,609	-	8.5	8.0-9.5	9.8	25.7	10.0	600	A	A	Black	TBA
19176NXK		245/45R18	XL	100	W	4	50	1,764	-	8.0	7.5-9.0	9.6	26.7	10.0	600	A	A	Black	TBA
16107NXK		245/60R18		105	V	4	51	2,039	-	7.0	7.0-8.5	9.8	29.6	10.0	600	A	A	Black	TBA
19159NXK		225/55R19	XL	103	V	4	50	1,929	-	7.0	6.0-8.0	9.2	28.8	10.0	600	A	A	Black	TBA
19164NXK		235/40R19	XL	96	W	4	50	1,565	-	8.5	8.0-9.5	9.5	26.4	10.0	600	A	A	Black	TBA
16104NXK		235/45R19	XL	99	W	4	50	1,709	-	8.0	7.5-9.0	9.3	27.4	10.0	600	A	A	Black	TBA
19183NXK		235/50R19	XL	103	V	4	50	1,929	-	7.5	6.5-8.5	9.6	28.3	10.0	600	A	A	Black	TBA
16089NXK		235/55R19	XL	105	W	4	50	2,039	-	7.5	6.5-8.5	9.6	29.2	10.0	600	A	A	Black	TBA
16106NXK		245/40R19	XL	98	Y	4	50	1,653	-	8.5	8.0-9.5	9.8	26.7	10.0	600	A	A	Black	TBA
19168NXK		245/45R19	XL	102	W	4	50	1,874	-	8.0	7.5-9.0	9.6	27.7	10.0	600	A	A	Black	TBA
19180NXK		245/55R19		103	V	4	51	1,929	-	7.5	7.0-8.5	10.0	29.6	10.0	600	A	A	Black	TBA
19173NXK		235/55R20		102	V	4	51	1,874	-	7.5	6.5-8.5	9.6	30.2	10.0	600	A	A	Black	TBA
16108NXK		245/50R20		102	V	4	51	1,874	-	7.5	7.0-8.5	10.0	29.7	10.0	600	A	A	Black	TBA
16190NXK		255/50R20	XL	109	V	4	50	2,271	-	8.0	7.0-9.0	10.4	30.1	10.0	600	A	A	Black	TBA
19163NXK		255/55R20	XL	110	V	4	50	2,337	-	8.0	7.0-9.0	10.4	31.0	10.0	600	A	A	Black	TBA

Technical data can be changed without further notice.

Aria AH7

TOTAL COVERAGE WARRANTY
NEXEN TIRE

PREMIUM STANDARD TOURING ALL SEASON

The Aria AH7 includes a four-groove design, which leverages optimal driving performance on wet roads in all four seasons. This tire has a uniformly designed center, which evenly distributes external pressure when contacting the road surface and prevents one-sided wear. The five random pitch variation design reduces pattern noise, and the increased block stiffness and uniform block distribution deliver maximum grip during high-speed cornering.

TREAD WEAR WARRANTY
80,000 MILES

ROAD HAZARD WARRANTY
FIRST 3/32" OR 2 YEARS

ROADSIDE ASSISTANCE
36 MONTHS

FREE TRIAL
45 DAYS OR 500 MILES

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs) S	Max Load (lbs) D	Rim Measuring	Rim Approved	Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG Tread-wear	UTQG Trac.	UTQG Temp.	Sidewall	MAP
15190NXK		195/65R15	91	H	4	44	1,356	-	6.0	5.5-7.0	7.9	25.0	10.5	760	A	A	Black	TBA
15194NXK		205/55R16	91	H	4	51	1,356	–	6.5	5.5-7.5	8.4	24.9	10.5	760	A	A	Black	TBA
15193NXK		205/60R16	92	H	4	44	1,389	-	6.0	5.5-7.5	8.2	25.7	10.5	760	A	A	Black	TBA
15191NXK		205/65R16	95	H	4	44	1,521	-	6.0	5.5-7.5	8.2	26.5	10.5	760	A	A	Black	TBA
14501NXK		215/60R16	95	T	4	44	1,521	–	6.5	6.0-7.5	8.7	26.1	10.5	760	A	A	Black	TBA
15192NXK		215/65R16	98	T	4	44	1,653	-	6.5	6.0-7.5	8.7	27.0	10.5	760	A	A	Black	TBA
14311NXK		225/60R16	98	H	4	44	1,653	-	6.5	6.0-8.0	9.0	26.6	10.5	760	A	A	Black	TBA
13044NXK		225/65R16	100	T	4	44	1,764	-	6.5	6.0-8.0	9.0	27.5	10.5	760	A	A	Black	TBA
13046NXK		235/65R16	103	T	4	44	1,929	-	7.0	6.5-8.5	9.4	28.0	10.5	760	A	A	Black	TBA
15693NXK		215/70R16	100	H	4	44	1,764	-	6.5	5.5-7.0	8.7	27.9	10.5	760	A	A	Black	TBA
15195NXK		215/55R17	94	H	4	51	1,477	-	7.0	6.0-7.5	8.9	26.3	10.5	760	A	A	Black	TBA
15155NXK		215/60R17	96	H	4	44	1,565	-	6.5	6.0-7.5	8.7	27.2	10.5	760	A	A	Black	TBA
13043NXK		215/65R17	99	T	4	44	1,709	-	6.5	6.0-7.5	8.7	28.0	10.5	760	A	A	Black	TBA
15198NXK		225/50R17	94	H	4	51	1,477	-	7.0	6.0-8.0	9.2	25.9	10.5	760	A	A	Black	TBA
13049NXK		225/55R17	97	H	4	51	1,609	-	7.0	6.0-8.0	9.2	26.8	10.5	760	A	A	Black	TBA
13041NXK		225/60R17	99	T	4	44	1,709	-	6.5	6.0-8.0	9.0	27.6	10.5	760	A	A	Black	TBA
15157NXK		225/65R17	102	H	4	44	1,874	-	6.5	6.0-8.0	9.0	28.5	10.5	760	A	A	Black	TBA
13042NXK		235/60R17	102	H	4	44	1,874	-	7.0	6.5-8.5	9.4	28.1	10.5	760	A	A	Black	TBA
13047NXK		235/65R17	104	T	4	44	1,984	-	7.0	6.5-8.5	9.4	29.1	10.5	760	A	A	Black	TBA

CONTINUED ON NEXT PAGE...

PERFORMANCE RATINGS

BRAKING **7**

COMFORT **8**

FUEL EFFICIENCY **8**

HANDLING **8**

WEAR LIFE **10**

Aria AH7

CONTINUED FROM PREVIOUS PAGE

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MAP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
15196NXK		215/55R18		95	T	4	51	1,521	-	7.0	6.0-7.5	8.9	27.3	10.5	760	A	A	Black	TBA
15199NXK		225/50R18		95	T	4	51	1,521	-	7.0	6.0-8.0	9.2	26.9	10.5	760	A	A	Black	TBA
15197NXK		225/55R18		98	T	4	51	1,653	-	7.0	6.0-8.0	9.2	27.8	10.5	760	A	A	Black	TBA
13312NXK		235/55R18		100	H	4	51	1,764	-	7.5	6.5-8.5	9.6	28.1	10.5	760	A	A	Black	TBA
13313NXK		235/60R18		103	H	4	44	1,929	-	7.0	6.5-8.5	9.4	29.1	10.5	760	A	A	Black	TBA
13048NXK		235/65R18		106	H	4	44	2,094	-	7.0	6.5-8.5	9.4	30.0	10.5	760	A	A	Black	TBA

Technical data can be changed without further notice.

N5000 Platinum

TOTAL COVERAGE WARRANTY
NEXEN TIRE

GRAND TOURING ALL SEASON

Enjoy a smooth ride, all year long. The upgraded Nexen N5000 Platinum combines the look of a performance tire with the comfortable, quiet ride of a passenger tire. Branded with the M+S symbol, this tire provides year-round traction, even in light snow. And with its long tread life, the Nexen N5000 Platinum can handle some serious mileage. Try the tire that looks great and performs even better.

TREAD WEAR WARRANTY
70K MILES (H,V Rated)
55K MILES (W Rated)

ROAD HAZARD WARRANTY
FIRST 3/32" OR 2 YEARS

ROADSIDE ASSISTANCE
36 MONTHS

FREE TRIAL
45 DAYS OR 500 MILES

** Only available to American Tire Distributors*

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MAP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
18212NXK		195/50R16		84	V	4	51	1,102	-	6.0	5.5-7.0	7.9	23.7	9.5	700	A	A	Black	TBA
18175NXK		205/55R16		91	V	4	51	1,356	-	6.5	5.5-7.5	8.4	24.9	9.5	700	A	A	Black	TBA
18164NXK		215/55R16	XL	97	H	4	50	1,609	-	7.0	6.0-7.5	8.9	25.3	9.5	700	A	A	Black	TBA
18213NXK		205/50R17	XL	93	V	4	50	1,433	-	6.5	5.5-7.5	8.4	25.1	9.5	700	A	A	Black	TBA
18162NXK		215/45R17		87	W	4	51	1,201	-	7.0	7.0-8.0	8.4	24.6	9.5	580	A	A	Black	TBA
18160NXK		215/50R17	XL	95	W	4	50	1,521	-	7.0	6.0-7.5	8.9	25.5	9.5	580	A	A	Black	TBA
17422NXK		215/55R17		94	V	4	51	1,477	-	7.0	6.0-7.5	8.9	26.3	10.0	700	A	A	Black	TBA
18151NXK		215/60R17		96	H	4	51	1,565	-	6.5	6.0-7.5	8.7	27.2	10.0	700	A	A	Black	TBA
18177NXK		215/65R17		99	H	4	51	1,709	-	6.5	6.0-7.5	8.7	28.0	10.0	700	A	A	Black	TBA
18173NXK		225/45R17		91	W	4	51	1,356	-	7.5	7.0-8.5	8.9	25.0	9.5	580	A	A	Black	TBA
18166NXK		225/50R17		94	W	4	51	1,477	-	7.0	6.0-8.0	9.2	25.9	9.5	580	A	A	Black	TBA
18182NXK		225/55R17		97	W	4	51	1,609	-	7.0	6.0-8.0	9.2	26.8	9.5	580	A	A	Black	TBA
18167NXK		225/60R17		99	H	4	51	1,709	-	6.5	6.0-8.0	9.0	27.6	10.0	700	A	A	Black	TBA
18196NXK		225/65R17		102	H	4	51	1,874	-	6.5	6.0-8.0	9.0	28.5	10.0	700	A	A	Black	TBA
18191NXK		235/45R17	XL	97	W	4	50	1,609	-	8.0	7.5-9.0	9.3	25.4	9.5	580	A	A	Black	TBA
18155NXK		235/50R17		96	V	4	51	1,565	-	7.5	6.5-8.5	9.6	26.3	9.5	700	A	A	Black	TBA
18158NXK		235/55R17		99	V	4	51	1,709	-	7.5	6.5-8.5	9.6	27.2	10.0	700	A	A	Black	TBA
18180NXK		235/60R17		102	H	4	51	1,874	-	7.0	6.5-8.5	9.4	28.1	10.0	700	A	A	Black	TBA

CONTINUED ON NEXT PAGE...

PERFORMANCE RATINGS

BRAKING	COMFORT	FUEL EFFICIENCY	HANDLING	WEAR LIFE
8	10	8	8	10

N5000 Platinum

CONTINUED FROM PREVIOUS PAGE

	Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MAP
									S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
	18194NXK		235/65R17		104	H	4	51	1,984	-	7.0	6.5-8.5	9.4	29.1	10.0	700	A	A	Black	TBA
	18179NXK		245/40R17		91	W	4	51	1,356	-	8.5	8.0-9.5	9.8	24.7	9.5	580	A	A	Black	TBA
	18193NXK		245/45R17	XL	99	W	4	50	1,709	-	8.0	7.5-9.0	9.6	25.7	9.5	580	A	A	Black	TBA
	18183NXK		245/65R17		107	H	4	51	2,149	-	7.0	7.0-8.5	9.8	29.5	10.0	700	A	A	Black	TBA
	18185NXK		245/70R17		110	H	4	51	2,337	-	7.0	6.5-8.0	9.8	30.6	10.0	700	A	A	Black	TBA
	18170NXK		265/65R17		112	H	4	51	2,469	-	8.0	7.5-9.5	10.7	30.6	10.0	700	A	A	Black	TBA
	18176NXK		215/45R18	XL	93	W	4	50	1,433	-	7.0	7.0-8.0	8.4	25.6	9.5	580	A	A	Black	TBA
	18150NXK		215/55R18		95	H	4	51	1,521	-	7.0	6.0-7.5	8.9	27.3	9.5	700	A	A	Black	TBA
	17272NXK		225/40R18	XL	92	W	4	50	1,389	-	8.0	7.5-9.0	9.1	25.1	10.0	580	A	A	Black	TBA
	18156NXK		225/45R18	XL	95	W	4	50	1,521	-	7.5	7.0-8.5	8.9	25.9	9.5	580	A	A	Black	TBA
	18205NXK		225/50R18	XL	99	W	4	50	1,709	-	7.0	6.0-8.0	9.2	26.9	9.5	580	A	A	Black	TBA
	18216NXK		225/55R18		98	V	4	51	1,653	-	7.0	6.0-8.0	9.2	27.8	10.0	700	A	A	Black	TBA
	18149NXK		225/60R18	XL	104	H	4	50	1,984	-	6.5	6.0-8.0	9.0	28.6	10.0	700	A	A	Black	TBA
	18209NXK		235/40R18	XL	95	W	4	50	1,521	-	8.5	8.0-9.5	9.5	25.4	9.5	580	A	A	Black	TBA
	18210NXK		235/45R18	XL	98	W	4	50	1,653	-	8.0	7.5-9.0	9.3	26.3	9.5	580	A	A	Black	TBA
	18187NXK		235/50R18		97	W	4	51	1,609	-	7.5	6.5-8.5	9.6	27.3	9.5	580	A	A	Black	TBA
	18181NXK		235/55R18		100	V	4	51	1,764	-	7.5	6.5-8.5	9.6	28.1	10.0	700	A	A	Black	TBA
	18204NXK		235/60R18	XL	107	V	4	50	2,149	-	7.0	6.5-8.5	9.4	29.1	10.0	700	A	A	Black	TBA
	18152NXK		235/65R18		106	V	4	51	2,094	-	7.0	6.5-8.5	9.4	30.0	10.0	700	A	A	Black	TBA
	18192NXK		245/40R18	XL	97	W	4	50	1,609	-	8.5	8.0-9.5	9.8	25.7	9.5	580	A	A	Black	TBA
	18184NXK		245/45R18	XL	100	W	4	50	1,764	-	8.0	7.5-9.0	9.6	26.7	9.5	580	A	A	Black	TBA
	18174NXK		245/50R18		100	W	4	51	1,764	-	7.5	7.0-8.5	10.0	27.7	9.5	580	A	A	Black	TBA
	18190NXK		245/60R18		105	V	4	51	2,039	-	7.0	7.0-8.5	9.8	29.6	10.0	700	A	A	Black	TBA
	18217NXK		255/35R18	XL	94	W	4	50	1,477	-	9.0	8.5-10.0	10.2	25.0	9.5	580	A	A	Black	TBA
	18154NXK		255/55R18	XL	109	V	4	50	2,271	-	8.0	7.0-9.0	10.4	29.0	10.0	700	A	A	Black	TBA
	18215NXK		255/65R18		111	H	4	51	2,403	-	7.5	7.0-9.0	10.2	31.1	10.0	700	A	A	Black	TBA
	18169NXK		265/35R18	XL	97	W	4	50	1,609	-	9.5	9.0-10.5	10.7	25.3	9.5	580	A	A	Black	TBA
	18159NXK		265/60R18		110	V	4	51	2,337	-	8.0	7.5-9.5	10.7	30.5	10.0	700	A	A	Black	TBA
	18171NXK		225/45R19	XL	96	W	4	50	1,565	-	7.5	7.0-8.5	8.9	27.0	9.5	580	A	A	Black	TBA
	18208NXK		225/55R19		99	V	4	51	1,709	-	7.0	6.0-8.0	9.2	28.8	10.0	700	A	A	Black	TBA
	18211NXK		235/40R19	XL	96	W	4	50	1,565	-	8.5	8.0-9.5	9.5	26.4	9.5	580	A	A	Black	TBA
	18201NXK		235/45R19	XL	99	W	4	50	1,709	-	8.0	7.5-9.0	9.3	27.4	9.5	580	A	A	Black	TBA
	18168NXK		235/50R19	XL	103	V	4	50	1,929	-	7.5	6.5-8.5	9.6	28.3	10.0	700	A	A	Black	TBA
	18202NXK		235/55R19	XL	105	V	4	50	2,039	-	7.5	6.5-8.5	9.6	29.2	10.0	700	A	A	Black	TBA
	18197NXK		245/40R19	XL	98	W	4	50	1,653	-	8.5	8.0-9.5	9.8	26.7	9.5	580	A	A	Black	TBA
	18203NXK		245/45R19	XL	102	W	4	50	1,874	-	8.0	7.5-9.0	9.6	27.7	9.5	580	A	A	Black	TBA
New	16630NX		245/50R19	XL	105	W	4	50	2,039	-	7.5	7.0-8.5	10.0	28.7	9.5	580	A	A	Black	TBA
	18200NXK		245/55R19		103	V	4	51	1,929	-	7.5	7.0-8.5	10.0	29.6	10.0	700	A	A	Black	TBA
	18161NXK		255/40R19	XL	100	W	4	50	1,764	-	9.0	8.5-10.0	10.2	27.0	9.5	580	A	A	Black	TBA
	18178NXK		255/45R19	XL	104	V	4	50	1,984	-	8.5	8.0-9.5	10.0	28.1	9.5	700	A	A	Black	TBA
	18157NXK		255/50R19	XL	107	V	4	50	2,149	-	8.0	7.0-9.0	10.4	29.1	10.0	700	A	A	Black	TBA
New	16683NX		255/55R19	XL	111	V	4	50	2,403	-	8.0	7.0-9.0	10.4	30.0	10.0	700	A	A	Black	TBA
	18172NXK		255/60R19		109	H	4	51	2,271	-	7.5	7.0-9.0	10.2	31.1	10.0	700	A	A	Black	TBA
New	16692NX		265/50R19	XL	110	W	4	50	2,337	-	8.5	7.5-9.5	10.9	29.5	9.5	580	A	A	Black	TBA
	18195NXK		275/35R19	XL	100	W	4	50	1,764	-	9.5	9.0-11.0	10.9	26.6	9.5	580	A	A	Black	TBA
	18188NXK		275/40R19	XL	105	W	4	50	2,039	-	9.5	9.0-11.0	10.9	27.7	9.5	580	A	A	Black	TBA

N5000 Platinum

CONTINUED FROM PREVIOUS PAGE

	Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MAP
									S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
	18198NXK		235/55R20		102	V	4	51	1,874	-	7.5	6.5-8.5	9.6	30.2	10.0	700	A	A	Black	TBA
	18189NXK		245/35R20	XL	95	W	4	50	1,521	-	8.5	8.0-9.5	9.8	26.8	9.5	580	A	A	Black	TBA
	18218NXK		245/40R20	XL	99	W	4	50	1,709	-	8.5	8.0-9.5	9.8	27.7	9.5	580	A	A	Black	TBA
	18163NXK		245/45R20	XL	103	W	4	50	1,929	-	8.0	7.5-9.0	9.6	28.7	9.5	580	A	A	Black	TBA
	18294NXK		245/50R20		102	V	4	51	1,874	-	7.5	7.0-8.5	10.0	29.7	10.0	700	A	A	Black	TBA
	18206NXK		255/35R20	XL	97	W	4	50	1,609	-	9.0	8.5-10.0	10.2	27.0	9.5	580	A	A	Black	TBA
New	16872NX		255/40R20	XL	101	Y	4	50	1,819	-	9.0	8.5-10.0	10.2	28.0	9.5	580	A	A	Black	TBA
	18165NXK		255/45R20	XL	105	W	4	50	2,039	-	8.5	8.0-9.5	10.0	29.1	9.5	580	A	A	Black	TBA
	18186NXK		255/50R20	XL	109	V	4	50	2,271	-	8.0	7.0-9.0	10.4	30.1	10.0	700	A	A	Black	TBA
	18153NXK		255/55R20	XL	110	V	4	50	2,337	-	8.0	7.0-9.0	10.4	31.0	10.0	700	A	A	Black	TBA
	18214NXK		265/45R20	XL	108	V	4	50	2,205	-	9.0	8.5-10.0	10.5	29.4	10.0	700	A	A	Black	TBA
	18199NXK		265/50R20		107	V	4	51	2,149	-	8.5	7.5-9.5	10.9	30.5	10.0	700	A	A	Black	TBA
	18207NXK		275/40R20	XL	106	W	4	50	2,094	-	9.5	9.0-11.0	10.9	28.7	9.5	580	A	A	Black	TBA
	18219NXK		275/45R20	XL	110	V	4	50	2,337	-	9.0	8.5-10.5	10.7	29.8	10.0	700	A	A	Black	TBA
New	16523NX		275/50R20	XL	113	W	4	50	2,535	-	8.5	7.5-9.5	11.2	30.9	9.5	580	A	A	Black	TBA
New	16687NXK		245/35R21	XL	96	W	4	50	1,565	-	8.5	8.0-9.5	9.8	27.8	9.5	580	A	A	Black	TBA
New	16522NX		275/40R22	XL	107	W	4	50	2,149	-	9.5	9.0-11.0	10.9	30.7	9.5	580	A	A	Black	TBA

Technical data can be changed without further notice.

N'PRIZ AH8

TOTAL COVERAGE WARRANTY
NEXEN TIRE

GRAND TOURING ALL SEASON

The N'Priz AH8 is designed for family sedans that require all-year traction in dry, wet, and light snow conditions. Performance in light snow conditions is superior to its predecessor, the CP672.

TREAD WEAR WARRANTY
70,000 MILES

ROAD HAZARD WARRANTY
FIRST 3/32" OR 2 YEARS

ROADSIDE ASSISTANCE
36 MONTHS

FREE TRIAL
45 DAYS OR 500 MILES

OE FITMENT ON HYUNDAI KIA RAM VW

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs) S	Max Load (lbs) D	Rim Measuring	Rim Approved	Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG Tread-wear	UTQG Trac.	UTQG Temp.	Sidewall	MAP	OE
14699NXK		185/65R14		86	H	4	44	1,168	-	5.5	5.0-6.5	7.4	23.5	9.0	600	A	A	Black	TBA	
17612NXK	P	185/60R15		84	H	4	44	1,102	-	5.5	5.0-6.5	7.4	23.7	9.0	440	A	A	Black	TBA	
14979NXK		185/65R15		88	H	4	44	1,235	-	5.5	5.0-6.5	7.4	24.4	9.0	500	A	A	Black	TBA	
15120NXK		195/60R15		88	H	4	44	1,235	-	6.0	5.5-7.0	7.9	24.2	9.0	600	A	A	Black	TBA	
15711NXK		195/65R15		91	H	4	44	1,356	-	6.0	5.5-7.0	7.9	25.0	9.0	500	A	A	Black	TBA	
14386NXK		195/65R15		91	T	4	44	1,356	-	6.0	5.5-7.0	7.9	25.0	9.0	500	A	A	Black	TBA	Hyundai
13466NXK		195/65R15		91	T	4	44	1,356	-	6.0	5.5-7.0	7.9	25.0	9.0	500	A	A	Black	TBA	Kia
15117NXK		205/65R15		94	H	4	44	1,477	-	6.0	5.5-7.5	8.2	25.5	9.0	600	A	A	Black	TBA	
15521NXK		185/55R16		83	H	4	51	1,074	-	6.0	5.0-6.5	7.6	24.0	9.0	600	A	A	Black	TBA	
16407NXK		185/60R16		86	H	4	51	1,168	-	5.5	5.0-6.5	7.4	24.7	9.0	600	A	A	Black	TBA	
15517NXK		195/50R16		84	V	4	51	1,102	-	6.0	5.5-7.0	7.9	23.7	9.0	600	A	A	Black	TBA	
15523NXK		195/55R16		87	V	4	51	1,201	-	6.0	5.5-7.0	7.9	24.4	9.0	600	A	A	Black	TBA	
15518NXK		205/50R16		87	V	4	51	1,201	-	6.5	5.5-7.5	8.4	24.1	9.0	600	A	A	Black	TBA	
14194NXK		205/55R16		91	H	4	44	1,356	-	6.5	5.5-7.5	8.4	24.9	10.0	560	A	A	Black	TBA	Hyundai
15710NXK		205/55R16		91	V	4	44	1,356	-	6.5	5.5-7.5	8.4	24.9	10.0	560	A	A	Black	TBA	
15605NXK		205/60R16		92	H	4	44	1,389	-	6.0	5.5-7.5	8.2	25.7	9.0	500	A	A	Black	TBA	Hyundai, Kia
13904NXK		205/65R16		95	H	4	44	1,521	-	6.0	5.5-7.5	8.2	26.5	10.0	440	A	A	Black	TBA	Kia
15677NXK	P	205/70R16		96	H	4	44	1,565	-	6.0	5.0-7.0	8.2	27.3	9.0	600	A	A	Black	TBA	
14369NXK		215/55R16	XL	97	H	4	50	1,609	-	7.0	6.0-7.5	8.9	25.3	10.0	440	A	A	Black	TBA	Ram
14691NXK		215/60R16		95	V	4	44	1,521	-	6.5	6.0-7.5	8.7	26.1	9.0	600	A	A	Black	TBA	

CONTINUED ON NEXT PAGE...

PERFORMANCE RATINGS

BRAKING **9**

COMFORT **9**

FUEL EFFICIENCY **8**

HANDLING **9**

WEAR LIFE **9**

N'PRIZ AH8

CONTINUED FROM PREVIOUS PAGE

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs) S	Max Load (lbs) D	Rim Measuring	Rim Approved	Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG Tread-wear	UTQG Trac.	UTQG Temp.	Sidewall	MAP	OE
14693NXK		215/65R16		98	V	4	44	1,653	-	6.5	6.0-7.5	8.7	27.0	9.0	600	A	A	Black	TBA	
14705NXK		225/55R16		95	V	4	51	1,521	-	7.0	6.0-8.0	9.2	25.7	9.0	600	A	A	Black	TBA	
14702NXK		225/60R16		98	V	4	44	1,653	-	6.5	6.0-8.0	9.0	26.6	9.0	600	A	A	Black	TBA	
15118NXK		225/65R16		100	H	4	44	1,764	-	6.5	6.0-8.0	9.0	27.5	9.0	600	A	A	Black	TBA	
15123NXK		235/60R16		100	H	4	44	1,764	-	7.0	6.5-8.5	9.4	27.1	9.0	600	A	A	Black	TBA	
15119NXK		235/65R16		103	H	4	44	1,929	-	7.0	6.5-8.5	9.4	28.0	9.0	600	A	A	Black	TBA	
15712NXK		205/50R17	XL	93	V	4	50	1,433	-	6.5	5.5-7.5	8.4	25.1	9.0	600	A	A	Black	TBA	
15530NXK		205/55R17		91	H	4	51	1,356	-	6.5	5.5-7.5	8.4	25.9	9.0	500	A	A	Black	TBA	VW
16094NXK		205/55R17		91	H	4	51	1,356	-	6.5	5.5-7.5	8.4	25.9	9.0	500	A	A	Black	TBA	Hyundai
14749NXK		215/45R17		87	H	4	44	1,201	-	7.0	7.0-8.0	8.4	24.6	9.0	500	A	A	Black	TBA	Hyundai
14697NXK		215/50R17		91	V	4	51	1,356	-	7.0	6.0-7.5	8.9	25.5	9.0	600	A	A	Black	TBA	
16383NXK		215/55R17		94	V	4	44	1,477	-	7.0	6.0-7.5	8.9	26.3	9.0	500	A	A	Black	TBA	Hyundai, Kia
14698NXK		215/60R17		96	V	4	44	1,565	-	6.5	6.0-7.5	8.7	27.2	9.0	600	A	A	Black	TBA	
14198NXK		225/45R17		91	W	4	44	1,356	-	7.5	7.0-8.5	8.9	25.0	9.0	500	A	A	Black	TBA	Hyundai
14701NXK		225/50R17		94	V	4	51	1,477	-	7.0	6.0-8.0	9.2	25.9	9.0	600	A	A	Black	TBA	
14694NXK		225/55R17		97	V	4	51	1,609	-	7.0	6.0-8.0	9.2	26.8	9.0	600	A	A	Black	TBA	
15121NXK		225/60R17		99	H	4	44	1,709	-	6.5	6.0-8.0	9.0	27.6	9.0	600	A	A	Black	TBA	
14753NXK		235/45R17		94	V	4	51	1,477	-	8.0	7.5-9.0	9.3	25.4	9.0	600	A	A	Black	TBA	
15353NXK		235/50R17		96	H	4	51	1,565	-	7.5	6.5-8.5	9.6	26.3	9.0	600	A	A	Black	TBA	
14704NXK		235/55R17		99	V	4	51	1,709	-	7.5	6.5-8.5	9.6	27.2	9.0	600	A	A	Black	TBA	
14712NXK		245/45R17		95	V	4	51	1,521	-	8.0	7.5-9.0	9.6	25.7	9.0	600	A	A	Black	TBA	
15520NXK	P	245/50R17		98	V	4	51	1,653	-	7.5	7.0-8.5	10.0	26.7	9.0	600	A	A	Black	TBA	
17613NXK		215/45R18		89	V	4	44	1,279	-	7.0	7.0-8.0	8.4	25.6	9.0	440	A	A	Black	TBA	
15359NXK		215/55R18		95	H	4	51	1,521	-	7.0	6.0-7.5	8.9	27.3	9.0	600	A	A	Black	TBA	
14708NXK		225/40R18		88	W	4	51	1,235	-	8.0	7.5-9.0	9.1	25.1	9.0	500	A	A	Black	TBA	Hyundai
15348NXK		225/45R18		91	H	4	51	1,356	-	7.5	7.0-8.5	8.9	25.9	9.0	600	A	A	Black	TBA	
14706NXK		225/50R18		95	V	4	51	1,521	-	7.0	6.0-8.0	9.2	26.9	9.0	600	A	A	Black	TBA	
14710NXK		225/55R18		98	V	4	51	1,653	-	7.0	6.0-8.0	9.2	27.8	9.0	600	A	A	Black	TBA	
15122NXK		225/60R18		100	H	4	44	1,764	-	6.5	6.0-8.0	9.0	28.6	9.0	600	A	A	Black	TBA	
15346NXK		235/40R18		91	H	4	51	1,356	-	8.5	8.0-9.5	9.5	25.4	9.0	600	A	A	Black	TBA	
15349NXK		235/45R18		94	H	4	51	1,477	-	8.0	7.5-9.0	9.3	26.3	9.0	600	A	A	Black	TBA	
15356NXK		235/50R18		97	H	4	51	1,609	-	7.5	6.5-8.5	9.6	27.3	9.0	600	A	A	Black	TBA	
15524NXK		235/55R18		100	H	4	51	1,764	-	7.5	6.5-8.5	9.6	28.1	9.0	600	A	A	Black	TBA	
14714NXK		245/40R18		93	V	4	51	1,433	-	8.5	8.0-9.5	9.8	25.7	9.0	600	A	A	Black	TBA	
15351NXK		245/45R18		96	H	4	51	1,565	-	8.0	7.5-9.0	9.6	26.7	9.0	600	A	A	Black	TBA	
15357NXK		245/50R18		100	H	4	51	1,764	-	7.5	7.0-8.5	10.0	27.7	9.0	600	A	A	Black	TBA	
15525NXK	P	245/55R18		102	H	4	51	1,874	-	7.5	7.0-8.5	10.0	28.6	9.0	600	A	A	Black	TBA	
15360NXK		225/55R19		99	H	4	51	1,709	-	7.0	6.0-8.0	9.2	28.8	9.0	600	A	A	Black	TBA	

Technical data can be changed without further notice.
For more detailed OE application information, please refer to "Original Equipment 2024" page.

N'PRIZ AH5

TOTAL COVERAGE WARRANTY
NEXEN TIRE

STANDARD TOURING ALL SEASON

The N'Priz AH5 has four wide, longitudinal grooves that improve drainage performance; a rigid shoulder block design to enhance cornering, handling, and a quiet, comfortable ride; and a dual kerf design to enhance block stiffness and mileage.

TREAD WEAR WARRANTY
50,000 MILES

ROAD HAZARD WARRANTY
FIRST 3/32" OR 2 YEARS

ROADSIDE ASSISTANCE
36 MONTHS

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs) S	Max Load (lbs) D	Rim Measuring	Rim Approved	Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG Tread-wear	UTQG Trac.	UTQG Temp.	Sidewall	MAP
16406NXK		165/65R14		79	S	4	51	963	-	5.0	4.5-6.0	6.7	22.4	9.0	460	A	A	Black	TBA
15011NXK		175/65R14	XL	86	T	4	50	1,168	-	5.0	5.0-6.0	7.0	23.0	9.0	460	A	A	Black	TBA
15129NXK		175/70R14		84	T	4	44	1,102	-	5.0	4.5-6.0	7.0	23.7	9.0	460	A	A	Black	TBA
12561NXK	P	185/60R14		82	H	4	44	1,047	-	5.5	5.0-6.5	7.4	22.8	9.0	460	A	A	Black	TBA
15139NXK	P	185/65R14		85	T	4	44	1,124	-	5.5	5.0-6.5	7.4	23.5	9.0	460	A	A	Black	TBA
15399NXK		185/70R14		88	T	4	44	1,235	-	5.5	4.5-6.0	7.4	24.3	9.0	460	A	A	Black	TBA
12562NXK	P	195/60R14		85	H	4	44	1,135	-	6.0	5.5-7.0	7.9	23.2	9.0	460	A	A	Black	TBA
15400NXK		195/70R14		91	T	4	44	1,356	-	6.0	5.0-6.5	7.9	24.8	9.0	460	A	A	Black	TBA
15403NXK		195/75R14		92	S	4	44	1,389	-	5.5	5.0-6.5	7.7	25.5	9.0	460	A	A	White	TBA
15404NXK		205/75R14		95	S	4	44	1,521	-	5.5	5.0-7.0	8.0	26.1	9.0	460	A	A	White	TBA
15401NXK		215/70R14		96	T	4	44	1,565	-	6.5	5.5-7.0	8.7	25.9	9.0	460	A	A	White	TBA
13589NXK		165/60R15		77	H	4	44	908	-	5.0	4.5-6.0	6.7	22.8	9.0	460	A	A	Black	TBA
15130NXK		175/65R15		84	H	4	44	1,102	-	5.0	5.0-6.0	7.0	24.0	9.0	460	A	A	Black	TBA
15138NXK		185/55R15		82	H	4	51	1,047	-	6.0	5.0-6.5	7.6	23.0	9.0	460	A	A	Black	TBA
15134NXK		185/60R15		84	T	4	44	1,102	-	5.5	5.0-6.5	7.4	23.7	9.0	460	A	A	Black	TBA
14658NXK		185/65R15		88	H	4	44	1,235	-	5.5	5.0-6.5	7.4	24.4	9.0	460	A	A	Black	TBA
12558NXK	P	195/55R15	XL	87	V	4	50	1,201	-	6.0	5.5-7.0	7.9	23.4	9.0	460	A	A	Black	TBA
15145NXK	P	195/60R15		87	T	4	44	1,190	-	6.0	5.5-7.0	7.9	24.2	9.0	460	A	A	Black	TBA
15140NXK	P	195/65R15		89	T	4	44	1,279	-	6.0	5.5-7.0	7.9	25.0	10.0	460	A	A	Black	TBA
12564NXK	P	205/60R15		90	H	4	44	1,301	-	6.0	5.5-7.5	8.2	24.7	9.0	460	A	A	Black	TBA
15141NXK	P	205/65R15		92	T	4	44	1,400	-	6.0	5.5-7.5	8.2	25.5	9.0	460	A	A	Black	TBA

CONTINUED ON NEXT PAGE...

PERFORMANCE RATINGS

BRAKING **7**

COMFORT **8**

FUEL EFFICIENCY **6**

HANDLING **7**

WEAR LIFE **7**

N'PRIZ AH5

CONTINUED FROM PREVIOUS PAGE

	Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs) S	Max Load (lbs) D	Rim Measuring	Rim Approved	Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG Tread-wear	UTQG Trac.	UTQG Temp.	Sidewall	MAP
	14661NXK		205/70R15		96	T	4	44	1,565	-	6.0	5.0-7.0	8.2	26.3	9.0	460	A	A	Black	TBA
	15405NXK		205/75R15		97	S	4	44	1,609	-	5.5	5.0-7.0	8.0	27.1	9.0	460	A	A	White	TBA
	15142wNXK	P	215/65R15		95	T	4	44	1,510	-	6.5	6.0-7.5	8.7	26.0	9.0	460	A	A	Black	TBA
	14662NXK		215/70R15		98	T	4	44	1,653	-	6.5	5.5-7.0	8.7	26.9	9.0	460	A	A	Black	TBA
	15406NXK		215/75R15		100	S	4	44	1,764	-	6.0	5.5-7.0	8.5	27.7	9.0	460	A	A	White	TBA
	15402NXK		225/70R15		100	T	4	44	1,764	-	6.5	6.0-7.5	9.0	27.4	9.0	460	A	A	White	TBA
	15407NXK		225/75R15		102	S	4	44	1,874	-	6.0	6.0-7.5	8.8	28.3	9.0	460	A	A	White	TBA
	15408NXK		235/75R15	XL	109	S	4	50	2,271	-	6.5	6.0-8.0	9.3	28.9	9.0	460	A	A	White	TBA
	15148NXK	P	205/55R16		89	T	4	44	1,279	-	6.5	5.5-7.5	8.4	24.9	10.0	460	A	A	Black	TBA
	15146NXK	P	205/60R16		91	T	4	44	1,356	-	6.0	5.5-7.5	8.2	25.7	9.0	460	A	A	Black	TBA
	15131NXK		205/65R16		95	T	4	44	1,521	-	6.0	5.5-7.5	8.2	26.5	9.0	460	A	A	Black	TBA
	15147NXK		215/60R16		95	T	4	44	1,521	-	6.5	6.0-7.5	8.7	26.1	9.0	460	A	A	Black	TBA
	15143NXK		215/65R16		98	T	4	44	1,653	-	6.5	6.0-7.5	8.7	27.0	9.0	460	A	A	Black	TBA
	15136NXK		225/60R16		98	T	4	44	1,653	-	6.5	6.0-8.0	9.0	26.6	9.0	460	A	A	Black	TBA
	15137NXK		235/60R16		100	T	4	44	1,764	-	7.0	6.5-8.5	9.4	27.1	9.0	460	A	A	Black	TBA
	15144NXK		235/65R16		103	T	4	44	1,929	-	7.0	6.5-8.5	9.4	28.0	9.0	460	A	A	Black	TBA
	15152NXK		215/50R17		91	H	4	51	1,356	-	7.0	6.0-7.5	8.9	25.5	9.0	460	A	A	Black	TBA
	15149NXK		215/55R17		94	H	4	51	1,477	-	7.0	6.0-7.5	8.9	26.3	9.0	460	A	A	Black	TBA
	13022NXK		215/60R17		96	T	4	44	1,565	-	6.5	6.0-7.5	8.7	27.2	9.0	460	A	A	Black	TBA
New	18987NXK		215/60R17		96	H	4	44	1,565	-	6.5	6.0-7.5	8.7	27.2	9.0	460	A	A	Black	TBA
	15132NXK		215/65R17		99	T	4	44	1,709	-	6.5	6.0-7.5	8.7	28.0	9.0	460	A	A	Black	TBA
New	18986NXK		215/65R17		99	H	4	44	1,709	-	6.5	6.0-7.5	8.7	28.0	9.0	460	A	A	Black	TBA
	15153NXK		225/50R17		94	T	4	51	1,477	-	7.0	6.0-8.0	9.2	25.9	9.0	460	A	A	Black	TBA
New	14653NXK		225/50R17		94	V	4	51	1,477	-	7.0	6.0-8.0	9.2	25.9	9.0	460	A	A	Black	TBA
	15150NXK		225/55R17		97	T	4	36	1,609	-	7.0	6.0-8.0	9.2	26.8	9.0	460	A	A	Black	TBA
New	15007NXK		225/55R17		97	H	4	36	1,609	-	7.0	6.0-8.0	9.2	26.8	9.0	460	A	A	Black	TBA
	15135NXK		225/60R17		99	T	4	44	1,709	-	6.5	6.0-8.0	9.0	27.6	9.0	460	A	A	Black	TBA
New	14907NXK		225/60R17		99	H	4	44	1,709	-	6.5	6.0-8.0	9.0	27.6	9.0	460	A	A	Black	TBA
	15133NXK		225/65R17		102	T	4	44	1,874	-	6.5	6.0-8.0	9.0	28.5	9.0	460	A	A	Black	TBA
New	15124NXK		225/65R17		102	H	4	44	1,874	-	6.5	6.0-8.0	9.0	28.5	9.0	460	A	A	Black	TBA
	15151NXK		235/55R17		99	H	4	51	1,709	-	7.5	6.5-8.5	9.6	27.2	9.0	460	A	A	Black	TBA
	14976NXK		235/65R17		104	H	4	51	1,984	-	7.0	6.5-8.5	9.4	29.1	9.0	500	A	A	Black	TBA
	15207NXK		225/45R18	XL	95	V	4	50	1,521	-	7.5	7.0-8.5	8.9	25.9	9.0	500	A	A	Black	TBA
	15001NXK		225/50R18		95	V	4	51	1,521	-	7.0	6.0-8.0	9.2	26.9	9.0	500	A	A	Black	TBA
	14927NXK		225/55R18		98	H	4	51	1,653	-	7.0	6.0-8.0	9.2	27.8	9.0	500	A	A	Black	TBA
	15014NXK		225/60R18		100	H	4	51	1,764	-	6.5	6.0-8.0	9.0	28.6	9.0	500	A	A	Black	TBA
	14908NXK		235/45R18		94	V	4	51	1,477	-	8.0	7.5-9.0	9.3	26.3	9.0	500	A	A	Black	TBA
	15037NXK		235/50R18		97	H	4	51	1,609	-	7.5	6.5-8.5	9.6	27.3	9.0	500	A	A	Black	TBA
	14910NXK		235/55R18		100	H	4	51	1,764	-	7.5	6.5-8.5	9.6	28.1	9.0	500	A	A	Black	TBA
	14911NXK		235/60R18	XL	107	H	4	50	2,149	-	7.0	6.5-8.5	9.4	29.1	9.0	500	A	A	Black	TBA
	14941NXK		235/65R18		106	H	4	51	2,094	-	7.0	6.5-8.5	9.4	30.0	9.0	500	A	A	Black	TBA
	15038NXK		245/45R18	XL	100	V	4	50	1,764	-	8.0	7.5-9.0	9.6	26.7	9.0	500	A	A	Black	TBA
	14904NXK		245/60R18		105	H	4	51	2,039	-	7.0	7.0-8.5	9.8	29.6	9.0	500	A	A	Black	TBA
	14938NXK		225/55R19		99	H	4	51	1,709	-	7.0	6.0-8.0	9.2	28.8	9.0	500	A	A	Black	TBA
	15206NXK		235/40R19	XL	96	V	4	50	1,565	-	8.5	8.0-9.5	9.5	26.4	9.0	500	A	A	Black	TBA
	15044NXK		235/45R19		95	H	4	51	1,521	-	8.0	7.5-9.0	9.3	27.4	9.0	500	A	A	Black	TBA
	15079NXK		235/50R19		99	H	4	51	1,709	-	7.5	6.5-8.5	9.6	28.3	9.0	500	A	A	Black	TBA
	14971NXK		235/55R19		101	H	4	51	1,819	-	7.5	6.5-8.5	9.6	29.2	9.0	500	A	A	Black	TBA
	15043NXK		235/55R20		102	H	4	51	1,874	-	7.5	6.5-8.5	9.6	30.2	9.0	500	A	A	Black	TBA
	15219NXK		245/50R20		102	H	4	51	1,874	-	7.5	7.0-8.5	10.0	29.7	9.0	500	A	A	Black	TBA
	15010NXK		255/50R20		105	H	4	51	2,039	-	8.0	7.0-9.0	10.4	30.1	9.0	500	A	A	Black	TBA
	14985NXK		255/55R20		107	H	4	51	2,149	-	8.0	7.0-9.0	10.4	31.0	9.0	500	A	A	Black	TBA

Technical data can be changed without further notice.
White: White Ribbon Type (0.6" width)

SB-802

TOTAL COVERAGE WARRANTY
NEXEN TIRE

STANDARD TOURING ALL SEASON

TREAD WEAR WARRANTY
N/A

ROAD HAZARD WARRANTY
N/A

ROADSIDE ASSISTANCE
36 MONTHS

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MAP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
11766NXK		165/80R15		87	T	4	36	1,201	-	4.5	4.0-5.5	6.5	25.4	10.0	320	A	B	Black	TBA

Technical data can be changed without further notice.

NEXEN TIRE
we got you

TIRE SPONSOR OF THE CHICAGO BLACKHAWKS SINCE 2022

"We are thrilled at the opportunity to expand our local market presence through a partnership with the Chicago Blackhawks. Like the Blackhawks, we are very proud of our history and what our brand brings to their organization. We both strive for excellence in everything we do, and Nexen Tire stands ready to share its story with this incredible fanbase throughout the season."

- Brian YoonSeok Han, CEO of Nexen Tire America, Inc.

ROADIAN HP

TOTAL COVERAGE WARRANTY
NEXEN TIRE

STREET SPORT TRUCK ALL SEASON

The Roadian HP includes a V-shaped directional pattern design, which provides high-performance grip on any road surface. This tire also features a five random pitch variation design that reduces pattern noise, and wide and deep directional grooves to provide excellent drainage and braking performance, while the large shoulder blocks maximize cornering grip.

TREAD WEAR WARRANTY
40,000 MILES

ROAD HAZARD WARRANTY
FIRST 3/32" OR 2 YEARS

ROADSIDE ASSISTANCE
36 MONTHS

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MAP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
11006NXK		255/60R17		106	V	4	44	2,094	-	7.5	7.0-9.0	10.2	29.1	11.0	460	A	A	Black	TBA
15451NXK		265/60R17		108	V	4	44	2,205	-	8.0	7.5-9.5	10.7	29.5	11.0	460	A	A	Black	TBA
15453NXK		275/60R17		110	V	4	44	2,337	-	8.0	7.5-9.5	11.0	30.0	11.0	460	A	A	Black	TBA
15608NXK		265/60R18		110	H	4	44	2,337	-	8.0	7.5-9.5	10.7	30.5	11.0	460	A	A	Black	TBA
15455NXK		285/60R18		116	V	4	44	2,756	-	8.5	8.0-10.0	11.5	31.5	11.0	460	A	A	Black	TBA
15467NXK		255/50R20	XL	109	V	4	50	2,271	-	8.0	7.0-9.0	10.4	30.1	11.0	460	A	A	Black	TBA
15469NXK		265/50R20	XL	111	V	4	50	2,403	-	8.5	7.5-9.5	10.9	30.5	11.0	460	A	A	Black	TBA
15470NXK		275/40R20	XL	106	V	4	50	2,094	-	9.5	9.0-11.0	10.9	28.7	11.0	460	A	A	Black	TBA
15454NXK		275/45R20	XL	110	V	4	50	2,337	-	9.0	8.5-10.5	10.7	29.8	11.0	460	A	A	Black	TBA
15471NXK		275/55R20	XL	117	V	4	50	2,833	-	8.5	7.5-9.5	11.2	31.9	11.0	460	A	A	Black	TBA
15473NXK		285/50R20	XL	116	V	4	50	2,756	-	9.0	8.0-10.0	11.7	31.3	11.0	460	A	A	Black	TBA
15463NXK		295/40R20		106	V	4	44	2,094	-	10.5	10.0-11.5	11.9	29.3	11.0	460	A	A	Black	TBA
15459NXK		295/45R20	XL	114	V	4	50	2,601	-	10.0	9.5-11.0	11.7	30.5	11.0	460	A	A	Black	TBA
15464NXK		255/30R22	XL	95	V	4	50	1,521	-	9.0	8.5-9.5	10.2	28.1	11.0	460	A	A	Black	TBA
15456NXK		265/35R22	XL	102	V	4	50	1,874	-	9.5	9.0-10.5	10.7	29.3	11.0	460	A	A	Black	TBA
15472NXK		285/35R22	XL	106	V	4	50	2,094	-	10.0	9.5-11.0	11.4	29.9	11.0	460	A	A	Black	TBA
15466NXK		285/45R22	XL	114	V	4	50	2,601	-	9.5	9.0-10.5	11.2	32.1	11.0	460	A	A	Black	TBA
15457NXK		295/30R22	XL	103	V	4	50	1,929	-	10.5	10.0-11.0	11.9	29.0	11.0	460	A	A	Black	TBA
15460NXK		305/40R22	XL	114	V	4	50	2,601	-	11.0	10.0-12.0	12.3	31.6	11.0	460	A	A	Black	TBA
15452NXK		305/45R22	XL	118	V	4	50	2,910	-	10.0	9.5-11.5	11.9	32.8	11.0	460	A	A	Black	TBA
15474NXK		295/35R24	XL	110	V	4	50	2,337	-	10.5	10.0-11.5	11.9	32.1	11.0	460	A	A	Black	TBA
15354NXK		305/35R24	XL	112	V	4	50	2,469	-	11.0	10.0-12.0	12.3	32.4	11.0	460	A	A	Black	TBA

Technical data can be changed without further notice.

PERFORMANCE RATINGS

BRAKING **8**

COMFORT **7**

FUEL EFFICIENCY **8**

HANDLING **9**

WEAR LIFE **8**

ROADIAN GTX

TOTAL COVERAGE WARRANTY
NEXEN TIRE

CUV/SUV TOURING

The Roadian GTX delivers on every count. Crossovers and SUVs are more popular than ever, and their segment of the market is only increasing. Drivers count on their versatility and dependability, from cross-country road trips to trips to the store. They need a tire with a long tread life, all-season traction, the best mileage, and a comfortable ride. The Nexen Roadian GTX touring tire meets these needs and exceeds expectations.

TREAD WEAR WARRANTY
70,000 MILES

ROAD HAZARD WARRANTY
FIRST 3/32" OR 2 YEARS

ROADSIDE ASSISTANCE
36 MONTHS

FREE TRIAL
45 DAYS OR 500 MILES

OE FITMENT ON HYUNDAI, KIA, MITSUBISHI MOTORS, VW

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs) S	Max Load (lbs) D	Rim Measuring	Rim Approved	Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG Tread-wear	UTQG Trac.	UTQG Temp.	Sidewall	MAP	OE
17063NXK		205/70R16		97	H	4	51	1,609	-	6.0	5.0-7.0	8.2	27.3	9.5	680	A	A	Black	TBA	
17058NXK		215/65R16		98	V	4	51	1,653	-	6.5	6.0-7.5	8.7	27.0	9.5	680	A	A	Black	TBA	
17064NXK		215/70R16		100	H	4	51	1,764	-	6.5	5.5-7.0	8.7	27.9	9.5	680	A	A	Black	TBA	
17065NXK		235/70R16		106	H	4	51	2,094	-	7.0	6.0-8.0	9.4	29.0	9.5	680	A	A	Black	TBA	
17050NXK		215/60R17		96	H	4	51	1,565	-	6.5	6.0-7.5	8.7	27.2	9.5	680	A	A	Black	TBA	
17076NXK		215/65R17		99	H	4	51	1,709	-	6.5	6.0-7.5	8.7	28.0	9.5	600	A	A	Black	TBA	
14084NXK		225/60R17		99	H	4	51	1,709	-	6.5	6.0-8.0	9.0	27.6	9.5	680	A	A	Black	TBA	
17060NXK		225/65R17		102	V	4	51	1,874	-	6.5	6.0-8.0	9.0	28.5	9.5	680	A	A	Black	TBA	
17044NXK		235/55R17		99	V	4	51	1,709	-	7.5	6.5-8.5	9.6	27.2	9.5	680	A	A	Black	TBA	
17054NXK		235/60R17		102	H	4	51	1,874	-	7.0	6.5-8.5	9.4	28.1	9.5	680	A	A	Black	TBA	
16581NXK		235/65R17		104	H	4	51	1,984	-	7.0	6.5-8.5	9.4	29.1	9.5	600	A	A	Black	TBA	Hyundai, Kia
17136NXK		235/65R17		104	H	4	51	1,984	-	7.0	6.5-8.5	9.4	29.1	9.5	600	A	A	Black	TBA	Kia
17061NXK		245/65R17		107	V	4	51	2,149	-	7.0	7.0-8.5	9.8	29.5	9.5	680	A	A	Black	TBA	

CONTINUED ON NEXT PAGE...

PERFORMANCE RATINGS

BRAKING 8
COMFORT 10
FUEL EFFICIENCY 9
HANDLING 10
WEAR LIFE 10
SNOW TRACTION 6

ROADIAN GTX

CONTINUED FROM PREVIOUS PAGE

	Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs) S	Max Load (lbs) D	Rim Measuring	Rim Approved	Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG Tread-wear	UTQG Trac.	UTQG Temp.	Sidewall	MAP	OE
	17041NXK		215/55R18	XL	99	V	4	50	1,709	-	7.0	6.0-7.5	8.9	27.3	9.5	680	A	A	Black	TBA	
	14120NXK		225/55R18		98	V	4	51	1,653	-	7.0	6.0-8.0	9.2	27.8	9.5	680	A	A	Black	TBA	
	17052NXK		225/60R18	XL	104	H	4	50	1,984	-	6.5	6.0-8.0	9.0	28.6	9.5	680	A	A	Black	TBA	
	17036NXK		235/50R18		97	V	4	51	1,609	-	7.5	6.5-8.5	9.6	27.3	9.5	680	A	A	Black	TBA	
	14081NXK		235/55R18	XL	104	V	4	50	1,984	-	7.5	6.5-8.5	9.6	28.1	9.5	680	A	A	Black	TBA	
	10398NXK		235/60R18	XL	107	V	4	50	2,149	-	7.0	6.5-8.5	9.4	29.1	9.5	680	A	A	Black	TBA	
	10408NXK		235/65R18		106	V	4	51	2,094	-	7.0	6.5-8.5	9.4	30.0	9.5	600	A	A	Black	TBA	
	10416NXK		245/60R18		105	V	4	51	2,039	-	7.0	7.0-8.5	9.8	29.6	9.5	680	A	A	Black	TBA	
	17048NXK		255/55R18	XL	109	V	4	51	2,271	-	8.0	7.0-9.0	10.4	29.0	9.5	680	A	A	Black	TBA	
	17056NXK		255/60R18		108	H	4	51	2,205	-	7.5	7.0-9.0	10.2	30.0	9.5	680	A	A	Black	TBA	
	10400NXK		255/65R18		111	H	4	51	2,403	-	7.5	7.0-9.0	10.2	31.1	9.5	680	A	A	Black	TBA	
	17057NXK		265/60R18		110	H	4	51	2,337	-	8.0	7.5-9.5	10.7	30.5	9.5	680	A	A	Black	TBA	
	17043NXK		225/55R19	XL	103	V	4	50	1,929	-	7.0	6.0-8.0	9.2	28.8	9.5	680	A	A	Black	TBA	
	17033NXK		235/45R19		95	H	4	51	1,521	-	8.0	7.5-9.0	9.3	27.4	9.5	680	A	A	Black	TBA	
	10405NXK		235/50R19		99	V	4	51	1,709	-	7.5	6.5-8.5	9.6	28.3	9.5	680	A	A	Black	TBA	
	16583NXK		235/55R19		101	H	4	51	1,819	-	7.5	6.5-8.5	9.6	29.2	9.5	600	A	A	Black	TBA	
New	15506NXK		235/55R19	XL	105	V	4	50	2,039	-	7.5	6.5-8.5	9.6	29.2	9.5	680	A	A	Black	TBA	
	17034NXK		245/45R19	XL	102	V	4	50	1,874	-	8.0	7.5-9.0	9.6	27.7	9.5	680	A	A	Black	TBA	
	10403NXK		245/50R19	XL	105	W	4	50	2,039	-	7.5	7.0-8.5	10.0	28.7	9.5	680	A	A	Black	TBA	
	17047NXK		245/55R19		103	V	4	51	1,929	-	7.5	7.0-8.5	10.0	29.6	9.5	680	A	A	Black	TBA	
	17407NXK		255/50R19	XL	107	H	4	50	2,149	-	8.0	7.0-9.0	10.4	29.1	9.5	680	A	A	Black	TBA	
	17414NXK		255/55R19	XL	111	V	4	50	2,403	-	8.0	7.0-9.0	10.4	30.0	9.5	680	A	A	Black	TBA	
	17566NXK		255/60R19		109	H	4	51	2,271	-	7.5	7.0-9.0	10.2	31.1	9.5	680	A	A	Black	TBA	
New	15221NX		265/55R19	XL	113	W	4	50	2,535	-	8.5	7.5-9.5	10.9	30.5	9.5	680	A	A	Black	TBA	
	17413NXK		275/55R19		111	V	4	51	2,403	-	8.5	7.5-9.5	11.2	30.9	9.5	680	A	A	Black	TBA	
	14156NXK		235/55R20		102	V	4	51	1,874	-	7.5	6.5-8.5	9.6	30.2	9.5	680	A	A	Black	TBA	
	17035NXK		245/45R20	XL	103	V	4	50	1,929	-	8.0	7.5-9.0	9.6	28.7	9.5	680	A	A	Black	TBA	
	14079NXK		245/50R20		102	V	4	51	1,874	-	7.5	7.0-8.5	10.0	29.7	9.5	680	A	A	Black	TBA	
	16640NXK	P	255/45R20		101	W	4	51	1,819	-	8.5	8.0-9.5	10.0	29.1	9.5	600	A	A	Black	TBA	Mitsubishi
New	18071NXK		255/50R20		105	T	4	51	2,039	-	8.0	7.0-9.0	10.4	30.1	9.5	540	A	A	Black	TBA	VW
	17039NXK		255/50R20	XL	109	V	4	50	2,271	-	8.0	7.0-9.0	10.4	30.1	9.5	680	A	A	Black	TBA	
	10406NXK		255/55R20	XL	110	V	4	50	2,337	-	8.0	7.0-9.0	10.4	31.0	9.5	680	A	A	Black	TBA	
	10404NXK		265/45R20	XL	108	V	4	50	2,205	-	9.0	8.5-10.0	10.5	29.4	9.5	680	A	A	Black	TBA	
	17040NXK		265/50R20	XL	111	V	4	50	2,403	-	8.5	7.5-9.5	10.9	30.5	9.5	680	A	A	Black	TBA	
	17406NXK		275/40R20	XL	106	W	4	50	2,094	-	9.5	9.0-11.0	10.9	28.7	9.5	680	A	A	Black	TBA	
	17408NXK		275/45R20	XL	110	V	4	50	2,337	-	9.0	8.5-10.5	10.7	29.8	9.5	680	A	A	Black	TBA	
	10407NXK		275/50R20	XL	113	W	4	50	2,535	-	8.5	7.5-9.5	11.2	30.9	9.5	680	A	A	Black	TBA	
	17409NXK		275/55R20		113	H	4	51	2,535	-	8.5	7.5-9.5	11.2	31.9	9.5	680	A	A	Black	TBA	
	10382NXK		285/50R20		112	V	4	51	2,469	-	9.0	8.0-10.0	11.2	31.2	9.5	680	A	A	Black	TBA	
New	15225NX		265/40R22	XL	106	W	4	50	2,094	-	9.5	9.0-10.5	10.7	30.4	9.5	680	A	A	Black	TBA	
	10436NXK		275/40R22	XL	108	V	4	50	2,205	-	9.5	9.0-11.0	10.9	30.7	9.5	680	A	A	Black	TBA	
New	15495NX		275/45R22	XL	112	W	4	50	2,469	-	9.0	8.5-10.5	10.7	31.8	9.5	680	A	A	Black	TBA	
	10383NXK		275/50R22		111	H	4	51	2,403	-	8.5	7.5-9.5	10.8	32.8	9.5	680	A	A	Black	TBA	
	17412NXK		285/45R22	XL	114	H	4	50	2,601	-	9.5	9.0-10.5	11.2	32.1	9.5	680	A	A	Black	TBA	

Technical data can be changed without further notice.
For more detailed OE application information, please refer to "Original Equipment 2024" page.

ROADIAN HTX 2

TOTAL COVERAGE WARRANTY
NEXEN TIRE

HIGHWAY TERRAIN

Designed for the long-inspired journey to create a high-mileage SUV and Light Truck tire that also delivers outstanding all-weather driving performance. Designed, engineered, and constructed with technical features only found in the Roadian HTX2, compromise is no longer a part of your tire buying equation.

TREAD WEAR WARRANTY
70K MILES (P)
50K MILES (LT)

ROAD HAZARD WARRANTY
FIRST 3/32" OR 2 YEARS

ROADSIDE ASSISTANCE
36 MONTHS

FREE TRIAL
45 DAYS OR 500 MILES

No Road Hazard & Mileage Warranty on commercial delivery van sizes (LT225/75R16 & 235/65R16C). Warranty limited to manufacture defects only.

OE FITMENT ON Jeep

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs) S	Max Load (lbs) D	Rim Measuring	Rim Approved	Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG Tread-wear	UTQG Trac.	UTQG Temp.	Sidewall	MAP	FET	OE
17990NXK		225/70R16		103	T	4	51	1,929	-	6.5	6.0-7.5	9.0	28.4	11.0	700	A	B	White	TBA		
17984NXK		225/75R16	XL	108	T	4	50	2,205	-	6.0	6.0-7.5	8.8	29.3	11.0	700	A	B	White	TBA		
17980NXK		235/70R16	XL	109	T	4	50	2,271	-	7.0	6.0-8.0	9.4	29.0	11.0	700	A	B	White	TBA		
17976NXK		235/75R16		108	T	4	51	2,205	-	6.5	6.0-8.0	9.3	29.8	11.0	700	A	B	White	TBA		
17977NXK		245/70R16		107	T	4	51	2,149	-	7.0	6.5-8.0	9.8	29.5	11.0	700	A	B	White	TBA		
17988NXK		245/75R16		111	T	4	51	2,403	-	7.0	6.5-8.0	9.8	30.5	11.0	700	A	B	White	TBA		
17993NXK		255/65R16		109	T	4	51	2,271	-	7.5	7.0-9.0	10.2	29.1	11.0	700	A	B	White	TBA		
17992NXK		255/70R16		111	T	4	51	2,403	-	7.5	6.5-8.5	10.2	30.1	11.0	700	A	B	White	TBA		
17989NXK		265/70R16		112	T	4	51	2,469	-	8.0	7.0-9.0	10.7	30.6	12.0	700	A	B	White	TBA		
17978NXK		265/75R16		116	T	4	51	2,756	-	7.5	7.0-9.0	10.5	31.7	12.0	700	A	B	White	TBA		
17970NXK		225/65R17		102	H	4	51	1,874	-	6.5	6.0-8.0	9.0	28.5	11.0	700	A	A	Black	TBA		
17960NXK		235/65R17		104	H	4	51	1,984	-	7.0	6.5-8.5	9.4	29.1	11.0	700	A	A	Black	TBA		
17982NXK		245/65R17		107	H	4	51	2,149	-	7.0	7.0-8.5	9.8	29.5	11.0	700	A	B	White	TBA		
17983NXK		245/70R17		110	T	4	51	2,337	-	7.0	6.5-8.0	9.8	30.6	11.0	700	A	B	White	TBA		
11717NXK		245/75R17		112	S	4	51	2,469	-	7.0	6.5-7.5	9.8	31.5	11.0	700	A	A	Black	TBA		Jeep
17991NXK		255/65R17		110	T	4	51	2,337	-	7.5	7.0-9.0	10.2	30.1	11.0	700	A	B	White	TBA		

CONTINUED ON NEXT PAGE...

PERFORMANCE RATINGS

BRAKING 8
COMFORT 9
FUEL EFFICIENCY 8
HANDLING 8
WEAR LIFE 10

3 Peak Mountain Snowflake Certified
(except OEM sizes)

ROADIAN HTX 2

CONTINUED FROM PREVIOUS PAGE

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs) S	Max Load (lbs) D	Rim Measuring	Rim Approved	Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG Tread-wear	UTQG Trac.	UTQG Temp.	Sidewall	MAP	FET	OE
17994NXK		255/70R17		112	T	4	51	2,469	-	7.5	6.5-8.5	10.2	31.1	11.0	700	A	B	White	TBA		
17987NXK		265/65R17		112	T	4	51	2,469	-	8.0	7.5-9.5	10.7	30.6	12.0	700	A	B	White	TBA		
17103NXK		265/70R17		115	T	4	51	2,679	-	8.0	7.0-9.0	10.7	31.7	12.0	700	A	B	White	TBA		
17955NXK		235/60R18		103	H	4	51	1,929	-	7.0	6.5-8.5	9.4	29.1	11.0	700	A	A	Black	TBA		
17963NXK		235/65R18		106	H	4	51	2,094	-	7.0	6.5-8.5	9.4	30.0	11.0	700	A	A	Black	TBA		
17966NXK		245/60R18		105	H	4	51	2,039	-	7.0	7.0-8.5	9.8	29.6	11.0	700	A	A	Black	TBA		
17949NXK		255/65R18		111	T	4	51	2,403	-	7.5	7.0-9.0	10.2	31.1	11.0	700	A	A	Black	TBA		
17975NXK		255/70R18		113	T	4	51	2,535	-	7.5	6.5-8.5	10.2	32.1	11.0	700	A	A	Black	TBA		
17962NXK		265/60R18		110	H	4	51	2,337	-	8.0	7.5-9.5	10.7	30.5	12.0	700	A	A	Black	TBA		
17967NXK		265/65R18		114	T	4	51	2,601	-	8.0	7.5-9.5	10.7	31.5	12.0	700	A	A	Black	TBA		
17968NXK		265/70R18		116	T	4	51	2,756	-	8.0	7.0-9.0	10.7	32.6	12.0	700	A	A	Black	TBA		
17972NXK		275/65R18		116	T	4	51	2,756	-	8.0	7.5-9.5	11.0	32.1	12.0	700	A	A	Black	TBA		
17965NXK		245/55R19		103	T	4	51	1,929	-	7.5	7.0-8.5	10.0	29.6	11.0	700	A	A	Black	TBA		
17956NXK		255/60R19		109	H	4	51	2,271	-	7.5	7.0-9.0	10.2	31.1	11.0	700	A	A	Black	TBA		
17974NXK		245/60R20		107	H	4	51	2,149	-	7.0	7.0-8.5	9.8	31.6	11.0	700	A	A	Black	TBA		
17948NXK		255/50R20		105	H	4	51	2,039	-	8.0	7.0-9.0	10.4	30.1	11.0	700	A	A	Black	TBA		
17969NXK		255/55R20		107	H	4	51	2,149	-	8.0	7.0-9.0	10.4	31.0	11.0	700	A	A	Black	TBA		
11696NXK		255/60R20	XL	113	T	4	50	2,535	-	7.5	7.0-9.0	10.0	32.0	11.0	700	A	A	Black	TBA		Jeep
17950NXK		265/50R20		107	T	4	51	2,149	-	8.5	7.5-9.5	10.9	30.5	12.0	700	A	A	Black	TBA		
New 19196NXK		265/60R20		112	H	4	51	2,469		8.0	8.0-9.5	10.7	32.5	12.0	700	A	A	Black	TBA		
17964NXK		275/55R20		113	H	4	51	2,535	-	8.5	7.5-9.5	11.2	31.9	12.0	700	A	A	Black	TBA		
17957NXK		275/60R20		115	H	4	51	2,679	-	8.0	7.5-9.5	11.0	33.0	12.0	700	A	A	Black	TBA		
17973NXK		285/45R22	XL	114	H	4	50	2,601	-	9.5	9.0-10.5	11.2	32.1	11.0	700	A	A	Black	TBA		
17954NXK	LT	215/85R16		115/112	R	E	80	2,680	2,470	6.0	5.5-7.0	8.5	30.4	14.5	-	-	-	Black	TBA		
17417NXK	LT	225/75R16		115/112	R	E	80	2,680	2,470	6.0	6.0-7.5	8.8	29.3	14.5	-	-	-	Black	TBA		
18064NXK		235/65R16C		121/119	R	E	83	3,197	2,998	7.0	6.5-7.5	9.4	28.0	12.5	-	-	-	Black	TBA		
17958NXK	LT	235/85R16		120/116	S	E	80	3,042	2,778	6.5	6.0-7.5	9.3	31.7	14.5	-	-	-	Black	TBA		
17959NXK	LT	245/75R16		120/116	S	E	80	3,042	2,778	7.0	6.5-8.0	9.8	30.5	14.5	-	-	-	Black	TBA		
17981NXK	LT	265/75R16		123/120	S	E	80	3,415	3,085	7.5	7.0-9.0	10.5	31.7	14.5	-	-	-	White	TBA		
17971NXK	LT	235/80R17		120/117	S	E	80	3,085	2,835	6.5	6.0-8.0	9.3	31.8	14.5	-	-	-	Black	TBA		
17985NXK	LT	245/70R17		119/116	S	E	80	3,000	2,755	7.0	6.5-8.0	9.8	30.6	14.5	-	-	-	White	TBA		
17986NXK	LT	245/75R17		121/118	S	E	80	3,195	2,910	7.0	6.5-8.0	9.8	31.5	14.5	-	-	-	White	TBA		
18830NXK	LT	265/70R17		123/120	S	E	80	3,415	3,085	8.0	7.0-9.0	10.7	31.7	14.5	-	-	-	White	TBA		
17953NXK	LT	275/65R18		123/120	S	E	80	3,415	3,085	8.0	8.0-9.5	11.0	32.1	14.5	-	-	-	Black	TBA		
17951NXK	LT	275/70R18		125/122	S	E	80	3,640	3,305	8.0	7.0-9.0	11.0	33.2	14.5	-	-	-	Black	TBA	1.32	
17961NXK	LT	265/60R20		121/118	S	E	80	3,195	2,910	8.0	8.0-9.5	10.7	32.5	14.5	-	-	-	Black	TBA		
17947NXK	LT	275/65R20		126/123	S	E	80	3,750	3,415	8.0	8.0-9.5	11.0	34.1	14.5	-	-	-	Black	TBA	2.36	
17952NXK	LT	285/60R20		125/122	S	E	80	3,640	3,305	8.5	8.5-10.0	11.5	33.5	14.5	-	-	-	Black	TBA	1.32	

Technical data can be changed without further notice.
For more detailed OE application information, please refer to "Original Equipment 2024" page.

DUAL SIDEWALL OPTIONS ▾ **WHITE SIDEWALL OPTION** ▾

ROADIAN ATX

TOTAL COVERAGE WARRANTY
NEXEN TIRE

ALL-TERRAIN

Designed for durability and all-around grip performance in any road condition with heavy-duty construction and materials. New tread technology provides a better grip as it wears, and sidewall lugs and deep grooves produce outstanding handling and control off-road and on-road. Mount a set on your CUV, SUV, or Light Truck to experience Nexen's unwavering commitment to do it all, and do it well. Dry or wet, muddy and slippery... go where you want in confidence with the Nexen Roadian ATX.

TREAD WEAR WARRANTY
65K MILES (P)
60K MILES (LT)

ROAD HAZARD WARRANTY
FIRST 3/32" OR 2 YEARS

ROADSIDE ASSISTANCE
36 MONTHS

FREE TRIAL
45 DAYS OR 500 MILES

OE FITMENT ON Jeep

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs) S	Max Load (lbs) D	Rim Measuring	Rim Approved	Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG Tread-wear	UTQG Trac.	UTQG Temp.	Sidewall	MAP	OE
18788NXK		235/75R15	XL	109	T	4	50	2,271	-	6.5	6.0-8.0	9.3	28.9	12.5	600	A	B	Black	TBA	
10488NXK		205/70R16		97	H	4	51	1,609	-	6.0	5.0-7.0	8.2	27.3	12.5	600	A	B	Black	TBA	
10483NXK		215/65R16	XL	102	H	4	50	1,874	-	6.5	6.0-7.5	8.7	27.0	12.5	600	A	B	Black	TBA	
10525NXK		215/70R16		100	H	4	51	1,764	-	6.5	5.5-7.0	8.7	27.9	12.5	600	A	B	Black	TBA	
18783NXK		245/75R16		111	T	4	51	2,403	-	7.0	6.5-8.0	9.8	30.5	12.5	600	A	B	Black	TBA	
18785NXK		265/70R16		112	T	4	51	2,469	-	8.0	7.0-9.0	10.7	30.6	12.5	600	A	B	Black	TBA	
18784NXK		265/75R16		116	T	4	51	2,756	-	7.5	7.0-9.0	10.5	31.7	12.5	600	A	B	Black	TBA	
10620NXK		215/60R17		96	H	4	51	1,565	-	6.5	6.0-7.5	8.7	27.2	12.5	600	A	B	Black	TBA	
10446NXK		215/65R17	XL	103	H	4	50	1,929	-	6.5	6.0-7.5	8.7	28.0	12.5	600	A	B	Black	TBA	
10448NXK		225/55R17	XL	101	V	4	50	1,819	-	7.0	6.0-8.0	9.2	26.8	12.5	600	A	B	Black	TBA	
10456NXK		225/60R17		99	V	4	51	1,709	-	6.5	6.0-8.0	9.0	27.6	12.5	600	A	B	Black	TBA	
10459NXK		225/65R17		102	H	4	51	1,874	-	6.5	6.0-8.0	9.0	28.5	12.5	600	A	B	Black	TBA	
10487NXK		235/65R17		104	H	4	51	1,984	-	7.0	6.5-8.5	9.4	29.1	12.5	600	A	B	Black	TBA	
18771NXK		235/75R17		109	T	4	51	2,271	-	6.5	6.0-8.0	9.3	30.9	12.5	600	A	B	Black	TBA	
18776NXK		245/65R17	XL	111	T	4	50	2,403	-	7.0	7.0-8.5	9.8	29.5	12.5	600	A	B	Black	TBA	
18764NXK		245/70R17		110	T	4	51	2,337	-	7.0	6.5-8.0	9.8	30.6	12.5	600	A	B	Black	TBA	
11702NXK		245/75R17		112	S	4	51	2,469	-	7.0	6.5-7.5	9.8	31.5	11.5	560	A	A	Black	TBA	Jeep

CONTINUED ON NEXT PAGE...

PERFORMANCE RATINGS

BRAKING 9

COMFORT 7

FUEL EFFICIENCY 8

OFF ROAD 9

WEAR LIFE 9

3 Peak Mountain Snowflake Certified
(except OEM & flotation sizes)

ROADIAN ATX

CONTINUED FROM PREVIOUS PAGE

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs) S	Max Load (lbs) D	Rim Measuring	Rim Approved	Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG Tread-wear	UTQG Trac.	UTQG Temp.	Sidewall	MAP	OE
18768NXK		255/65R17		110	T	4	51	2,337	-	7.5	7.0-9.0	10.2	30.1	12.5	600	A	B	Black	TBA	
18769NXK		255/70R17		112	T	4	51	2,469	-	7.5	6.5-8.5	10.2	31.1	12.5	600	A	B	Black	TBA	
18763NXK		255/75R17		115	T	4	51	2,679	-	7.0	6.5-8.5	10.0	32.0	12.5	600	A	B	Black	TBA	
18765NXK		265/65R17	XL	116	T	4	50	2,756	-	8.0	7.5-9.5	10.7	30.6	12.5	600	A	B	Black	TBA	
17609NXK		265/70R17		115	T	4	51	2,679	-	8.0	7.0-9.0	10.7	31.7	12.5	600	A	B	Black	TBA	
18760NXK	P	285/70R17		117	T	4	51	2,833	-	8.5	7.5-9.5	11.5	32.8	12.5	600	A	B	Black	TBA	
10494NXK		225/55R18		98	V	4	51	1,653	-	7.0	6.0-8.0	9.2	27.8	12.5	600	A	B	Black	TBA	
10490NXK		225/60R18	XL	104	H	4	50	1,984	-	6.5	6.0-8.0	9.0	28.6	12.5	600	A	B	Black	TBA	
10486NXK		235/60R18	XL	107	V	4	50	2,149	-	7.0	6.5-8.5	9.4	29.1	12.5	600	A	B	Black	TBA	
10571NXK		235/65R18		106	V	4	51	2,094	-	7.0	6.5-8.5	9.4	30.0	12.5	600	A	B	Black	TBA	
10484NXK		245/60R18		105	V	4	51	2,039	-	7.0	7.0-8.5	9.8	29.6	12.5	600	A	B	Black	TBA	
18757NXK		255/70R18		113	T	4	51	2,535	-	7.5	6.5-8.5	10.2	32.1	12.5	600	A	B	Black	TBA	
18756NXK		265/60R18		110	T	4	51	2,337	-	8.0	7.5-9.5	10.7	30.5	12.5	600	A	B	Black	TBA	
18755NXK		265/65R18		114	T	4	51	2,601	-	8.0	7.5-9.5	10.7	31.5	12.5	600	A	B	Black	TBA	
18750NXK		265/70R18		116	T	4	51	2,756	-	8.0	7.0-9.0	10.7	32.6	12.5	600	A	B	Black	TBA	
18748NXK		275/65R18		116	T	4	51	2,756	-	8.0	7.5-9.5	11.0	32.1	12.5	600	A	B	Black	TBA	
10557NXK		245/50R20		102	V	4	51	1,874	-	7.5	7.0-8.5	10.0	29.7	12.5	600	A	B	Black	TBA	
18732NXK		245/60R20		107	H	4	51	2,149	-	7.0	7.0-8.5	9.8	31.6	12.5	600	A	B	Black	TBA	
10555NXK		255/50R20	XL	109	V	4	50	2,271	-	8.0	7.0-9.0	10.4	30.1	12.5	600	A	B	Black	TBA	
10543NXK		255/55R20	XL	110	V	4	50	2,337	-	8.0	7.0-9.0	10.4	31.0	12.5	600	A	B	Black	TBA	
18747NXK		265/50R20	XL	111	T	4	50	2,403	-	8.5	7.5-9.5	10.9	30.5	12.5	600	A	B	Black	TBA	
New	TBA	265/60R20		112	H	4	51	2,469	-	8.0	8.0-9.5	10.7	32.5	12.5	600	A	B	Black	TBA	
18730NXK		275/55R20	XL	117	T	4	50	2,833	-	8.5	7.5-9.5	11.2	31.9	12.5	600	A	B	Black	TBA	
18736NXK		275/60R20		115	T	4	51	2,679	-	8.0	7.5-9.5	11.0	33.0	12.5	600	A	B	Black	TBA	
18737NXK		275/50R22		111	H	4	51	2,403	-	8.5	7.5-9.5	11.2	32.9	12.5	600	A	B	Black	TBA	
18735NXK		285/45R22	XL	114	H	4	50	2,601	-	9.5	9.0-10.5	11.2	32.1	12.0	600	A	B	Black	TBA	
18746NXK		305/45R22	XL	118	H	4	50	2,910	-	10.0	9.5-11.5	11.9	32.8	12.0	600	A	B	Black	TBA	

Technical data can be changed without further notice.
For more detailed OE application information, please refer to "Original Equipment 2024" page.

CONTINUED ON NEXT PAGE...

NEXEN TIRE
we got you

OFFICIAL TIRE OF THE ANAHEIM DUCKS SINCE 2021

"Nexen Tire is extremely excited to be a part of a championship NHL franchise like the Anaheim Ducks and their premier arena, the Honda Center... This partnership will help to elevate the Nexen Tire brand among more than a million NHL fans across Southern California, and when these fans enter the Honda Center arena during a Ducks game or other premier events, they'll know Nexen Tire has their back."

- Brian YoonSeok Han, CEO of Nexen Tire America, Inc.

ROADIAN ATX

CONTINUED FROM PREVIOUS PAGE

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs) S	Max Load (lbs) D	Rim Meas.	Rim Approved	Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG Tread-wear	UTQG Trac.	UTQG Temp.	Sidewall	MAP	FET	OE
12500NXK	LT	235/75R15		104/101	S	C	50	1,985	1,820	6.5	6.0-8.0	9.3	28.9	16.0	-	-	-	Black	TBA		
18777NXK	LT	225/75R16		115/112	S	E	80	2,680	2,470	6.0	6.0-7.5	8.8	29.3	16.0	-	-	-	Black	TBA		
18786NXK	LT	235/85R16		120/116	S	E	80	3,042	2,778	6.5	6.5-7.5	9.3	31.7	16.0	-	-	-	Black	TBA		
18782NXK	LT	245/75R16		120/116	S	E	80	3,042	2,778	7.0	6.5-8.0	9.8	30.5	16.0	-	-	-	Black	TBA		
18780NXK	LT	265/70R16		121/118	S	E	80	3,195	2,910	8.0	7.0-9.0	10.7	30.6	16.0	-	-	-	Black	TBA		
18789NXK	LT	265/75R16		123/120	S	E	80	3,415	3,085	7.5	7.0-9.0	10.5	31.7	16.0	-	-	-	Black	TBA		
18790NXK	LT	285/75R16		126/123	S	E	80	3,750	3,415	8.0	7.5-9.5	11.3	32.8	16.0	-	-	-	Black	TBA	2.36	
18774NXK	LT	235/80R17		120/117	S	E	80	3,085	2,835	6.5	6.0-8.0	9.3	31.8	16.0	-	-	-	Black	TBA		
18762NXK	LT	245/70R17		119/116	S	E	80	3,000	2,755	7.0	6.5-8.0	9.8	30.6	16.0	-	-	-	Black	TBA		
18770NXK	LT	245/75R17		121/118	S	E	80	3,195	2,910	7.0	6.5-8.0	9.8	31.5	16.0	-	-	-	Black	TBA		
11700NXK	LT	255/75R17		111/108	Q	C	50	2,405	2,205	7.0	6.5-8.5	10.0	32.3	15.0	-	-	-	Black	TBA		Jeep
14259NXK	LT	265/65R17		120/117	T	E	80	3,085	2,835	8.0	7.5-9.5	10.7	30.6	16.0	-	-	-	Black	TBA		
18773NXK	LT	265/70R17		123/120	S	E	80	3,415	3,085	8.0	7.0-9.0	10.7	31.7	16.0	-	-	-	Black	TBA		
18775NXK	LT	275/70R17		124/121	S	E	80	3,525	3,195	8.0	7.0-9.0	11.0	32.2	16.0	-	-	-	Black	TBA	0.24	
18767NXK	LT	285/70R17		126/123	S	E	80	3,750	3,415	8.5	7.0-9.5	11.5	32.8	16.0	-	-	-	Black	TBA	2.36	
18772NXK	LT	285/75R17		128/125	S	E	80	3,970	3,640	8.0	7.5-9.5	11.3	33.9	16.0	-	-	-	Black	TBA	4.44	
18766NXK	LT	315/70R17		126/123	S	E	65	3,750	3,415	9.5	8.0-10.5	12.7	34.4	16.0	-	-	-	Black	TBA	2.36	
18758NXK	LT	265/65R18		122/119	S	E	80	3,305	3,000	8.0	8.0-9.5	10.7	31.5	16.0	-	-	-	Black	TBA		
18752NXK	LT	265/70R18		124/121	S	E	80	3,525	3,195	8.0	7.0-9.0	10.7	32.6	16.0	-	-	-	Black	TBA	0.24	
18751NXK	LT	275/65R18		123/120	S	E	80	3,415	3,085	8.0	8.0-9.5	11.0	32.1	16.0	-	-	-	Black	TBA		
18390NXK	LT	275/70R18		125/122	S	E	80	3,640	3,305	8.0	7.0-9.0	11.0	33.2	16.0	-	-	-	Black	TBA	1.32	
18753NXK	LT	285/65R18		125/122	S	E	80	3,640	3,305	8.5	8.5-10.0	11.5	32.6	16.0	-	-	-	Black	TBA	1.32	
18749NXK	LT	285/75R18		129/126	S	E	80	4,080	3,750	8.0	7.5-9.5	11.3	34.8	16.0	-	-	-	Black	TBA	5.48	
18754NXK	LT	295/70R18		129/126	S	E	80	4,080	3,750	8.5	7.5-10.0	11.8	34.3	16.0	-	-	-	Black	TBA	5.48	
18738NXK	LT	265/60R20		121/118	S	E	80	3,195	2,910	8.0	8.0-9.5	10.7	32.5	16.0	-	-	-	Black	TBA		
18745NXK	LT	275/55R20		120/117	S	E	80	3,085	2,835	8.5	8.0-9.5	11.2	31.9	16.0	-	-	-	Black	TBA		
18734NXK	LT	275/60R20		123/120	S	E	80	3,415	3,085	8.0	8.0-9.5	11.0	33.0	16.0	-	-	-	Black	TBA		
18740NXK	LT	275/65R20		126/123	S	E	80	3,750	3,415	8.0	8.0-9.5	11.0	34.1	16.0	-	-	-	Black	TBA	2.36	
18739NXK	LT	285/55R20		122/119	S	E	80	3,305	3,000	9.0	8.5-10.5	11.7	32.4	16.0	-	-	-	Black	TBA		
18743NXK	LT	285/60R20		125/122	S	E	80	3,640	3,305	8.5	8.5-10.0	11.5	33.5	16.0	-	-	-	Black	TBA	1.32	
New 15312NXK	LT	285/65R20		127/124	S	E	80	3,860	3,525	8.5	8.5-10.0	11.5	34.6	16.0	-	-	-	Black	TBA	3.40	
New 15260NXK	LT	295/65R20		129/126	S	E	80	4,080	3,750	8.5	8.5-10.5	11.8	35.1	16.0	-	-	-	Black	TBA	5.48	
18741NXK	LT	305/55R20		125/122	S	F	80	3,640	3,305	9.5	9.0-11.0	12.4	33.2	16.0	-	-	-	Black	TBA	1.32	
18787NXK	LT	30X9.50R15		104	S	C	50	1,985	-	7.5	6.0-8.0	9.4	29.5	16.0	-	-	-	Black	TBA		
18778NXK	LT	31X10.50R15		109	S	C	50	2,270	-	8.5	7.0-9.0	10.6	30.5	16.0	-	-	-	Black	TBA		
18781NXK	LT	33X12.50R15		108	S	C	35	2,205	-	10.0	8.0-10.5	12.5	32.5	16.0	-	-	-	Black	TBA		
18761NXK	LT	35X12.50R17		128	S	F	80	3,970	-	10.0	8.0-10.5	12.5	34.5	16.0	-	-	-	Black	TBA	4.44	
18759NXK	LT	35X12.50R18		128	S	F	80	3,970	-	10.0	8.5-11.0	12.5	34.5	16.0	-	-	-	Black	TBA	4.44	
18733NXK	LT	33X12.50R20		119	S	F	80	3,000	-	10.0	8.5-11.0	12.5	32.5	16.0	-	-	-	Black	TBA		
18742NXK	LT	35X12.50R20		125	S	F	80	3,640	-	10.0	8.5-11.0	12.5	34.5	16.0	-	-	-	Black	TBA	1.32	
18744NXK	LT	33X12.50R22		114	S	F	80	2,600	-	10.0	8.0-11.0	12.5	32.5	16.0	-	-	-	Black	TBA		
18731NXK	LT	35X12.50R22		121	S	F	80	3,195	-	10.0	8.5-11.0	12.5	34.5	16.0	-	-	-	Black	TBA		

Technical data can be changed without further notice.
For more detailed OE application information, please refer to "Original Equipment 2024" page.

DUAL SIDEWALL OPTIONS

ROADIAN MTX

TOTAL COVERAGE WARRANTY
NEXEN TIRE

MUD TERRAIN

The Roadian MTX features an aggressive design that is extremely versatile for on- and off-road driving. Each tire boasts a dual sidewall design that allows you to customize the look of the tire on your vehicle. The Roadian MTX also features a standard 3-ply design and F-Load weight rating that makes it extremely capable for heavy hauling. With such rugged traits, you wouldn't expect the Roadian MTX to be as quiet as it is on the highway, but thanks to its patented tread block design, the road noise has been minimized.

TREAD WEAR WARRANTY **N/A**

ROAD HAZARD WARRANTY **N/A**

ROADSIDE ASSISTANCE **36 MONTHS**

FREE TRIAL **45 DAYS OR 500 MILES**

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs) S	Max Load (lbs) D	Rim Meas.	Rim Approved	Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG Tread-wear	UTQG Trac.	UTQG Temp.	Sidewall	MAP	FET
17450NXK	LT	235/85R16		120/116	Q	E	80	3,042	2,778	6.5	6.0-7.5	9.3	31.7	19.0	-	-	-	Black	TBA	
15873NXK	LT	265/75R16		123/120	Q	E	80	3,415	3,085	7.5	7.0-8.0	10.5	31.9	19.0	-	-	-	Black	TBA	
15879NXK	LT	285/75R16		126/123	Q	E	80	3,750	3,415	8.0	7.5-9.0	11.3	33.1	19.0	-	-	-	Black	TBA	2.36
15883NXK	LT	235/80R17		120/117	Q	E	80	3,085	2,835	6.5	6.0-7.5	9.3	32.0	18.0	-	-	-	Black	TBA	
15884NXK	LT	245/75R17		121/118	Q	E	80	3,195	2,910	7.0	6.5-7.5	9.8	31.7	18.0	-	-	-	Black	TBA	
15886NXK	LT	255/75R17		111/108	Q	C	50	2,405	2,205	7.0	6.5-8.5	10.0	32.3	18.0	-	-	-	Black	TBA	
18937NXK	LT	265/70R17		123/120	Q	E	80	3,415	3,085	8.0	7.0-8.5	10.7	31.9	19.0	-	-	-	Black	TBA	
18941NXK	LT	285/70R17		126/123	Q	E	80	3,750	3,415	8.5	7.5-9.0	11.5	33.0	19.0	-	-	-	Black	TBA	2.36
18940NXK	LT	295/70R17		128/125	Q	E	80	3,970	3,640	8.5	7.5-10.0	11.8	33.5	20.0	-	-	-	Black	TBA	4.44
18944NXK	LT	305/65R17		128/125	Q	F	80	3,970	3,640	9.0	8.5-11.0	12.2	32.8	20.0	-	-	-	Black	TBA	4.44
18939NXK	LT	315/70R17		128/125	Q	F	80	3,970	3,640	9.5	8.0-11.0	12.7	34.6	20.0	-	-	-	Black	TBA	4.44
15925NXK	LT	275/65R18		123/120	Q	E	80	3,415	3,085	8.0	7.5-9.0	11.0	32.3	19.0	-	-	-	Black	TBA	
15897NXK	LT	275/70R18		125/122	Q	E	80	3,640	3,305	8.0	7.0-8.5	11.0	33.4	19.0	-	-	-	Black	TBA	1.32
15926NXK	LT	285/65R18		125/122	Q	E	80	3,640	3,305	8.5	8.0-10.0	11.5	32.8	19.0	-	-	-	Black	TBA	1.32
15898NXK	LT	295/70R18		129/126	Q	E	80	4,080	3,750	8.5	7.5-10.0	11.8	34.5	20.0	-	-	-	Black	TBA	5.48
16400NXK	LT	305/70R18		128/125	Q	F	80	3,970	3,640	9.0	8.5-10.0	12.2	35.1	20.0	-	-	-	Black	TBA	4.44

CONTINUED ON NEXT PAGE...

PERFORMANCE RATINGS

BRAKING **8**

COMFORT **7**

FUEL EFFICIENCY **6**

OFF ROAD **10**

WEAR LIFE **7**

ROADIAN MTX

CONTINUED FROM PREVIOUS PAGE

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MAP	FET
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.			
15929NXK	LT	275/65R20		126/123	Q	E	80	3,750	3,415	8.0	7.5-9.5	11.0	34.3	19.0	-	-	-	Black	TBA	2.36
15932NXK	LT	285/55R20		122/119	Q	E	80	3,305	3,000	9.0	8.0-10.0	11.7	32.6	19.0	-	-	-	Black	TBA	
15933NXK	LT	295/55R20		123/120	Q	E	80	3,415	3,085	9.5	8.0-10.0	12.2	33.0	20.0	-	-	-	Black	TBA	
15931NXK	LT	295/60R20		126/123	Q	E	80	3,750	3,415	8.5	8.0-10.0	11.8	34.2	20.0	-	-	-	Black	TBA	2.36
15930NXK	LT	295/65R20		129/126	Q	E	80	4,080	3,750	8.5	8.0-10.0	11.8	35.4	20.0	-	-	-	Black	TBA	5.48
16271NXK	LT	305/55R20		125/122	Q	F	80	3,640	3,305	9.5	8.5-11.0	12.4	33.5	20.0	-	-	-	Black	TBA	1.32
15867NXK	LT	33X12.50R15		108	Q	C	35	2,205	-	10.0	8.5-11.0	12.5	32.8	21.0	-	-	-	Black	TBA	
15871NXK	LT	35X12.50R15		113	Q	C	35	2,535	-	10.0	8.5-11.0	12.5	34.8	21.0	-	-	-	Black	TBA	
18938NXK	LT	33X12.50R17		124	Q	F	80	3,527		10.0	8.5-11.0	12.5	32.8	21.0	-	-	-	Black	TBA	0.24
18942NXK	LT	35X12.50R17		128	Q	F	80	3,970	-	10.0	8.5-11.0	12.5	34.8	21.0	-	-	-	Black	TBA	4.44
18943NXK	LT	37X12.50R17		128	Q	F	80	3,970	-	10.0	8.5-11.0	12.5	36.8	21.0	-	-	-	Black	TBA	4.44
16263NXK	LT	33X12.50R18		122	Q	F	80	3,305	-	10.0	8.5-11.0	12.5	32.8	21.0	-	-	-	Black	TBA	
16264NXK	LT	35X12.50R18		128	Q	F	80	3,970	-	10.0	8.5-11.0	12.5	34.8	21.0	-	-	-	Black	TBA	4.44
16265NXK	LT	33X12.50R20		119	Q	F	80	3,000	-	10.0	8.5-11.0	12.5	32.8	21.0	-	-	-	Black	TBA	
16266NXK	LT	35X12.50R20		125	Q	F	80	3,640	-	10.0	8.5-11.0	12.5	34.8	21.0	-	-	-	Black	TBA	1.32
16267NXK	LT	37X12.50R20		128	Q	F	80	3,970	-	10.0	8.5-11.0	12.5	36.8	21.0	-	-	-	Black	TBA	4.44
16401NXK	LT	37X13.50R20		128	Q	F	80	3,970	-	11.0	8.5-11.0	13.6	36.8	21.0	-	-	-	Black	TBA	4.44
16268NXK	LT	33X12.50R22		114	Q	F	80	2,600	-	10.0	8.5-11.0	12.5	32.8	19.0	-	-	-	Black	TBA	
16269NXK	LT	35X12.50R22		121	Q	F	80	3,195	-	10.0	8.5-11.0	12.5	34.8	21.0	-	-	-	Black	TBA	
16270NXK	LT	37X13.50R22		128	Q	F	80	3,970	-	11.0	8.5-11.0	13.6	36.8	21.0	-	-	-	Black	TBA	4.44

Technical data can be changed without further notice.

ROADIAN MTX APPROVED FOR:

DUAL SIDEWALL OPTIONS

ROADIAN MT

TOTAL COVERAGE WARRANTY

MUD TERRAIN

The Roadian MT incorporates a zig-zag shoulder block design to provide outstanding traction for off-road and wet conditions, and a deep-groove design, which offers enhanced traction in deep mud and gravel. The shoulder-protector design maximizes load and durability, while optimized wide grooves provide excellent water drainage and anti-hydroplaning performance.

TREAD WEAR WARRANTY **N/A**

ROAD HAZARD WARRANTY **N/A**

ROADSIDE ASSISTANCE **36 MONTHS**

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MAP
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.		
10667NXK	LT	235/75R15		104/101	Q	C	50	1,985	1,820	6.5	6.0-7.0	9.3	28.9	17.0	-	-	-	White	TBA
10674NXK	LT	31X10.50R15		109	Q	C	50	2,270	-	8.5	7.0-9.0	10.6	30.5	18.0	-	-	-	White	TBA

Technical data can be changed without further notice.

PERFORMANCE RATINGS

BRAKING	COMFORT	FUEL EFFICIENCY	OFF ROAD	WEAR LIFE
8	6	6	10	6

ROADIAN CT8 HL

TOTAL COVERAGE WARRANTY
NEXEN TIRE

COMMERCIAL VAN/LT

The Roadian CT8 HL delivers heavy-duty performance for commercial vehicles, and it is the original equipment tire of Ram ProMaster.

TREAD WEAR WARRANTY
N/A

ROAD HAZARD WARRANTY
N/A

ROADSIDE ASSISTANCE
36 MONTHS

FREE TRIAL
45 DAYS OR 500 MILES

OE FITMENT ON RAM

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MAP	FET	OE
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.				
15237NXK		185/60R15C		94/92	T	C	54	1,477	1,389	5.5	5.5-6.0	7.4	23.7	13.0	-	-	-	Black	TBA		
15419NXK		195/75R16C		107/105	R	D	69	2,149	2,039	5.5	5.0-6.0	7.7	27.5	13.0	-	-	-	Black	TBA		
15386NXK		225/75R16C		121/120	R	E	83	3,195	3,085	6.0	6.0-7.0	8.8	29.3	15.0	-	-	-	Black	TBA		Ram
15241NXK		235/65R16C		121/119	R	E	83	3,197	2,998	7.0	6.5-7.5	9.4	28.0	13.0	-	-	-	Black	TBA		
15409NXK	LT	215/85R16		115/112	R	E	80	2,680	2,470	6.0	5.5-7.0	8.5	30.4	15.0	-	-	-	Black	TBA		
13427NXK	LT	225/75R16		115/112	R	E	80	2,680	2,470	6.0	6.0-7.0	8.8	29.3	15.0	-	-	-	Black	TBA		Ram
15410NXK	LT	235/85R16		120/116	R	E	80	3,042	2,778	6.5	6.0-7.5	9.3	31.7	15.0	-	-	-	Black	TBA		
15411NXK	LT	245/75R16		120/116	S	E	80	3,042	2,778	7.0	6.5-7.5	9.8	30.5	15.0	-	-	-	Black	TBA		
15412NXK	LT	265/75R16		123/120	R	E	80	3,415	3,085	7.5	7.0-8.0	10.5	31.7	15.0	-	-	-	Black	TBA		
15413NXK	LT	235/80R17		120/117	R	E	80	3,085	2,835	6.5	6.0-7.5	9.3	31.8	15.0	-	-	-	Black	TBA		
15414NXK	LT	245/70R17		119/116	R	E	80	3,000	2,755	7.0	6.5-8.0	9.8	30.6	15.0	-	-	-	Black	TBA		
15415NXK	LT	245/75R17		121/118	S	E	80	3,195	2,910	7.0	6.5-7.5	9.8	31.5	15.0	-	-	-	Black	TBA		
15416NXK	LT	265/70R17		121/118	R	E	80	3,195	2,910	8.0	7.0-8.5	10.7	31.7	15.0	-	-	-	Black	TBA		
15418NXK	LT	275/70R18		125/122	R	E	80	3,640	3,305	8.0	7.0-8.5	11.0	33.2	15.0	-	-	-	Black	TBA	1.32	

Technical data can be changed without further notice.
For more detailed OE application information, please refer to "Original Equipment 2024" page.

PERFORMANCE RATINGS

BRAKING 7
COMFORT 7
FUEL EFFICIENCY 6
OFF ROAD 7
WEAR LIFE 8

ROADIAN CT8

TOTAL COVERAGE WARRANTY
NEXEN TIRE

COMMERCIAL VAN/LT

The Roadian CT8 maintains optimal rigidity balance by including a half-depth transverse groove in the center block. Also, square-shaped dimples in the tread prevent stress, resulting in improved durability and tread life.

TREAD WEAR WARRANTY
N/A

ROAD HAZARD WARRANTY
N/A

ROADSIDE ASSISTANCE
36 MONTHS

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MAP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
14502NXK		185R14C		102/100	T	D	65	1,874	1,764	5.0	5.0-6.0	7.4	25.6	10.5	-	-	-	Black	TBA

Technical data can be changed without further notice.

NEXEN TIRE | AC MILAN PARTNER

TIRE PARTNER SINCE 2021

PERFORMANCE RATINGS

BRAKING 7
COMFORT 7
FUEL EFFICIENCY 6
OFF ROAD 7
WEAR LIFE 8

WINGUARD Sport 2

TOTAL COVERAGE WARRANTY
NEXEN TIRE

PERFORMANCE STUDLESS WINTER

The Winguard Sport 2 raises winter driving and high-grip performance to the next level. Its high-density multi-sipe elevates grip for braking on icy and snowy roads, simultaneously increasing longevity. Snowy or dry traction and cornering are improved with the directional tread. Large, wide grooves effectively drain water for anti-hydroplaning performance.

TREAD WEAR WARRANTY
N/A

ROAD HAZARD WARRANTY
N/A

ROADSIDE ASSISTANCE
36 MONTHS

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MAP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
16301NXK		195/65R15		91	H	4	51	1,356	-	6.0	5.5-7.0	7.9	25.0	10.5	-	-	-	Black	TBA
16302NXK		205/55R16		91	H	4	51	1,356	-	6.5	5.5-7.5	8.4	24.9	10.5	-	-	-	Black	TBA
10394NXK		205/65R16		95	H	4	51	1,521	-	6.0	5.5-7.5	8.2	26.5	10.5	-	-	-	Black	TBA
16648NXK		215/55R16	XL	97	V	4	50	1,609	-	7.0	6.0-7.5	8.9	25.3	10.5	-	-	-	Black	TBA
15914NXK		215/65R16		98	H	4	51	1,653	-	6.5	6.0-7.5	8.7	27.0	10.5	-	-	-	Black	TBA
17742NXK		225/60R16	XL	102	V	4	50	1,874	-	6.5	6.0-8.0	9.0	26.6	10.5	-	-	-	Black	TBA
15440NXK		205/40R17	XL	84	V	4	50	1,102	-	7.5	7.0-8.0	8.3	23.5	10.5	-	-	-	Black	TBA
15447NXK		205/45R17	XL	88	V	4	50	1,235	-	7.0	6.5-7.5	8.1	24.3	10.5	-	-	-	Black	TBA
15481NXK		205/50R17	XL	93	V	4	50	1,433	-	6.5	5.5-7.5	8.4	25.1	10.5	-	-	-	Black	TBA
17739NXK		205/55R17	XL	95	V	4	50	1,521	-	6.5	5.5-7.5	8.4	25.9	10.5	-	-	-	Black	TBA
15441NXK		215/40R17	XL	87	V	4	50	1,201	-	7.5	7.0-8.5	8.6	23.8	10.5	-	-	-	Black	TBA
15448NXK		215/45R17	XL	91	V	4	50	1,356	-	7.0	7.0-8.0	8.4	24.6	10.5	-	-	-	Black	TBA
15482NXK		215/50R17	XL	95	V	4	50	1,521	-	7.0	6.0-7.5	8.9	25.5	10.5	-	-	-	Black	TBA
15487NXK		215/55R17	XL	98	V	4	50	1,653	-	7.0	6.0-7.5	8.9	26.3	10.5	-	-	-	Black	TBA
15903NXK		215/60R17		96	H	4	51	1,565	-	6.5	6.0-7.5	8.7	27.2	10.5	-	-	-	Black	TBA
15450NXK		225/45R17	XL	94	V	4	50	1,477	-	7.5	7.0-8.5	8.9	25.0	10.5	-	-	-	Black	TBA
15483NXK		225/50R17	XL	98	V	4	50	1,653	-	7.0	6.0-8.0	9.2	25.9	10.5	-	-	-	Black	TBA
15488NXK		225/55R17	XL	101	V	4	50	1,819	-	7.0	6.0-8.0	9.2	26.8	10.5	-	-	-	Black	TBA
15905NXK		225/60R17	XL	103	H	4	50	1,929	-	6.5	6.0-8.0	9.0	27.6	10.5	-	-	-	Black	TBA
15917NXK		225/65R17		102	H	4	51	1,874	-	6.5	6.0-8.0	9.0	28.5	10.5	-	-	-	Black	TBA

CONTINUED ON NEXT PAGE...

PERFORMANCE RATINGS

SNOW TRACTION 7

ICE TRACTION 6

DRY HANDLING 8

WET HANDLING 9

ROLLING RESISTANCE 6

COMFORT 6

WINGUARD Sport 2

CONTINUED FROM PREVIOUS PAGE

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MAP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
15476NXK		235/45R17	XL	97	V	4	50	1,609	-	8.0	7.5-9.0	9.3	25.4	10.5	-	-	-	Black	TBA
15490NXK		235/55R17	XL	103	V	4	50	1,929	-	7.5	6.5-8.5	9.6	27.2	10.5	-	-	-	Black	TBA
15908NXK		235/60R17	XL	106	H	4	50	2,094	-	7.0	6.5-8.5	9.4	28.1	10.5	-	-	-	Black	TBA
15856NXK		235/65R17	XL	108	V	4	50	2,205	-	7.0	6.5-8.5	9.4	29.1	10.5	-	-	-	Black	TBA
15479NXK		245/45R17	XL	99	V	4	50	1,709	-	8.0	7.5-9.0	9.6	25.7	10.5	-	-	-	Black	TBA
15919NXK		245/65R17		107	H	4	51	2,149	-	7.0	7.0-8.5	9.8	29.5	10.5	-	-	-	Black	TBA
15920NXK		265/65R17		112	H	4	51	2,469	-	8.0	7.5-9.5	10.7	30.6	10.5	-	-	-	Black	TBA
16016NXK		215/40R18	XL	89	V	4	50	1,279	-	7.5	7.0-8.5	8.6	24.8	10.5	-	-	-	Black	TBA
16649NXK		215/45R18	XL	93	W	4	50	1,433	-	7.0	7.0-8.0	8.4	25.6	10.5	-	-	-	Black	TBA
11536NXK		215/55R18	XL	99	V	4	50	1,709	-	7.0	6.0-7.5	8.9	27.3	10.5	-	-	-	Black	TBA
15442NXK		225/40R18	XL	92	V	4	50	1,389	-	8.0	7.5-9.0	9.1	25.1	10.5	-	-	-	Black	TBA
15475NXK		225/45R18	XL	95	V	4	50	1,521	-	7.5	7.0-8.5	8.9	25.9	10.5	-	-	-	Black	TBA
15484NXK		225/50R18	XL	99	H	4	50	1,709	-	7.0	6.0-8.0	9.2	26.9	10.5	-	-	-	Black	TBA
15901NXK		225/55R18	XL	102	V	4	50	1,874	-	7.0	6.0-8.0	9.2	27.8	10.5	-	-	-	Black	TBA
15910NXK		225/60R18	XL	104	V	4	50	1,984	-	6.5	6.0-8.0	9.0	28.6	10.5	-	-	-	Black	TBA
15443NXK		235/40R18	XL	95	W	4	50	1,521	-	8.5	8.0-9.5	9.5	25.4	10.5	-	-	-	Black	TBA
15477NXK		235/45R18	XL	98	V	4	50	1,653	-	8.0	7.5-9.0	9.3	26.3	10.5	-	-	-	Black	TBA
16024NXK		235/50R18	XL	101	V	4	50	1,819	-	7.5	6.5-8.5	9.6	27.3	10.5	-	-	-	Black	TBA
15902NXK		235/55R18	XL	104	H	4	50	1,984	-	7.5	6.5-8.5	9.6	28.1	10.5	-	-	-	Black	TBA
15911NXK		235/60R18	XL	107	H	4	50	2,149	-	7.0	6.5-8.5	9.4	29.1	10.5	-	-	-	Black	TBA
15445NXK		245/40R18	XL	97	W	4	50	1,609	-	8.5	8.0-9.5	9.8	25.7	10.5	-	-	-	Black	TBA
15480NXK		245/45R18	XL	100	V	4	50	1,764	-	8.0	7.5-9.0	9.6	26.7	10.5	-	-	-	Black	TBA
15485NXK		245/50R18	XL	104	V	4	50	1,984	-	7.5	7.0-8.5	10.0	27.7	10.5	-	-	-	Black	TBA
10390NXK		245/60R18		105	H	4	51	2,039	-	7.0	7.0-8.5	9.8	29.6	10.5	-	-	-	Black	TBA
16015NXK		255/35R18	XL	94	V	4	50	1,477	-	9.0	8.5-10.0	10.2	25.0	10.5	-	-	-	Black	TBA
15446NXK		255/40R18	XL	99	V	4	50	1,709	-	9.0	8.5-10.0	10.2	26.0	10.5	-	-	-	Black	TBA
16022NXK		255/45R18	XL	103	V	4	50	1,929	-	8.5	8.0-9.5	10.0	27.0	10.5	-	-	-	Black	TBA
15854NXK		255/55R18	XL	109	V	4	50	2,271	-	8.0	7.0-9.0	10.4	29.0	10.5	-	-	-	Black	TBA
15913NXK		255/60R18	XL	112	H	4	50	2,469	-	7.5	7.0-9.0	10.2	30.0	10.5	-	-	-	Black	TBA
18100NXK		265/60R18	XL	114	H	4	50	2,601	-	8.0	7.5-9.5	10.7	30.5	10.0	-	-	-	Black	TBA
17730NXK		275/40R18	XL	103	V	4	50	1,929	-	9.5	9.0-11.0	10.9	26.7	10.5	-	-	-	Black	TBA
17736NXK		275/45R18	XL	107	V	4	50	2,149	-	9.0	8.5-10.5	10.7	27.8	10.5	-	-	-	Black	TBA
17738NXK		225/40R19	XL	93	V	4	50	1,433	-	8.0	7.5-9.0	9.1	26.1	10.5	-	-	-	Black	TBA
11456NXK		225/45R19	XL	96	V	4	50	1,565	-	7.5	7.0-8.5	8.9	27.0	10.5	-	-	-	Black	TBA
14893NXK	NEW	225/55R19		99	H	4	51	1,709	-	7.0	6.0-8.0	9.2	28.8	10.5	-	-	-	Black	TBA
15438NXK		235/35R19	XL	91	W	4	50	1,356	-	8.5	8.0-9.5	9.5	25.5	10.5	-	-	-	Black	TBA
15478NXK		235/45R19	XL	99	V	4	50	1,709	-	8.0	7.5-9.0	9.3	27.4	10.5	-	-	-	Black	TBA
14901NX	NEW	235/50R19		99	V	4	51	1,709	-	7.5	6.5-8.5	9.6	28.3	10.5	-	-	-	Black	TBA
16025NXK		235/55R19	XL	105	V	4	50	2,039	-	7.5	6.5-8.5	9.6	29.2	10.5	-	-	-	Black	TBA
17588NXK		245/35R19	XL	93	W	4	50	1,433	-	8.5	8.0-9.5	9.8	25.8	10.0	-	-	-	Black	TBA
16018NXK		245/40R19	XL	98	V	4	50	1,653	-	8.5	8.0-9.5	9.8	26.7	10.5	-	-	-	Black	TBA
16023NXK		245/45R19	XL	102	V	4	50	1,874	-	8.0	7.5-9.0	9.6	27.7	10.5	-	-	-	Black	TBA
15439NXK		255/35R19	XL	96	V	4	50	1,565	-	9.0	8.5-10.0	10.2	26.0	10.5	-	-	-	Black	TBA
16019NXK		255/40R19	XL	100	V	4	50	1,764	-	9.0	8.5-10.0	10.2	27.0	10.5	-	-	-	Black	TBA
17735NXK		255/45R19	XL	104	V	4	50	1,984	-	8.5	8.0-9.5	10.0	28.1	10.5	-	-	-	Black	TBA
15900NXK		255/50R19	XL	107	V	4	50	2,149	-	8.0	7.0-9.0	10.4	29.1	10.5	-	-	-	Black	TBA
17592NXK		265/35R19	XL	98	W	4	50	1,653	-	9.5	9.0-10.5	10.7	26.3	10.0	-	-	-	Black	TBA
16650NXK		275/35R19	XL	100	W	4	50	1,764	-	9.5	9.0-11.0	10.9	26.6	10.5	-	-	-	Black	TBA
16020NXK		275/40R19	XL	105	V	4	50	2,039	-	9.5	9.0-11.0	10.9	27.7	10.5	-	-	-	Black	TBA

WINGUARD Sport 2

CONTINUED FROM PREVIOUS PAGE

	Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MAP
									S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
NEW	14896NXK		245/35R20		91	W	4	51	1,356	-	8.5	8.0-9.5	9.8	26.8	10.5	-	-	-	Black	TBA
	18067NXK		245/40R20	XL	99	W	4	50	1,709	-	8.5	8.0-9.5	9.8	27.7	10.5	-	-	-	Black	TBA
	17737NXK		245/45R20	XL	103	V	4	50	1,929	-	8.0	7.5-9.0	9.6	28.7	10.5	-	-	-	Black	TBA
	18103NXK		245/50R20		102	V	4	51	1,874	-	7.5	7.0-8.5	10.0	29.7	10.0	-	-	-	Black	TBA
	10392NXK		255/45R20	XL	105	V	4	50	2,039	-	8.5	8.0-9.5	10.0	29.1	10.5	-	-	-	Black	TBA
	18102NXK		255/50R20	XL	109	V	4	50	2,271	-	8.0	7.0-9.0	10.4	30.1	10.0	-	-	-	Black	TBA
	17733NXK		265/35R20	XL	99	V	4	50	1,709	-	9.5	9.0-10.5	10.7	27.3	10.0	-	-	-	Black	TBA
NEW	14861NX		275/30R20		93	W	4	51	1,433	-	9.5	9.0-10.0	10.9	26.5	10.0	-	-	-	Black	TBA
	17593NXK		275/35R20	XL	102	W	4	50	1,874	-	9.5	9.0-11.0	10.9	27.6	10.0	-	-	-	Black	TBA
	16021NXK		275/40R20	XL	106	W	4	50	2,094	-	9.5	9.0-11.0	10.9	28.7	10.5	-	-	-	Black	TBA
	18104NXK		275/45R20	XL	110	V	4	50	2,337	-	9.0	8.5-10.5	10.7	29.8	10.0	-	-	-	Black	TBA

Technical data can be changed without further notice.

WINGUARD winSpike 3

TOTAL COVERAGE WARRANTY
NEXEN TIRE

STUDDABLE WINTER

The Winguard Winspike 3 tires are molded to allow for stud installation that provides better traction on ice and snow. It was developed for the drivers of sedans, crossovers, and SUVs looking for sure-footed performance and traditional wintertime traction on dry, wet, and snow-covered roads.

TREAD WEAR WARRANTY
N/A

ROAD HAZARD WARRANTY
N/A

ROADSIDE ASSISTANCE
36 MONTHS

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MAP	FET
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.			
18398NXK		175/70R13		82	T	4	51	1,047	-	5.0	4.5-6.0	7.0	22.7	11.0	-	-	-	Black	TBA	
18402NXK		175/65R14	XL	86	T	4	50	1,168	-	5.0	5.0-6.0	7.0	23.0	11.0	-	-	-	Black	TBA	
18399NXK		175/70R14		84	T	4	51	1,102	-	5.0	4.5-6.0	7.0	23.7	11.0	-	-	-	Black	TBA	
18410NXK		185/60R14		82	T	4	51	1,047	-	5.5	5.0-6.5	7.4	22.8	11.0	-	-	-	Black	TBA	
18404NXK		185/65R14	XL	90	T	4	50	1,323	-	5.5	5.0-6.5	7.4	23.5	11.0	-	-	-	Black	TBA	
18414NXK		185/70R14	XL	92	T	4	50	1,389	-	5.5	4.5-6.0	7.4	24.3	11.0	-	-	-	Black	TBA	
18412NXK		195/70R14		91	T	4	51	1,356	-	6.0	5.0-6.5	7.9	24.8	11.0	-	-	-	Black	TBA	
18400NXK		175/65R15	XL	88	T	4	50	1,235	-	5.0	5.0-6.0	7.0	24.0	11.0	-	-	-	Black	TBA	
18401NXK		185/55R15	XL	86	T	4	50	1,168	-	6.0	5.0-6.5	7.6	23.0	11.0	-	-	-	Black	TBA	
18409NXK		185/60R15	XL	88	T	4	50	1,235	-	5.5	5.0-6.5	7.4	23.7	11.0	-	-	-	Black	TBA	
17630NXK		185/65R15	XL	92	T	4	50	1,389	-	5.5	5.0-6.5	7.4	24.4	11.0	-	-	-	Black	TBA	
18406NXK		195/55R15	XL	89	T	4	50	1,279	-	6.0	5.5-7.0	7.9	23.4	11.0	-	-	-	Black	TBA	
18397NXK		195/60R15	XL	92	T	4	50	1,389	-	6.0	5.5-7.0	7.9	24.2	11.0	-	-	-	Black	TBA	
17629NXK		195/65R15	XL	95	T	4	50	1,521	-	6.0	5.5-7.0	7.9	25.0	11.0	-	-	-	Black	TBA	
18411NXK		205/65R15	XL	99	T	4	50	1,709	-	6.0	5.5-7.5	8.2	25.5	11.0	-	-	-	Black	TBA	
17633NXK		205/70R15		96	T	4	51	1,565	-	6.0	5.0-7.0	8.2	26.3	11.0	-	-	-	Black	TBA	
18474NXK		215/70R15		98	T	4	51	1,653	-	6.5	5.5-7.0	8.7	26.9	11.0	-	-	-	Black	TBA	
10896NXK		235/75R15	XL	109	T	4	50	2,271	-	6.5	6.0-8.0	9.3	28.9	11.0	-	-	-	Black	TBA	

CONTINUED ON NEXT PAGE...

PERFORMANCE RATINGS

SNOW TRACTION **9**

ICE TRACTION **10**

DRY HANDLING **7**

WET HANDLING **7**

ROLLING RESISTANCE **6**

COMFORT **7**

WINGUARD winSpike3

CONTINUED FROM PREVIOUS PAGE

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MAP	FET
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.			
17637NXK		195/55R16	XL	91	T	4	50	1,356	-	6.0	5.5-7.0	7.9	24.4	11.0	-	-	-	Black	TBA	
17628NXK		205/55R16	XL	94	T	4	50	1,477	-	6.5	5.5-7.5	8.4	24.9	11.0	-	-	-	Black	TBA	
17634NXK		205/60R16	XL	96	T	4	50	1,565	-	6.0	5.5-7.5	8.2	25.7	11.0	-	-	-	Black	TBA	
17631NXK		205/65R16		95	T	4	51	1,521	-	6.0	5.5-7.5	8.2	26.5	11.0	-	-	-	Black	TBA	
18413NXK		215/55R16	XL	97	T	4	50	1,609	-	7.0	6.0-7.5	8.9	25.3	11.0	-	-	-	Black	TBA	
17636NXK		215/60R16	XL	99	T	4	50	1,709	-	6.5	6.0-7.5	8.7	26.1	11.0	-	-	-	Black	TBA	
18432NXK		215/65R16	XL	102	T	4	50	1,874	-	6.5	6.0-7.5	8.7	27.0	11.0	-	-	-	Black	TBA	
11248NXK		215/70R16		100	T	4	51	1,764	-	6.5	5.5-7.0	8.7	27.9	11.0	-	-	-	Black	TBA	
11116NXK		225/60R16		98	T	4	51	1,653	-	6.5	6.0-8.0	9.0	26.6	11.0	-	-	-	Black	TBA	
11184NXK		225/70R16	XL	107	T	4	50	2,149	-	6.5	6.0-7.5	9.0	28.4	11.0	-	-	-	Black	TBA	
10668NXK		235/70R16		106	T	4	51	2,094	-	7.0	6.0-8.0	9.4	29.0	11.0	-	-	-	Black	TBA	
11245NXK		245/70R16		107	T	4	51	2,149	-	7.0	6.5-8.0	9.8	29.5	11.0	-	-	-	Black	TBA	
10870NXK		245/75R16		111	T	4	51	2,403	-	7.0	6.5-8.0	9.8	30.5	11.0	-	-	-	Black	TBA	
10799NXK		265/70R16		112	T	4	51	2,469	-	8.0	7.0-9.0	10.7	30.6	11.0	-	-	-	Black	TBA	
10794NXK		265/75R16		116	T	4	51	2,756	-	7.5	7.0-9.0	10.5	31.7	11.0	-	-	-	Black	TBA	
18422NXK		205/50R17	XL	93	T	4	50	1,433	-	6.5	5.5-7.5	8.4	25.1	11.0	-	-	-	Black	TBA	
18423NXK		215/45R17	XL	91	T	4	50	1,356	-	7.0	7.0-8.0	8.4	24.6	11.0	-	-	-	Black	TBA	
18417NXK		215/50R17	XL	95	T	4	50	1,521	-	7.0	6.0-7.5	8.9	25.5	11.0	-	-	-	Black	TBA	
17632NXK		215/55R17	XL	98	T	4	50	1,653	-	7.0	6.0-7.5	8.9	26.3	11.0	-	-	-	Black	TBA	
18421NXK		215/60R17	XL	100	T	4	50	1,764	-	6.5	6.0-7.5	8.7	27.2	11.0	-	-	-	Black	TBA	
11013NXK		215/65R17		99	T	4	51	1,709	-	6.5	6.0-7.5	8.7	28.0	11.0	-	-	-	Black	TBA	
18425NXK		225/45R17		91	T	4	51	1,356	-	7.5	7.0-8.5	8.9	25.0	11.0	-	-	-	Black	TBA	
17635NXK		225/50R17	XL	98	T	4	50	1,653	-	7.0	6.0-8.0	9.2	25.9	11.0	-	-	-	Black	TBA	
18420NXK		225/55R17	XL	101	T	4	50	1,819	-	7.0	6.0-8.0	9.2	26.8	11.0	-	-	-	Black	TBA	
10910NXK		225/60R17		99	T	4	51	1,709	-	6.5	6.0-8.0	9.0	27.6	11.0	-	-	-	Black	TBA	
10826NXK		225/65R17		102	T	4	51	1,874	-	6.5	6.0-8.0	9.0	28.5	11.0	-	-	-	Black	TBA	
18424NXK		235/45R17	XL	97	T	4	50	1,609	-	8.0	7.5-9.0	9.3	25.4	11.0	-	-	-	Black	TBA	
18431NXK		235/55R17	XL	103	T	4	50	1,929	-	7.5	6.5-8.5	9.6	27.2	11.0	-	-	-	Black	TBA	
11229NXK		235/60R17		102	T	4	51	1,874	-	7.0	6.5-8.5	9.4	28.1	11.0	-	-	-	Black	TBA	
10886NXK		235/65R17		104	T	4	51	1,984	-	7.0	6.5-8.5	9.4	29.1	11.0	-	-	-	Black	TBA	
18426NXK		245/45R17	XL	99	T	4	50	1,709	-	8.0	7.5-9.0	9.6	25.7	11.0	-	-	-	Black	TBA	
10914NXK		245/65R17		107	T	4	51	2,149	-	7.0	7.0-8.5	9.8	29.5	11.0	-	-	-	Black	TBA	
10919NXK		245/70R17		110	T	4	51	2,337	-	7.0	6.5-8.0	9.8	30.6	11.0	-	-	-	Black	TBA	
11183NXK		265/65R17	XL	116	T	4	50	2,756	-	8.0	7.5-9.5	10.7	30.6	11.0	-	-	-	Black	TBA	
10905NXK		265/70R17		115	T	4	51	2,679	-	8.0	7.0-9.0	10.7	31.7	11.0	-	-	-	Black	TBA	
11606NXK		215/55R18		95	T	4	51	1,521	-	7.0	6.0-7.5	8.9	27.3	11.0	-	-	-	Black	TBA	
18427NXK		225/40R18	XL	92	T	4	50	1,389	-	8.0	7.5-9.0	9.1	25.1	11.0	-	-	-	Black	TBA	
18429NXK		225/45R18	XL	95	T	4	50	1,521	-	7.5	7.0-8.5	8.9	25.9	11.0	-	-	-	Black	TBA	
11241NXK		225/50R18	XL	99	T	4	50	1,709	-	7.0	6.0-8.0	9.2	26.9	11.0	-	-	-	Black	TBA	
10888NXK		225/55R18		98	T	4	51	1,653	-	7.0	6.0-8.0	9.2	27.8	11.0	-	-	-	Black	TBA	
11061NXK		225/60R18	XL	104	T	4	50	1,984	-	6.5	6.0-8.0	9.0	28.6	11.0	-	-	-	Black	TBA	
18419NXK		235/40R18	XL	95	T	4	50	1,521	-	8.5	8.0-9.5	9.5	25.4	11.0	-	-	-	Black	TBA	
18418NXK		235/45R18	XL	98	T	4	50	1,653	-	8.0	7.5-9.0	9.3	26.3	11.0	-	-	-	Black	TBA	
18415NXK		235/50R18	XL	101	T	4	50	1,819	-	7.5	6.5-8.5	9.6	27.3	11.0	-	-	-	Black	TBA	
11012NXK		235/55R18		100	T	4	51	1,764	-	7.5	6.5-8.5	9.6	28.1	11.0	-	-	-	Black	TBA	
10688NXK		235/60R18	XL	107	T	4	50	2,149	-	7.0	6.5-8.5	9.4	29.1	11.0	-	-	-	Black	TBA	
10629NXK		235/65R18		106	T	4	51	2,094	-	7.0	6.5-8.5	9.4	30.0	11.0	-	-	-	Black	TBA	
18416NXK		245/40R18	XL	97	T	4	50	1,609	-	8.5	8.0-9.5	9.8	25.7	11.0	-	-	-	Black	TBA	
18430NXK		245/45R18	XL	100	T	4	50	1,764	-	8.0	7.5-9.0	9.6	26.7	11.0	-	-	-	Black	TBA	
18428NXK		245/50R18	XL	104	T	4	50	1,984	-	7.5	7.0-8.5	10.0	27.7	11.0	-	-	-	Black	TBA	
11095NXK		245/60R18		105	T	4	51	2,039	-	7.0	7.0-8.5	9.8	29.6	11.0	-	-	-	Black	TBA	
11285NXK		255/55R18	XL	109	T	4	50	2,271	-	8.0	7.0-9.0	10.4	29.0	11.0	-	-	-	Black	TBA	

CONTINUED ON NEXT PAGE...

WINGUARD winSpike3

CONTINUED FROM PREVIOUS PAGE

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MAP	FET
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.			
11242NXK		255/60R18	XL	112	T	4	50	2,469	-	7.5	7.0-9.0	10.2	30.0	11.0	-	-	-	Black	TBA	
10989NXK		255/65R18		111	T	4	51	2,403	-	7.5	7.0-9.0	10.2	31.1	11.0	-	-	-	Black	TBA	
11233NXK		265/60R18	XL	114	T	4	50	2,601	-	8.0	7.5-9.5	10.7	30.5	11.0	-	-	-	Black	TBA	
11011NXK		265/65R18		114	T	4	51	2,601	-	8.0	7.5-9.5	10.7	31.5	11.0	-	-	-	Black	TBA	
10670NXK		275/65R18		116	T	4	51	2,756	-	8.0	7.5-9.5	11.0	32.1	11.0	-	-	-	Black	TBA	
10796NXK		225/55R19	XL	103	T	4	50	1,929	-	7.0	6.0-8.0	9.2	28.8	11.0	-	-	-	Black	TBA	
11124NXK		235/40R19	XL	96	T	4	50	1,565	-	8.5	8.0-9.5	9.5	26.4	11.0	-	-	-	Black	TBA	
11071NXK		235/50R19	XL	103	T	4	50	1,929	-	7.5	6.5-8.5	9.6	28.3	11.0	-	-	-	Black	TBA	
10953NXK		235/55R19	XL	105	T	4	50	2,039	-	7.5	6.5-8.5	9.6	29.2	11.0	-	-	-	Black	TBA	
11243NXK		245/45R19	XL	102	T	4	50	1,874	-	8.0	7.5-9.0	9.6	27.7	11.0	-	-	-	Black	TBA	
11247NXK		245/50R19	XL	105	T	4	50	2,039	-	7.5	7.0-8.5	10.0	28.7	11.0	-	-	-	Black	TBA	
11096NXK		245/55R19		103	T	4	51	1,929	-	7.5	7.0-8.5	10.0	29.6	11.0	-	-	-	Black	TBA	
11244NXK		255/50R19	XL	107	T	4	50	2,149	-	8.0	7.0-9.0	10.4	29.1	11.0	-	-	-	Black	TBA	
11231NXK		255/55R19	XL	111	T	4	50	2,403	-	8.0	7.0-9.0	10.4	30.0	11.0	-	-	-	Black	TBA	
10828NXK		235/55R20		102	T	4	51	1,874	-	7.5	6.5-8.5	9.6	30.2	11.0	-	-	-	Black	TBA	
10894NXK		255/55R20	XL	110	T	4	50	2,337	-	8.0	7.0-9.0	10.4	31.0	11.0	-	-	-	Black	TBA	
11127NXK		265/50R20		107	T	4	51	2,149	-	8.5	7.5-9.5	10.9	30.5	11.0	-	-	-	Black	TBA	
11249NXK		275/45R20	XL	110	T	4	50	2,337	-	9.0	8.5-10.5	10.7	29.8	11.0	-	-	-	Black	TBA	
11234NXK		275/50R20	XL	113	T	4	50	2,535	-	8.5	7.5-9.5	11.2	30.9	11.0	-	-	-	Black	TBA	
10887NXK		275/55R20		113	T	4	51	2,535	-	8.5	7.5-9.5	11.2	31.9	11.0	-	-	-	Black	TBA	
10897NXK		275/60R20		115	T	4	51	2,679	-	8.0	7.5-9.5	11.0	33.0	11.0	-	-	-	Black	TBA	
11235NXK		285/50R20	XL	116	T	4	50	2,756	-	9.0	8.0-10.0	11.7	31.3	11.0	-	-	-	Black	TBA	
11062NXK		285/45R22	XL	114	T	4	50	2,601	-	9.5	9.0-10.5	11.2	32.1	11.0	-	-	-	Black	TBA	
10903NXK		185/60R15C		94/92	T	C	54	1,477	1,389	5.5	5.5-6.0	7.4	23.7	12.5	-	-	-	Black	TBA	
11014NXK		195/75R16C		107/105	R	D	69	2,149	2,039	5.5	5.0-6.0	7.7	27.5	12.5	-	-	-	Black	TBA	
10984NXK		225/75R16C		121/120	R	E	83	3,195	3,085	6.0	6.0-7.0	8.8	29.3	12.5	-	-	-	Black	TBA	
11089NXK		235/65R16C		121/119	R	E	83	3,197	2,998	7.0	6.5-7.5	9.4	28.0	12.5	-	-	-	Black	TBA	
18811NXK	LT	245/75R16		120/116	R	E	80	3,042	2,778	7.0	6.5-7.5	9.8	30.5	16.0	-	-	-	Black	TBA	
10904NXK	LT	265/75R16		123/120	R	E	80	3,415	3,085	7.5	7.0-8.0	10.5	31.7	16.0	-	-	-	Black	TBA	
10921NXK	LT	245/75R17		121/118	R	E	80	3,195	2,910	7.0	6.5-7.5	9.8	31.5	16.0	-	-	-	Black	TBA	
18810NXK	LT	265/70R17		121/118	R	E	80	3,195	2,910	8.0	7.0-8.5	10.7	31.7	16.0	-	-	-	Black	TBA	
10955NXK	LT	275/65R18		123/120	R	E	80	3,415	3,085	8.0	8.0-9.5	11.0	32.1	16.0	-	-	-	Black	TBA	
10900NXK	LT	275/70R18		125/122	R	E	80	3,640	3,305	8.0	7.0-8.5	11.0	33.2	16.0	-	-	-	Black	TBA	1.32
10987NXK	LT	275/65R20		126/123	R	E	80	3,750	3,415	8.0	7.5-9.5	11.0	34.1	16.0	-	-	-	Black	TBA	2.36

Technical data can be changed without further notice.
(P) Metric & C Type: T.S.M.I. #12
LT Type: T.S.M.I. #15

ORIGINAL EQUIPMENT 2024 PATTERNS

N'FERA SUR4G

DODGE

N'FERA Sport

PORSCHE

N'FERA AU7

N'FERA RU1

PORSCHE

N'PRIZ S

KIA

HYUNDAI

N'PRIZ AH8

RAM

HYUNDAI

KIA

ROADIAN GTX

KIA

HYUNDAI

MITSUBISHI MOTORS

N'PRIZ RH7

CHRYSLER

DODGE

Jeep

KIA

MITSUBISHI MOTORS

ROADIAN HTX 2

Jeep

ROADIAN ATX

Jeep

LT275/70R18

LT235/80R17

ROADIAN AT PRO RA8

RAM

275/55R20

LT235/80R17

ROADIAN HTX RH5

Jeep

RAM

ROADIAN CT8 HL

RAM

CP662

KIA

CP671

CHRYSLER

HYUNDAI

FIAT

KIA

N'BLUE EV

KIA

ORIGINAL EQUIPMENT 2024

Brand	Model	Model Year	Product	Product Code		Size	LI/SR		UTQG Wear
AUDI	A3	2024	N'FERA AU7	17577NXK		225/45R17	91	H	500 A A
CHRYSLER	All New 200	2015-2017	CP671	13683NXK		215/55R17	94	H	400 A A
	All New 200	2015-2017	CP671	13660NXK		235/45R18	94	H	400 A A
	All New 200	2015-2017	CP671	13680NXK		235/40R19	96	H	400 A A
	Pacifica	2016-2023	N'PRIZ RH7@	14376NXK		235/60R18	103	H	680 A A
DODGE	Challenger RT Scat Pack 1320	2020-2023	N'FERA SUR4G	17387NXK		275/40R20	102	Y	100 A A
	Durango	2019-2024	N'PRIZ RH7@	16469NXK	P	245/65R18	110	H	500 A A
	Journey	2019-2021	N'PRIZ RH7	16489NXK		225/65R17	102	H	540 A A
				16490NXK		225/55R19	99	H	440 A A
FIAT	500L	2013-2020	CP671	12525NXK		205/55R16	91	H	400 A A
				12526NXK		225/45R17	91	V	400 A A
	500X	2014-2019	CP671	13536NXK		215/55R17	94	V	400 A A
				13535NXK		215/60R17	96	T	400 A A
HYUNDAI	Elantra	2013-2016	CP671 H	12540NXK	P	205/55R16	89	H	400 A A
		2016-2020	N'PRIZ AH8	14386NXK		195/65R15	91	T	500 A A
		2012-2017	CP671 H	12842NXK	P	215/45R17	87	H	400 A A
		2016-2020	N'PRIZ AH8	14194NXK		205/55R16	91	H	560 A A
				14198NXK		225/45R17	91	W	500 A A
	Kona	2018-2022	N'PRIZ AH8	15605NXK		205/60R16	92	H	500 A A
		2021-2023	N'PRIZ S	17068NXK		215/55R17	94	V	560 A A
	Kona EV	2018-2023	N'PRIZ AH8	16383NXK		215/55R17	94	V	500 A A
	Tucson	2016-2021	N'PRIZ RH7	14179NXK		225/55R18	98	H	540 A A
		2021-2024	ROADIAN GTX	16581NXK		235/65R17	104	H	600 A A
	Veloster	2012-2017	CP671 H	12842NXK	P	215/45R17	87	H	400 A A
		2018-2020	N'PRIZ AH8	14749NXK		215/45R17	87	H	500 A A
				14708NXK		225/40R18	88	W	500 A A
	Venue	2020-2024	N'PRIZ AH8	16094NXK		205/55R17	91	H	500 A A
Jeep	Grand Cherokee	2019-2024	N'PRIZ RH7@	16469NXK	P	245/65R18	110	H	500 A A
	Wagoneer	2022-2024	ROADIAN HTX RH5	15278NXK		275/55R20	113	T	640 A A
	Wrangler	2024	ROADIAN HTX 2	11717NXK		245/75R17	112	S	700 A A
			ROADIAN ATX	11702NXK		245/75R17	112	S	560 A A
	Wrangler 4Xe	2024	ROADIAN HTX 2	11696NXK		255/60R20	113	T	700 A A
			ROADIAN ATX	11700NXK	LT	255/75R17	111/108	Q	-
	Gladiator	2024	ROADIAN HTX 2	11717NXK		245/75R17	112	S	700 A A
			ROADIAN ATX	11702NXK		245/75R17	112	S	560 A A
				11700NXK	LT	255/75R17	111/108	Q	-
	Gladiator 4Xe	2024	ROADIAN HTX 2	11696NXK		255/60R20	113	T	TBD A A
KIA	Carnival	2021-2024	ROADIAN GTX	17136NXK		235/65R17	104	H	600 A A
	Forte	2014-2016	CP671	12841NXK	P	195/65R15	89	T	440 A A
		2017-2019	N'PRIZ AH8	13466NXK		195/65R15	91	T	500 A A

CONTINUED ON NEXT PAGE...

* *Spare Tire*

CONTINUED FROM PREVIOUS PAGE

Brand	Model	Model Year	Product	Product Code	Size		LI/SR		UTQG Wear
KIA	Forte	2014-2018	CP671 H	12842NXK	P	215/45R17	87	H	400 A A
		2014-2018	CP671	16960NXK	P	225/40R18	88	V	400 A A
	Niro	2023-2024	N'PRIZ S	17195NXK		205/60R16	92	H	560 A A
	Niro EV	2023-2024	N'PRIZ S	18382NXK		215/55R17	94	V	560 A A
	Optima	2011-2014	CP671	11449NXK	P	205/65R16	94	H	400 A A
		2016-2020	N'PRIZ AH8	13904NXK		205/65R16	95	H	440 A A
		2011-2015	CP671	12259NXK	P	215/55R17	93	V	400 A A
		2013-2015	CP662	12261NXK		225/45R18	95	V	440 A A
	Sorrento	2015-2020	N'PRIZ RH7	13423NXK		235/60R18	103	H	440 A A
	Sorrento HEV	2021-2024	ROADIAN GTX	16581NXK		235/65R17	104	H	600 A A
	Soul	2010-2013	CP662	11073NXK	P	195/65R15	89	S	440 A A
		2011-2013	CP662	11074NXK	P	205/55R16	89	H	440 A A
		2014-2018	CP671	13333NXK		205/60R16	92	H	400 A A
		2014-2018	CP671 H	13321NXK		235/45R18	94	V	400 A A
				13320NXK		215/55R17	94	V	400 A A
		2019-2024	N'PRIZ AH8	15605NXK		205/60R16	92	H	500 A A
		2019-2022	N'PRIZ S	17068NXK		215/55R17	94	V	560 A A
	Soul EV	2015-2020	N'BLUE EV	15705NXK		205/60R16	92	H	400 A A
	Sportage	2011-2013	CP671	11462NXK		215/70R16	100	H	460 A A
		2015-2021	N'PRIZ RH7	14179NXK		225/55R18	98	H	540 A A
		2021-2024	ROADIAN GTX	16581NXK		235/65R17	104	H	600 A A
MITSUBISHI MOTORS	Outlander Sport	2014-2024	N'PRIZ RH7	12817NXK	P	225/55R18	97	H	440 A A
	Outlander	2021-2024	ROADIAN GTX	16640NXK	P	255/45R20	101	W	600 A A
RAM	1500	2018-2024	ROADIAN HTX RH5	15278NXK		275/55R20	113	T	640 A A
	3500	2014-2024	ROADIAN HTX RH5	13353NXK	LT	235/80R17	120/117	R	-
		2014-2024	ROADIAN AT PRO RA8	13354NXK	LT	235/80R17	120/117	R	-
		2017-2024		14760NXK	LT	275/70R18	125/122	R	-
	ProMaster	2015-2024	ROADIAN CT8 HL	13427NXK	LT	225/75R16	115/112	R	-
		2017-2024	ROADIAN CT8 HL	15386NXK		225/75R16C	121/120	R	-
	ProMaster City	2017-2023	N'PRIZ AH8	14369NXK		215/55R16	97	H	440 A A
VW	Jetta	2019-2024	N'PRIZ AH8	15530NXK		205/55R17	91	H	500 A A
		2022-2023	N'FERA AU7	16643NXK		205/60R16	92	H	500 A A
		2022-2024	N'FERA AU7	16694NXK		205/55R17	91	H	500 A A
	Passat	2020-2022	N'FERA AU7	16313NXK		215/55R17	94	H	560 A A
	Atlas	2024	ROADIAN GTX	18071NXK		255/50R20	105	T	540 A A
PORSCHE	Cayenne	2023-2024	N'FERA Sport SUV	18119NXK		285/45R21	113	Y	300 AA A
				18122NXK		315/40R21	115	Y	300 AA A
	Macan	2017-2024	N'FERA RU1	15697NXK		235/55R19	101	Y	320 AA A
				15698NXK		255/50R19	103	Y	320 AA A
	Panamera	2021-2023	N'FERA Sport	16391NXK		265/45R19	105	Y	300 AA A
				16392NXK		295/40R19	108	Y	300 AA A
* Mercedes-Benz	GLE/GLS/GLC	2019-2024	402	16014NXC	T	155/80R19	114	M	-

Technical data can be changed without further notice.
** Spare Tire*

NEXEN TOTAL COVERAGE WARRANTY

1. ABOUT NEXEN TOTAL COVERAGE WARRANTY

This limited warranty only applies to the original purchaser of new replacement tires sold by NEXEN TIRE USA (as below NEXEN TIRE), and tires must have been used on the same vehicle that they were originally installed on.

This warranty applies to tires purchased after January 1, 2023. Tires purchased before January 1, 2023 are subject to the previous published warranty.

The NEXEN Total Coverage Warranty offers the consumer the following benefits:

- Coverage for Defects in Workmanship and Materials
- Mileage Tread Wear Limited Warranty*
- Road Hazard Replacement Program*
- Roadside Assistance – Flat Tire Change or Tow Service
- 45-day Satisfaction Guarantee Trial Warranty

*Most, but not all, NEXEN TIRE patterns come with a Mileage Tread Wear Warranty and/or Road Hazard Replacement. Check each pattern for coverage.

For purposes of this warranty, the term "usable tread life" will be determined as having at least 2/32″ (1.6mm) of tread remaining evenly across the tire. If less than 2/32″ (1.6mm) of tread remains at any point on the face of the tire, the tire will be considered past its usable tread life and subject to any and all conditions stated below.

Warranty program NOT APPLICABLE to other U.S. territories. (Guam, Northern Marianas Islands, American Samoa, Puerto Rico, and U.S. Virgin Islands.

2. WORKMANSHIP AND MATERIALS

All NEXEN tires are warranted against defects in workmanship and material and will be replaced 100% free of charge for the initial warranty period, which is the first 2/32″ (1.6mm) of original usable tread life, or within 12 months from the period of purchase, whichever comes first.

After the 100% replacement term expires and the tire is still within 72 months from date of manufacture, the amount of credit will be determined by the percentage of original tread depth remaining on the tire. Under all circumstances, the cost of mounting, balancing, and any other service charges, including applicable taxes, are required to be paid by the consumer.

3. MILEAGE TREAD WEAR LIMITED WARRANTY

Designated patterns manufactured by NEXEN TIRE are assigned a mileage warranty that protects the consumer against premature tread wear. If a tire reaches the end of its "usable tread life" before the stated mileage warranty, the consumer will be issued a replacement NEXEN tire on a pro-rated basis, which means the consumer will be responsible for a percentage of the replacement cost. In order to maintain the tread wear warranty, all tires must be rotated at least every 5,000–6,000 miles (8,000–10,000 km). Under all circumstances, the cost of mounting, balancing, and any other service charges, including applicable taxes, are required to be paid by the consumer.

4. WHAT IS NOT COVERED UNDER THIS LIMITED WARRANTY

This warranty does not cover tires damaged due to misuse, abuse, or accident such as:

- Ride complaints after the first 2/32″ of tread wear or replacement of three (3) or more tires from the same vehicle will not be accepted.
- Road hazard damage such as cuts, snags, punctures or tire repair, bruises, impact breaks, etc. (Check Road Hazard Replacement Program for patterns that are covered against this type of damage.)
- Premature or irregular wear (a measured tread difference of 2/32″ [1.6mm] or more across the tread on the same tire) due to vehicle mechanical deficiencies or failure to rotate the tires at recommended intervals.
- Tires on any vehicle registered and normally operated outside the United States.
- Damage from incorrect mounting or dismounting of the tire, incorrect application, water or other material trapped inside the tire during mounting, or failure to balance the tires.
- Damage from over/under inflation, overload, or defective vehicle mechanical conditions.
- Tires with a lower load index and/or speed rating than that of the OE tire.
- Racing, off-road use, and misapplication of tire to vehicle.
- Ozone or weather cracking on tires after 48 months from the date of manufacture.
- Minor cosmetic ozone or weather cracking.
- Any tires worn beyond the wear indicators (Less than 2/32″ remaining tread depth).
- Flat spotting caused by improper storage or brake lock.
- Accident, fire, chemical corrosion, tire alteration, willful abuse, or vandalism.
- Tires in which D.O.T. identification number and/ or barcode on bead and/or brand name removed intentionally.
- Loss of time or use, inconvenience, or any incidental or consequential damage.
- Original equipment tires on new vehicle. (See separate warranty, if applicable, in your vehicle's glove box.)
- Tires purchased as used.
- Tires that have been recapped, retreaded, or regrooved.
- Use of tire chains.
- Tires used on recreational vehicles (for camping and motor homes, etc.) or in commercial service (i.e., tires used for taxi service, delivery, ride-sharing vehicles, etc.).
- Tires stored improperly.

5. OTHER LIMITATIONS INCLUDE, BUT ARE NOT LIMITED, TO THE FOLLOWING:

- Failure to rotate tires as recommended voids the tread wear warranty.
- If tires are different sizes on front and rear of vehicle and therefore can't be rotated, the mileage warranty for the rear tires will be half of the stated mileage warranty.
- Winter tires must be used only in winter months, which are determined to be September 1st through April 30th of the following year. Documentation is required showing date of installation and removal to maintain tread wear warranty.

6. ROAD HAZARD REPLACEMENT PROGRAM

Most patterns sold by NEXEN TIRE are covered by a road hazard warranty that protects the consumer against non-repairable damage caused by puncture, snag, cut, bruise, or impact break. Typical road hazards are nails, glass, potholes, and other debris. Covered tires will be eligible for a free replacement for the first 3/32″ of original tread depth, or for a period of two years from the date of purchase, whichever comes first. If the D.O.T. identification number on the tire is greater than two years from the adjustment date, an invoice showing date of purchase is necessary. The cost of mounting, balancing, and any other service charges, including applicable taxes, are required to be paid by the consumer.

7. WHAT IS NOT COVERED UNDER ROAD HAZARD REPLACEMENT PROGRAM

- A tire that is damaged due to vandalism.
- A tire that is damaged due to an accident.
- A tire that is repairable under U.S. Tire Manufacturers Association (USTMA).
- A tire that has failed due to commercial use.
- A tire that is damaged or failed due to racing or off-road use.
- A tire that is damaged due to use of snow chains or studs.
- A tire that is damaged or failed due to irregular wear caused by mechanical issues.
- Original equipment tires on new vehicle.
- Tires transferred from the vehicle that they were originally installed on.

8. 45-DAY SATISFACTION GUARANTEE TRIAL WARRANTY

If you're not completely satisfied for any reason, other than the conditions that are listed in the "WHAT IS NOT COVERED" section with your eligible tires, simply return them with the proof of purchase to the dealer where they were purchased within 45 days or 500 miles, whichever comes first, for a new complete set of NEXEN brand replacements only.

Limitations and Requirements

- This trial warranty only applies to the original purchaser and is non-transferable.
- Any return of less than a full set of tires will not be accepted.
- Proof of purchase must be provided for both the original set and replacement set.
- Tires must be returned undamaged. Tires exhibiting misuse, road hazard, mounting damage, vehicle mechanical-related problems, repairs, improper inflation, vandalism, run flat, and/or any racing activity wear are excluded from this trial warranty.
- Original purchaser pays the amount due on a new replacement tire, less the amount of credit, including applicable taxes, mounting and balancing charges and/or the cost of other services ordered.
- Replacement tire must be installed on original purchase vehicle.
- Replacement must be done at original place of purchase.
- Only original purchase is covered by 45-day Satisfaction Guarantee Trial Warranty.
- Replacement set is not covered by 45-day Satisfaction Guarantee Trial Warranty.
- Tires measuring more than 1/32″ of tread wear from original tread depth are excluded from trial warranty.

9. CONSUMER'S OBLIGATION WHEN FILING CLAIM

To maintain Mileage Tread Wear Warranty and Road Hazard Replacement Program, the consumer is responsible for the following:

- Any claims must be presented to a participating authorized NEXEN TIRE dealer.
- Submit or present a copy of the original purchase receipt with documented automobile mileage at time of tire installation and of tire dismounting.
- Submit a tire rotation record showing that all tires have been rotated at least every 5,000–6,000 miles (8,000–10,000 km). Tire rotation record is not necessary for road hazard claims when tire is within 2/32″ difference of remaining tread depth as measured from shoulder to shoulder on the claim tire and compared to the remaining tread depth of the opposite front/rear or left/right tire.
- NEXEN TIRE Claim Adjustment forms are provided by the dealer. Keep a copy for your records and leave the tire with the dealer for warranty processing.

NEXEN TOTAL COVERAGE WARRANTY

Warranty Information by Pattern (for Replacement Tires Only)

Tire Pattern	Tread Wear Mileage Warranty	Road Hazard Replacement Warranty (First 3/32″ or 2 Years)	45-day Trial	36-Month Roadside Assistance Program
N'FERA SPORT R	N/A	N/A	N/A	YES
N'FERA SU1	25,000	YES	YES	YES
N'FERA AU7	50,000	YES	YES	YES
N'BLUE 4 Season 2	70,000	YES	YES	YES
N5000 Platinum	55,000 (W) 70,000 (H,V)	YES	YES	YES
N'PRIZ AH8	70,000	YES	YES	YES
CP672	70,000	N/A	N/A	YES
Aria AH7	80,000	YES	YES	YES
N'PRIZ AH5	50,000	YES	N/A	YES
SB-802	N/A	N/A	N/A	YES
Roadian HP	40,000	YES	N/A	YES
Roadian GTX	70,000	YES	YES	YES
Roadian HTX 2	70,000 (P) 50,000 (LT)	YES	YES	YES
Roadian HTX 2 (LT225/75R16 & 235/65R16C)	N/A	N/A	YES	YES
Roadian HTX RH5	65,000 (P) 40,000 (LT)	N/A	N/A	YES
Roadian ATX	65,000 (P) 60,000 (LT)	YES	YES	YES
Roadian AT Pro	50,000 (P) 40,000 (LT)	N/A	N/A	YES
Roadian MTX	N/A	N/A	YES	YES
Roadian MT	N/A	N/A	N/A	YES
Roadian CT8 HL	N/A	N/A	YES	YES
Roadian CT8	N/A	N/A	N/A	YES
Winguard Sport 2	N/A	N/A	N/A	YES
Winguard Winspike 3	N/A	N/A	N/A	YES

10. TIRES PURCHASED FROM UNAUTHORIZED DEALERS

IT IS IMPORTANT TO PURCHASE OUR TIRES FROM AUTHORIZED DEALERS ONLY.

Tires imported by NEXEN TIRE AMERICA INC. are suitable for the U.S. conditions, whereas tires not imported by NEXEN TIRE AMERICA INC. may meet an alternative specification that is less suitable for the U.S. conditions. In addition, unauthorized importers or dealers may provide tires that are several months or years older by the time they arrived in the U.S., or they may have been stored in improper or unfavorable conditions.

Taking them into consideration, in order to provide the best quality of our tires and services, we need to ensure that tires are purchased from an authorized dealer and imported by NEXEN TIRE AMERICA INC. Tires purchased from an unauthorized dealer or not imported by NEXEN TIRE AMERICA INC. ARE NOT COVERED by this warranty. If a tire purchased from an unauthorized dealer or not imported by NEXEN TIRE AMERICA INC. fails or is defective, all claims relating to that tire should be directed to the dealer or importer and not to NEXEN TIRE AMERICA INC.

Please note that sellers on Amazon.com, eBay.com, Craigslist, or similar online markets are not authorized dealers of NEXEN branded tires. When purchasing on these online markets, it is fully your responsibility as a customer to ensure that sellers are authorized by NEXEN TIRE AMERICA INC. The following businesses have been identified as unauthorized by NEXEN TIRE AMERICA INC. to sell NEXEN branded tires in the U.S. The list is subject to change/update.

- TGI (TIRE GROUP INTERNATIONAL)
- TIREMAX INTERNATIONAL
- PARTSMAX

If you are concerned about whether sellers are authorized by us, please contact us at 1-800-57-NEXEN (63936), and we can verify whether the seller is authorized or tires are imported by NEXEN TIRE AMERICA INC.

11. ROADSIDE ASSISTANCE

All patterns sold after January 1, 2023, by NEXEN TIRE in the United States and Canada are eligible for free 24/7/365 Roadside Assistance for a period of 36 months from the purchase date. Upon purchasing NEXEN tires, the consumer will have access to a toll-free phone number to call in case of a flat tire. A qualified professional will change your flat tire with your spare tire free of charge. If a working spare is not available, towing will be provided free of charge to the nearest NEXEN TIRE dealer or safe and secure location. Activation is required before Roadside Assistance service can be utilized.

NEXEN TIRE reserves the right to change the terms and conditions of all warranties at any time.

NEXEN TOTAL COVERAGE WARRANTY

12. TIRE CARE AND MAINTENANCE GUIDE

Tire failure can result in serious damage and/or personal injury. To reduce the risk of tire failure, we recommend the following:

- Maintain proper inflation pressure, and do not use at under-inflation or over-inflation. Pressure should be set at the level recommended by vehicle manufacturer.
- Wheel alignment and balancing should be checked at regular intervals.
- Do not overload. The maximum load-carrying capacity is molded on the sidewall of the tire.
- Do not spin your tires excessively, and avoid driving over curbs, potholes, obstacles, and edges of pavement.
- Never drive on smooth (bald) tires. By law, tires must be replaced when 2/32" of tread depth remains, as indicated by tread wear indicator molded in the tread grooves.
- Check your tires frequently for any scrapes, cuts, foreign objects, separations, or bulges. If damage is found, do not attempt to dismount the tire yourself. Change damaged tire with the spare, and contact your local authorized NEXEN TIRE dealer immediately.
- Do not drive in excess of speed limits allowed by law or the maximum speed justified by driving conditions.
- To achieve proper even wear and gain maximum tread life, tire rotation at regular intervals is required.

Please be advised that the extreme ultra high performance tire, N'Fera Sport R, although approved for street use, is targeted for track and competition driving.

- Driving on wet roads, heavy rain, or standing water with competition-oriented tires may cause hydroplaning and loss of control. Use extreme caution and drive slowly on wet roads.
- Competition-oriented tires should not be driven on snow or ice-covered roads. At temperatures below 40°F, tires may experience reduced traction. It is recommended that suitable all season or winter tires be installed at temperatures below 40°F.
- When exposed to temperatures below 20°F, tires may exhibit surface cracking. Never use tires that have cracked. Surface cracking due to cold temperatures is not a warrantable condition.
- Always store competition-oriented tires indoors at temperatures above 20°F. If tires have been subjected to temperatures below 20°F, they must be warmed to at least 50°F for 24 hours before using or installing. If using unheated storage, tires should be removed from the vehicle and deflated to half the normal air pressure. Before use, tires must be inspected for signs of cracking and returned to normal air pressure.

For more information or service regarding NEXEN TIRE, please contact your nearest authorized NEXEN TIRE dealer.

For more information, please call the toll-free technical support number: 1-800-57-NEXEN (63936) / 1-866-70-NEXEN (63936)

NEXEN warranty portal warranty assistance link: service.nexentireonline.com

(Please use this link for any customer warranty assistance needed)

MINIMUM ADVERTISED PRICING POLICY [MAP]

Nexen Tire America, Inc. Minimum Advertised Pricing Policy [MAP] [Effective January 1, 2022]

I. Nexen Tire America brand ("Nexen") is synonymous with high-quality products and superior customer service and support. We are committed to maintain and protect our brand. These policies have been established to improve and protect the reputation of the Nexen brand, its resale network, and customer relationships, and give all resellers an equal ability to sell and promote the product. Nexen gives its direct dealers and associated dealers (collectively called "authorized resellers") and third-party resellers the ability to sell and promote Nexen branded products in ordinary channels of trade, but Nexen requires that all U.S. resellers of Nexen products, whether they be direct dealers, associated dealers, or third-party resellers adhere to this Minimum Advertised Pricing (MAP) policy. This policy is being implemented unilaterally by Nexen, and Nexen will not invite or accept any input into its terms, how it will be administered, or how it will be maintained. Further, this is not an agreement between Nexen and any other party, and Nexen will not ask for or accept any agreement from another party.

II. This MAP policy applies to only those Nexen branded products sold by Nexen listed in the Appendix to this MAP Policy (the "Products"), and only to the "advertising" practices of the resellers.

III. Any reseller of Nexen products may not advertise any price below that of the officially published MAP for that particular product,. Further detail on prohibited advertising is set forth in Section VI below.

IV. The Company shall not mandate the actual selling price of any Product by a reseller, and shall not issue any directive or limitation regarding maximum advertised prices. Each reseller remains free to set, independently, the actual resale price, and no employee or agent of Nexen shall be authorized to require anything to the contrary.

V. This MAP policy applies to all advertisements of Nexen products in any and all media, whether in print, online, or in an email. Without limiting the generality of the foregoing, the MAP policy includes:

a. flyers, posters, coupons, mailers, inserts, newspapers, publications, magazines, circulars, catalogs, mail order catalogs, public signage, and other print media, including advertisements and marketing by affiliates;

b. broadcasts on networks, television, and radio, including advertisements and marketing by affiliates;

c. Online and any other electronic or social media marketing, including websites that can be accessed directly through any hypertext link or by any other method which uses the hypertext transfer protocol (http); search engine advertising, broadcast e-mail newsletters, e-mail solicitations, automated response pricing e-mails, SMS or other phone/electronic text messages, search engine optimization, banners, pop-ups or pop under ads, price comparison sites, auction functions or websites, shopping websites, shopping feed and portal sites, online display advertising, or similar electronic media, including advertisements and marketing by affiliates.

d. Email and customer service interactions in response to a customer inquiry are not considered advertising.

e. This MAP policy does not apply to in-store shelf talkers and point of purchase displays such as signage, price tags, or prices written in a sample book, as long as such displays are not distributed or displayed to any customers in any digital media cross-promotions (e.g., Facebook, Instagram, or Pinterest).

VI. If the advertising method provides for or suggests a price below the minimum advertised price, such advertising violates this MAP policy. Examples of advertising methods that violate this MAP policy include, but are not limited to, the following:

a. The use of a rebate, coupon, promotion, giveaway, or incentive that reduces the advertised price below the minimum advertised price.

b. The inclusion in advertising of a fee or discounted products with a Product covered by this MAP policy if it has the effect of discounting the advertised price of the covered Product below the minimum advertised price.

c. Offering free shipping and handling of Nexen branded products violates this MAP policy if the monetary value for such offer results in the display of the price for such Product below the established minimum advertised price for such Product.

d. If pricing is displayed, any strike-through or other alteration of the established minimum advertised price is prohibited.

MINIMUM ADVERTISED PRICING POLICY [MAP]

e. The use of "click on" or "click through" button on a website, or any similar buttons or automated price quotation transmission features, to provide automatic price quotations at or below the established minimum advertised price.

f. Language such as "Click 'Buy for Price'" or "Click 'Add to Cart' for Price" or "Click for Quote" if used on the same website page on which Nexen branded products are being advertised for sale.

g. Statements such as "Click here for Lower Price," "Add to Cart for Lower Price," or "Check Cart for Lower Price."

VII. This MAP policy does not:

a. Prohibit responses to specific requests for price quotes by an individual customer as long as such responses are not automatic and are given in an individualized personal communication to the requesting customer.

b. Apply to the price at which goods are actually sold. Nexen resellers are free to sell the Nexen products at any price.

VIII. Intentional or repeated failures to comply with this MAP policy for Nexen products can result in sanctions being unilaterally imposed in Nexen's sole discretion, which may include one or more of the following actions: (1) suspension and/or loss of any future product purchase discounts, rewards earned or to be earned, loyalty bonuses earned or to be earned, brand support bonuses earned or to be earned, and sales incentives; (2) suspension of shipments of products; (3) termination of the reseller's business relationship with Nexen. Nexen will act in its own unilateral discretion should it observe a failure to comply with this MAP policy. As a standard practice Nexen usually will give — but is not obligated to give — a notice to any reseller violating the policy.

IX. Nexen reserves the right to modify or suspend this MAP policy or adjust the MAP for any product at any time. Such changes will apply equally to all resellers.

X. Nexen resellers shall provide a copy of this MAP to all of their third-party resellers, as this MAP applies to such third-party resellers as well.

XI. All questions regarding this Policy can be directed to the Nexen Tire America Compliance Team at map@nexentireusa.com.

NOTES:

NOTES:

NEXEN TIRE

NEXEN TIRE AMERICA INC.
Corporate Headquarters
4014 Wheatley Road, Richfield, OH 44286
T: (800) 576-3936
E: info@nexentireusa.com
NexenTireUSA.com